

Package ‘gDRcore’

May 1, 2024

Type Package

Title Processing functions and interface to process and analyze drug dose-response data

Version 1.2.0

Date 2024-04-23

Description This package contains core functions to process and analyze drug response data. The package provides tools for normalizing, averaging, and calculation of gDR metrics data. All core functions are wrapped into the pipeline function allowing analyzing the data in a straightforward way.

License Artistic-2.0

Depends R (>= 4.2)

Imports BumpyMatrix, BiocParallel, checkmate, futile.logger, gDRutils (>= 1.1.3), MultiAssayExperiment, purrr, stringr, S4Vectors, SummarizedExperiment, data.table

Suggests BiocStyle, gDRstyle (>= 1.1.2), gDRimport (>= 1.1.4), gDRtestData (>= 1.1.6), IRanges, knitr, pkgbuild, qs, testthat, yaml

VignetteBuilder knitr

URL <https://github.com/gdrplatform/gDRcore>,
<https://gdrplatform.github.io/gDRcore/>

BugReports <https://github.com/gdrplatform/gDRcore/issues>

biocViews Software, ShinyApps

ByteCompile TRUE

DeploySubPath gDRcore

Encoding UTF-8

LazyLoad yes

NeedsCompilation yes

RoxygenNote 7.3.1

Roxygen list(markdown = TRUE)

SwitchrLibrary gDRcore

git_url <https://git.bioconductor.org/packages/gDRcore>

git_branch RELEASE_3_19

git_last_commit 8b5ff22

git_last_commit_date 2024-04-30

Repository Bioconductor 3.19

Date/Publication 2024-05-01

Author Bartosz Czech [aut] (<<https://orcid.org/0000-0002-9908-3007>>),
 Arkadiusz Gladki [cre, aut] (<<https://orcid.org/0000-0002-7059-6378>>),
 Marc Hafner [aut] (<<https://orcid.org/0000-0003-1337-7598>>),
 Pawel Piatkowski [aut],
 Natalia Potocka [aut],
 Dariusz Scigocki [aut],
 Janina Smola [aut],
 Sergiu Mocanu [aut],
 Marcin Kamianowski [aut],
 Allison Vuong [aut]

Maintainer Arkadiusz Gladki <gladki.arkadiusz@gmail.com>

Contents

| | |
|--|----|
| gDRcore-package | 3 |
| .map_references | 4 |
| .standardize_conc | 5 |
| add_CellLine_annotation | 6 |
| add_Drug_annotation | 7 |
| add_intermediate_data | 8 |
| average_SE | 9 |
| calculate_excess | 14 |
| calculate_GR_value | 15 |
| calculate_matrix_metric | 17 |
| cleanup_metadata | 19 |
| convert_mae_to_raw_data | 20 |
| convert_se_to_raw_data | 20 |
| data_model | 21 |
| data_model.character | 21 |
| data_model.data.table | 22 |
| define_matrix_grid_positions | 22 |
| do_skip_step | 23 |
| fit_SE.combinations | 23 |
| generateCodilution | 24 |
| generateCodilutionSmall | 25 |
| generateComboMatrix | 25 |
| generateComboMatrixSmall | 25 |
| generateComboNoNoiseData | 26 |

| | |
|---|----|
| generateComboNoNoiseData2 | 26 |
| generateComboNoNoiseData3 | 26 |
| generateLigandData | 27 |
| generateMediumData | 27 |
| generateNoiseRawData | 27 |
| generateNoNoiseRawData | 28 |
| generateTripleComboMatrix | 28 |
| get_assays_per_pipeline_step | 29 |
| get_default_nested_identifiers | 29 |
| get_mae_from_intermediate_data | 30 |
| get_pipeline_steps | 30 |
| grr_matches | 31 |
| identify_data_type | 32 |
| identify_keys | 34 |
| is_preceding_step | 35 |
| map_conc_to_standardized_conc | 35 |
| map_df | 36 |
| map_ids_to_fits | 38 |
| map_untreated | 39 |
| merge_data | 39 |
| order_result_df | 40 |
| prepare_input | 40 |
| prepare_input.data.table | 41 |
| prepare_input.MultiAssayExperiment | 42 |
| read_intermediate_data | 43 |
| remove_drug_batch | 44 |
| replace_conc_with_standardized_conc | 44 |
| round_concentration | 45 |
| save_intermediate_data | 46 |
| split_raw_data | 46 |
| test_synthetic_data | 48 |

| | |
|--------------|-----------|
| Index | 50 |
|--------------|-----------|

| | |
|-----------------|---|
| gDRcore-package | <i>gDRcore: Processing functions and interface to process and analyze drug dose-response data</i> |
|-----------------|---|

Description

This package contains core functions to process and analyze drug response data. The package provides tools for normalizing, averaging, and calculation of gDR metrics data. All core functions are wrapped into the pipeline function allowing analyzing the data in a straightforward way.

Value

package help page

Note

To learn more about functions start with `help(package = "gDRcore")`

Author(s)

Maintainer: Arkadiusz Gladki <gladki.arkadiusz@gmail.com> ([ORCID](#))

Authors:

- Bartosz Czech <bartosz.czech@contractors.roche.com> ([ORCID](#))
- Marc Hafner ([ORCID](#))
- Pawel Piatkowski
- Natalia Potocka
- Dariusz Scigocki
- Janina Smola
- Sergiu Mocanu
- Marcin Kamianowski
- Allison Vuong

See Also

Useful links:

- <https://github.com/gdrplatform/gDRcore>
- <https://gdrplatform.github.io/gDRcore/>
- Report bugs at <https://github.com/gdrplatform/gDRcore/issues>

.map_references

Map references

Description

Map references

Usage

```
.map_references(  
  mat_elem,  
  rowData_colnames = c(gDRutils::get_env_identifiers("duration"), paste0(c("drug",  
    "drug_name", "drug_moa"), "3"))  
)
```

Arguments

`mat_elem` input data frame
`rowData_colnames` character vector of variables for the mapping of reference treatments

Details

Using the given rownames, map the treated and reference conditions.

Value

list

`.standardize_conc` *Standardize concentration values.*

Description

Standardize concentration values.

Usage

```
.standardize_conc(conc)
```

Arguments

conc numeric vector of the concentrations

Details

If no conc are passed, NULL is returned.

Value

vector of standardized concentrations

Examples

```
concs <- 10 ^ (seq(-1, 1, 0.9))  
.standardize_conc(concs)
```

```
add_CellLine_annotation
      add_CellLine_annotation
```

Description

add cellline annotation to a data.table with metadata

Usage

```
add_CellLine_annotation(
  dt_metadata,
  DB_cellid_header = "cell_line_identifier",
  DB_cell_annotate = c("cell_line_name", "primary_tissue", "doubling_time",
    "parental_identifier", "subtype"),
  fname = "cell_lines.csv",
  fill = "unknown",
  annotationPackage = if ("gDRinternal" %in% .packages(all.available = TRUE)) {
    "gDRinternal"
  } else {
    "gDRtestData"
  },
  externalSource = Sys.getenv("GDR_CELLLINE_ANNOTATION")
)
```

Arguments

| | |
|-------------------|--|
| dt_metadata | data.table with metadata |
| DB_cellid_header | string with colnames with cell line identifier in the annotation file |
| DB_cell_annotate | character vector with mandatory colnames used in the annotation file |
| fname | string with file name with annotation |
| fill | string indicating how unknown cell lines should be filled in the DB |
| annotationPackage | string indication name of the package containing cellline annotation |
| externalSource | string with path to external file with annotation data; by default it checks 'GDR_CELLLINE_ANNOTATION' env var. This file should contain columns such as gnumber, drug_name and drug_moa |

Details

The logic of adding cellline annotation for dt_metadata based on the annotation file stored in gDRtestData. Other fields are set as "unknown". This approach will be corrected once we will implement final solution for adding cell lines.

Value

data.table with metadata with annotated cell lines

Examples

```
add_CellLine_annotation(
  data.table::data.table(
    clid = "123",
    CellLineName = "name of the cell line")
)
```

add_Drug_annotation *add_Drug_annotation*

Description

add drug annotation to a data.table with metadata

Usage

```
add_Drug_annotation(
  dt_metadata,
  fname = "drugs.csv",
  fill = "unknown",
  annotationPackage = if ("gDRinternal" %in% .packages(all.available = TRUE)) {
    "gDRinternal"
  } else {
    "gDRtestData"
  },
  externalSource = Sys.getenv("GDR_DRUG_ANNOTATION")
)
```

Arguments

| | |
|-------------------|---|
| dt_metadata | data.table with metadata |
| fname | string with file name with annotation |
| fill | string indicating how unknown cell lines should be filled in the DB |
| annotationPackage | string indication name of the package containing drug annotation |
| externalSource | string with path to external file with annotation data; by default it checks 'GDR_DRUG_ANNOTATION' env var. This file should contain columns such as gnumber, drug_name, and drug_moa |

Details

The logic of adding drug annotation for dt_metadata based on the annotation file stored in gDRtest-Data.

Value

data.table with metadata with annotated drugs

Examples

```
add_Drug_annotation(  
  data.table::data.table(  
    Gnumber = "drug_id",  
    DrugName = "name of the drug")  
)
```

add_intermediate_data *add intermediate data (qs files) for given ma*

Description

add intermediate data (qs files) for given ma

Usage

```
add_intermediate_data(mae, data_dir, steps = get_pipeline_steps())
```

Arguments

| | |
|----------|--|
| mae | mae with dose-response data |
| data_dir | output directory |
| steps | character vector with pipeline steps for which intermediate data should be saved |

Value

NULL

| | |
|------------|--|
| average_SE | <i>Run drug response processing pipeline</i> |
|------------|--|

Description

Run different components of the gDR drug response processing pipeline. Either: create a SummarizedExperiment and normalize raw treated and control data (create_and_normalize_SE), average data (average_SE), or fit the processed data (fit_SE). See details for more in-depth explanations.

Usage

```
average_SE(  
  se,  
  data_type,  
  series_identifiers = NULL,  
  override_masked = FALSE,  
  normalized_assay = "Normalized",  
  averaged_assay = "Averaged"  
)  
  
create_SE(  
  df_,  
  data_type,  
  readout = "ReadoutValue",  
  nested_identifiers = NULL,  
  nested_confounders = intersect(names(df_), gDRutils::get_env_identifiers("barcode")),  
  override_untrt_controls = NULL  
)  
  
fit_SE(  
  se,  
  data_type = "single-agent",  
  nested_identifiers = NULL,  
  averaged_assay = "Averaged",  
  metrics_assay = "Metrics",  
  n_point_cutoff = 4,  
  range_conc = c(0.005, 5),  
  force_fit = FALSE,  
  pcutoff = 0.05,  
  cap = 0.1,  
  curve_type = c("GR", "RV")  
)  
  
normalize_SE(  
  se,  
  data_type,  
  nested_identifiers = NULL,
```

```
nested_confounders = gDRutils::get_SE_identifiers(se, "barcode", simplify = TRUE),
control_mean_fxn = function(x) {
  mean(x, trim = 0.25)
},
control_assay = "Controls",
raw_treated_assay = "RawTreated",
normalized_assay = "Normalized",
ndigit_rounding = 4
)

create_and_normalize_SE(
  df_,
  data_type,
  readout = "ReadoutValue",
  control_mean_fxn = function(x) {
    mean(x, trim = 0.25)
  },
  nested_identifiers = NULL,
  nested_confounders = intersect(names(df_), gDRutils::get_env_identifiers("barcode")),
  override_untrt_controls = NULL,
  ndigit_rounding = 4,
  control_assay = "Controls",
  raw_treated_assay = "RawTreated",
  normalized_assay = "Normalized"
)

runDrugResponseProcessingPipeline(
  x,
  readout = "ReadoutValue",
  control_mean_fxn = function(x) {
    mean(x, trim = 0.25)
  },
  nested_identifiers_l = NULL,
  nested_confounders = gDRutils::get_env_identifiers("barcode"),
  override_untrt_controls = NULL,
  override_masked = FALSE,
  ndigit_rounding = 4,
  n_point_cutoff = 4,
  control_assay = "Controls",
  raw_treated_assay = "RawTreated",
  normalized_assay = "Normalized",
  averaged_assay = "Averaged",
  metrics_assay = "Metrics",
  split_data = TRUE,
  data_dir = NULL,
  partial_run = FALSE,
  start_from = get_pipeline_steps()[1],
  selected_experiments = NULL
)
```

)

Arguments

| | |
|-------------------------|---|
| se | SummarizedExperiment object. |
| data_type | single-agent vs combination |
| series_identifiers | character vector of identifiers in measured or metric which define a unique data point. |
| override_masked | boolean indicating whether or not to override the masked wells in the averaging and include all wells. Defaults to FALSE. |
| normalized_assay | string of the assay name containing the normalized data. Defaults to "Normalized". |
| averaged_assay | string of the name of the averaged assay in the SummarizedExperiment . Defaults to "Averaged". |
| df_ | data.table of raw drug response data containing both treated and untreated values. If a column called "BackgroundValue" exists in df_, it will be removed from the readout column. |
| readout | string of the name containing the cell viability readout values. |
| nested_identifiers | character vector with the nested_identifiers for the given SE with a given data_type |
| nested_confounders | Character vector of the nested_confounders for a given assay. nested_keys is character vector of column names to include in the data.tables in the assays of the resulting SummarizedExperiment object. Defaults to the nested_identifiers and nested_confounders if passed through create_and_normalize_SE or runDrugResponseProcessingPipeline. |
| override_untrt_controls | named list containing defining factors in the treatments. Defaults to NULL. |
| metrics_assay | string of the name of the metrics assay to output in the returned SummarizedExperiment Defaults to "Metrics". |
| n_point_cutoff | integer of how many points should be considered the minimum required to try to fit a curve. Defaults to 4. |
| range_conc | vector of concentrations range values. |
| force_fit | boolean indicating whether or not to force the fit. |
| pcutoff | numeric cutoff value. |
| cap | numeric value representing the value to cap the highest allowed relative viability at. |
| curve_type | vector of curve type values. |
| control_mean_fxn | function indicating how to average controls. Defaults to mean(x, trim = 0.25). |
| control_assay | string containing the name of the assay representing the controls in the se. Defaults to "Controls". |

| | |
|----------------------|--|
| raw_treated_assay | string containing the name of the assay representing the raw treated data in the se. Defaults to "RawTreated". |
| ndigit_rounding | integer indicating number of digits to round to in calculations. Defaults to 4. |
| x | data.table of MAE with drug response data |
| nested_identifiers_l | list with the nested_identifiers(character vectors) for single-agent and (optionally) for combination data |
| split_data | boolean indicating whether data provided as the MultiAssayExperiment should be split again into appropriate data types |
| data_dir | string with the path to the directory with intermediate data of experiments (qs files). If set to NULL (default) intermediate data is not saved/read in. |
| partial_run | logical flag indicating if the pipeline should be run partially (from the step defined with start_from) |
| start_from | string indicating the pipeline step from which partial run should be launched |
| selected_experiments | character vector with experiments for which pipeline should be run. This option works only for the pipeline being run partially (i.e. with partial_run flag set to TRUE) |

Details

runDrugResponseProcessingPipeline is made up of 3 separate steps:

- "create_and_normalize_SE"
- "average_SE"
- "fit_SE"

For create_and_normalize_SE, this creates a SummarizedExperiment object from a data.table, where the data.table contains treatments on rows, and conditions on columns. A [SummarizedExperiment](#) object containing two assays is created: treated readouts will live in an assay called "RawTreated", and reference readouts live in an assay called "Controls". Subsequently, the treated and control elements will be normalized to output two metrics:

For average_SE, take the normalized assay and average the nested DataFrames across uniquely nested_identifiers.

For fit_SE, take the averaged assay and fit curves to obtain metrics, one set of metrics for each normalization type set.

Pipeline can be run partially with partial_run flag set to TRUE. The start_from string defines the step from which the pipeline will be launched. However, partial run of the pipeline is possible only if the whole pipeline was launched at least once with defined data_dir and intermediate data was saved as qs files into data_dir.

Pipeline can be run for the selected experiments by changing the default value of selected_experiments param. This scenario only works when partial_run is enabled.

Value

MAE object

Examples

```

d <- rep(seq(0.1, 0.9, 0.1), each = 4)
v <- rep(seq(0.1, 0.4, 0.1), 9)
df <- S4Vectors::DataFrame(
  Concentration = d,
  masked = rep(c(TRUE, TRUE, TRUE, FALSE), 9),
  normalization_type = rep(c("GR", "RV"), length(v) * 2),
  x = rep(v, 2)
)
normalized <- BumpyMatrix::splitAsBumpyMatrix(row = 1, column = 1, x = df)

keys <- list(Trt = "Concentration", "masked_tag" = "masked")
assays <- list("Normalized" = normalized)
se <- SummarizedExperiment::SummarizedExperiment(assays = assays)
se <- gDRutils::set_SE_keys(se, keys)
se <- gDRutils::set_SE_identifiers(se, gDRutils::get_env_identifiers())
se1 <- average_SE(
  se,
  data_type = "single-agent",
  override_masked = FALSE,
  normalized_assay = "Normalized",
  averaged_assay = "Averaged"
)

td <- gDRimport::get_test_data()
l_tbl <- gDRimport::load_data(
  manifest_file = gDRimport::manifest_path(td),
  df_template_files = gDRimport::template_path(td),
  results_file = gDRimport::result_path(td)
)
imported_data <- merge_data(
  l_tbl$manifest,
  l_tbl$treatments,
  l_tbl$data
)

se <- purrr::quietly(create_SE)(imported_data, data_type = "single-agent")

td <- gDRimport::get_test_data()
l_tbl <- gDRimport::load_data(
  manifest_file = gDRimport::manifest_path(td),
  df_template_files = gDRimport::template_path(td),
  results_file = gDRimport::result_path(td)
)
imported_data <- merge_data(
  l_tbl$manifest,
  l_tbl$treatments,
  l_tbl$data
)

```

```

inl <- prepare_input(imported_data)
se <- create_SE(
  inl$df_list[["single-agent"]],
  data_type = "single-agent",
  nested_confounders = inl$nested_confounders)

normalize_SE(se, data_type = "single-agent")
p_dir <- file.path(tempdir(), "pcheck")
dir.create(p_dir)
td <- gDRimport::get_test_data()
l_tbl <- gDRimport::load_data(
  manifest_file = gDRimport::manifest_path(td),
  df_template_files = gDRimport::template_path(td),
  results_file = gDRimport::result_path(td)
)
imported_data <- merge_data(
  l_tbl$manifest,
  l_tbl$treatments,
  l_tbl$data
)
runDrugResponseProcessingPipeline(
  imported_data,
  data_dir = p_dir
)

```

calculate_excess

Calculate the difference between values in two data.tables

Description

Calculate the difference between values, likely representing the same metric, from two data.tables.

Usage

```

calculate_excess(
  metric,
  measured,
  series_identifiers,
  metric_col,
  measured_col
)

```

Arguments

| | |
|----------|---|
| metric | data.table often representing readouts derived by calculating some metric. Examples of this could include hsa or bliss calculations from single-agent data. |
| measured | data.table often representing measured data from an experiment. |

series_identifiers character vector of identifiers in measured or metric which define a unique data point.

metric_col string of the column in metric to use in excess calculation.

measured_col string of the column in measured to use in excess calculation.

Value

data.table of measured, now with an additional column named excess (positive values for synergy/benefit).

Examples

```
metric <- data.table::data.table(
  Concentration = c(1, 2, 3, 1, 2, 3),
  Concentration_2 = c(1, 1, 1, 2, 2, 2),
  GRvalue = c(100, 200, 300, 400, 500, 600)
)
measured <- data.table::data.table(
  Concentration = c(3, 1, 2, 2, 1, 3),
  Concentration_2 = c(1, 1, 1, 2, 2, 2),
  testvalue = c(200, 0, 100, 400, 300, 500)
)
series_identifiers <- c("Concentration", "Concentration_2")
metric_col <- "GRvalue"
measured_col <- "testvalue"
calculate_excess(
  metric,
  measured,
  series_identifiers,
  metric_col,
  measured_col
)
```

calculate_GR_value *Calculate a GR value.*

Description

Calculate a GR value for a given set of dose response values.

Usage

```
calculate_GR_value(
  rel_viability,
  corrected_readout,
  day0_readout,
  untrt_readout,
```

```

    ndigit_rounding,
    duration,
    ref_div_time,
    cap = 1.25
)

calculate_time_dep_GR_value(
  corrected_readout,
  day0_readout,
  untrt_readout,
  ndigit_rounding
)

calculate_endpt_GR_value(
  rel_viability,
  duration,
  ref_div_time,
  cap = 1.25,
  ndigit_rounding
)

```

Arguments

| | |
|--------------------------------|---|
| <code>rel_viability</code> | numeric vector representing the Relative Viability. |
| <code>corrected_readout</code> | numeric vector containing the corrected readout. |
| <code>day0_readout</code> | numeric vector containing the day 0 readout. |
| <code>untrt_readout</code> | numeric vector containing the untreated readout. |
| <code>ndigit_rounding</code> | integer specifying the number of digits to use for calculation rounding. |
| <code>duration</code> | numeric value specifying the length of time the cells were treated (in hours). |
| <code>ref_div_time</code> | numeric value specifying the reference division time for the cell line in the experiment. |
| <code>cap</code> | numeric value representing the value to cap the highest allowed relative viability at. |

Details

Note that this function expects that all numeric vectors are of the same length. `calculate_GR_value` will try to greedily calculate a GR value. If no day 0 readouts are available, the `duration` and `ref_div_time` will be used to try to back-calculate a day 0 value in order to produce a GR value.

In the case of calculating the reference GR value from multiple reference readout values, the vectorized calculation is performed and then the resulting vector should be averaged outside of this function.

Note that it is expected that the `ref_div_time` and `duration` are reported in the same units.

Value

numeric vector containing GR values, one value for each element of the input vectors.

See Also

normalize_SE2

Examples

```
duration <- 144
rv <- seq(0.1, 1, 0.1)
corrected <- seq(41000, 50000, 1000)
day0 <- seq(91000, 95500, 500)
untrt <- rep(c(115000, 118000), 5)

calculate_GR_value(
  rel_viability = rv,
  corrected_readout = corrected,
  day0_readout = day0,
  untrt_readout = untrt,
  ndigit_rounding = 4,
  duration = duration,
  ref_div_time = duration / 2
)

readouts <- rep(10000, 5)
calculate_time_dep_GR_value(readouts, readouts * 1.32, readouts * 2, 2)

readouts <- rep(10000, 5)
calculate_endpt_GR_value(readouts, 72, 1, ndigit_rounding = 2)
```

calculate_matrix_metric

Calculate a metric for combination data.

Description

Calculate a metric based off of single-agent values in combination screens.

Usage

```
calculate_HSA(sa1, series_id1, sa2, series_id2, metric)

calculate_Bliss(
  sa1,
  series_id1,
  sa2,
  series_id2,
```

```

    metric,
    measured_col = "smooth"
  )

  .calculate_matrix_metric(
    sa1,
    series_id1,
    sa2,
    series_id2,
    metric,
    FXN,
    measured_col = "x"
  )

```

Arguments

| | |
|--------------|--|
| sa1 | data.table containing single agent data where entries in series_id2 are all 0. Columns of the data.table include identifiers and the metric of interest. Metric is stored in the 'x' column. |
| series_id1 | String representing the column within sa1 that represents id1. |
| sa2 | data.table containing single agent data where entries in series_id1 are all 0. Columns of the data.table include identifiers and the metric of interest. Metric is stored in the 'x' column. |
| series_id2 | String representing the column within sa2 that represents id2. |
| metric | String specifying the metric of interest. Usually either 'GRvalue' or 'Relative-Viability'. |
| measured_col | String specifying the measured colname. |
| FXN | Function to apply to the single-agent fits to calculate a metric. |

Details

calculate_HSA takes the minimum of the two single agents readouts. calculate_Bliss performs Bliss additivity calculation based on the single agent effects, defined as $1-x$ for the corresponding normalization. See <https://www.sciencedirect.com/science/article/pii/S1359644619303460?via%3Dihub#tb0005> for more details.

Value

data.table containing a single row for every unique combination of the two series identifiers and the corresponding calculated metric for each row.

Examples

```

n <- 10
sa1 <- data.table::data.table(conc = seq(n), conc2 = rep(0, n), smooth = seq(n))
sa2 <- data.table::data.table(conc = rep(0, n), conc2 = seq(n), smooth = seq(n))
calculate_HSA(sa1, "conc", sa2, "conc2", "smooth")
n <- 10

```

```
sa1 <- data.table::data.table(conc = seq(n), conc2 = rep(0, n), smooth = seq(n))
sa2 <- data.table::data.table(conc = rep(0, n), conc2 = seq(n), smooth = seq(n))
calculate_Bliss(sa1, "conc", sa2, "conc2", "smooth")
```

| | |
|------------------|-------------------------|
| cleanup_metadata | <i>cleanup_metadata</i> |
|------------------|-------------------------|

Description

Cleanup a data.table with metadata

Usage

```
cleanup_metadata(df_metadata)
```

Arguments

df_metadata a data.table with metadata

Details

Adds annotations and check whether user provided correct input data.

Value

a data.table with cleaned metadata

Examples

```
df <- data.table::data.table(
  clid = "CELL_LINE",
  Gnumber = "DRUG_1",
  Concentration = c(0, 1),
  Duration = 72
)
cleanup_df <- cleanup_metadata(df)
```

```
convert_mae_to_raw_data
```

Transform mae into raw data

Description

Transform mae into raw data

Usage

```
convert_mae_to_raw_data(mae)
```

Arguments

mae MultiAssayExperiment object with SummarizedExperiments containing "RawTreated" and "Controls" assays

Value

data.table with raw data

Examples

```
mae <- gDRutils::get_synthetic_data("finalMAE_small")
convert_mae_to_raw_data(mae)
```

```
convert_se_to_raw_data
```

Transform se into raw_data

Description

Transform se into raw_data

Usage

```
convert_se_to_raw_data(se)
```

Arguments

se SummarizedExperiment object with "RawTreated" and "Controls" assays

Value

data.table with raw data

Examples

```
mae <- gDRutils::get_synthetic_data("finalMAE_small")
se <- mae[[1]]
convert_se_to_raw_data(se)
```

| | |
|------------|-----------------------------|
| data_model | <i>Detect model of data</i> |
|------------|-----------------------------|

Description

Detect model of data

Usage

```
data_model(x)
```

Arguments

x data.table with raw data or SummarizedExperiment object with gDR assays

Value

string with the information of the raw data follows single-agent or combination data model

Examples

```
data_model("single-agent")
```

| | |
|----------------------|--|
| data_model.character | <i>Detect model of data from experiment name</i> |
|----------------------|--|

Description

Detect model of data from experiment name

Usage

```
## S3 method for class 'character'
data_model(x)
```

Arguments

x character with experiment name

Value

string with the information of the raw data follows single-agent or combination data model

data_model.data.table *Detect model of data in data.table*

Description

Detect model of data in data.table

Usage

```
## S3 method for class 'data.table'  
data_model(x)
```

Arguments

x data.table of raw drug response data containing both treated and untreated values.

Value

string with the information of the raw data follows single-agent or combination data model

define_matrix_grid_positions
Define matrix grid positions

Description

Define matrix grid positions

Usage

```
define_matrix_grid_positions(conc1, conc2)
```

Arguments

conc1 drug_1 concentration
conc2 drug_2 concentration

Details

drug_1 is diluted along the rows as the y-axis and drug_2 is diluted along the columns and will be the x-axis.

Value

list with axis grid positions

| | |
|--------------|--|
| do_skip_step | <i>check if the given step can be skipped if partial run is chosen</i> |
|--------------|--|

Description

check if the given step can be skipped if partial run is chosen

Usage

```
do_skip_step(current_step, start_from, steps = get_pipeline_steps())
```

Arguments

| | |
|--------------|---|
| current_step | string with the step to be evaluated |
| start_from | string indicating the pipeline step from which partial run should be launched |
| steps | charvect with all available steps |

Value

logical

| | |
|---------------------|---------------------------------------|
| fit_SE.combinations | <i>fit_SE for combination screens</i> |
|---------------------|---------------------------------------|

Description

Perform fittings for combination screens.

Usage

```
fit_SE.combinations(  
  se,  
  data_type = gDRutils::get_experiment_groups("combination"),  
  series_identifiers = NULL,  
  normalization_types = c("GR", "RV"),  
  averaged_assay = "Averaged",  
  metrics_assay = "Metrics"  
)
```

Arguments

| | |
|---------------------|--|
| se | SummarizedExperiment object with a BumpyMatrix assay containing averaged data. |
| data_type | single-agent vs combination |
| series_identifiers | character vector of the column names in the nested DFrame corresponding to nested identifiers. |
| normalization_types | character vector of normalization types used for calculating combo matrix. |
| averaged_assay | string of the name of the averaged assay to use as input. in the se. |
| metrics_assay | string of the name of the metrics assay to output in the returned SummarizedExperiment . whose combination represents a unique series for which to fit curves. |

Details

This function assumes that the combination is set up with both concentrations nested in the assay.

Value

A SummarizedExperiment object with an additional assay containing the combination metrics.

Examples

```
fmae_cms <- gDRutils::get_synthetic_data("finalMAE_combo_matrix_small")

se1 <- fmae_cms[[gDRutils::get_experiment_groups("combination")]]
SummarizedExperiment::assays(se1) <-
  SummarizedExperiment::assays(se1)["Averaged"]
fit_SE.combinations(se1[1, 1])
```

generateCodilution *generateCodilution*

Description

generateCodilution

Usage

```
generateCodilution(cell_lines, drugs, save = TRUE)
```

Value

data.table with raw input data or MAE with processed data

`generateCodilutionSmall`
generateCodilutionSmall

Description

`generateCodilutionSmall`

Usage

`generateCodilutionSmall(cell_lines, drugs, save = TRUE)`

Value

data.table with raw input data or MAE with processed data

`generateComboMatrix` *generateComboMatrix*

Description

`generateComboMatrix`

Usage

`generateComboMatrix(cell_lines, drugs, save = TRUE)`

Value

data.table with raw input data or MAE with processed data

`generateComboMatrixSmall`
generateComboMatrixSmall

Description

`generateComboMatrixSmall`

Usage

`generateComboMatrixSmall(cell_lines, drugs, save = TRUE)`

Value

data.table with raw input data or MAE with processed data

`generateComboNoNoiseData`
generateComboNoNoiseData

Description

`generateComboNoNoiseData`

Usage

```
generateComboNoNoiseData(cell_lines, drugs, save = TRUE)
```

Value

data.table with raw input data or MAE with processed data

`generateComboNoNoiseData2`
generateComboNoNoiseData2

Description

`generateComboNoNoiseData2`

Usage

```
generateComboNoNoiseData2(cell_lines, drugs, save = TRUE)
```

Value

data.table with raw input data or MAE with processed data

`generateComboNoNoiseData3`
generateComboNoNoiseData3

Description

`generateComboNoNoiseData3`

Usage

```
generateComboNoNoiseData3(cell_lines, drugs, save = TRUE)
```

Value

data.table with raw input data or MAE with processed data

`generateLigandData` *generateLigandData*

Description

`generateLigandData`

Usage

`generateLigandData(cell_lines, drugs, save = TRUE)`

Value

data.table with raw input data or MAE with processed data

`generateMediumData` *generateMediumData*

Description

`generateMediumData`

Usage

`generateMediumData(cell_lines, drugs, save = TRUE)`

Value

data.table with raw input data or MAE with processed data

`generateNoiseRawData` *generateNoiseRawData*

Description

`generateNoiseRawData`

Usage

`generateNoiseRawData(cell_lines, drugs, save = TRUE)`

Value

data.table with raw input data or MAE with processed data

`generateNoNoiseRawData`

generateNoNoiseRawData

Description

`generateNoNoiseRawData`

Usage

`generateNoNoiseRawData(cell_lines, drugs, save = TRUE)`

Value

data.table with raw input data or MAE with processed data

`generateTripleComboMatrix`

generateTripleComboMatrix

Description

`generateTripleComboMatrix`

Usage

`generateTripleComboMatrix(cell_lines, drugs, save = TRUE)`

Value

data.table with raw input data or MAE with processed data

get_assays_per_pipeline_step
get info about created/present assays in SE at the given pipeline step

Description

get info about created/present assays in SE at the given pipeline step

Usage

```
get_assays_per_pipeline_step(  
  step,  
  data_model,  
  status = c("created", "present")  
)
```

Arguments

| | |
|------------|--|
| step | string with pipeline step |
| data_model | single-agent vs combination |
| status | string return vector of assays created or present at the given step? |

Value

assay

get_default_nested_identifiers
Get default nested identifiers

Description

Get default nested identifiers

Usage

```
get_default_nested_identifiers(x, data_model = NULL)  
  
## S3 method for class 'data.table'  
get_default_nested_identifiers(x, data_model = NULL)  
  
## S3 method for class 'SummarizedExperiment'  
get_default_nested_identifiers(x, data_model = NULL)
```

Arguments

x data.table with raw data or SummarizedExperiment object with gDR assays
data_model single-agent vs combination

Value

vector of nested identifiers

Examples

```
get_default_nested_identifiers(data.table::data.table())
```

```
get_mae_from_intermediate_data  
                                  get mae dataset from intermediate data
```

Description

get mae dataset from intermediate data

Usage

```
get_mae_from_intermediate_data(data_dir)
```

Arguments

data_dir directory with intermediate data

Value

MAE object

```
get_pipeline_steps        get pipeline steps
```

Description

get pipeline steps

Usage

```
get_pipeline_steps()
```

Value

vector with steps

| | |
|-------------|-----------------------|
| grr_matches | <i>Value Matching</i> |
|-------------|-----------------------|

Description

Returns a lookup table or list of the positions of ALL matches of its first argument in its second and vice versa. Similar to [match](#), though that function only returns the first match.

Usage

```
grr_matches(
  x,
  y,
  all.x = TRUE,
  all.y = TRUE,
  list = FALSE,
  indexes = TRUE,
  nomatch = NA
)
```

Arguments

| | |
|---------|---|
| x | vector. The values to be matched. Long vectors are not currently supported. |
| y | vector. The values to be matched. Long vectors are not currently supported. |
| all.x | logical; if TRUE, then each value in x will be included even if it has no matching values in y |
| all.y | logical; if TRUE, then each value in y will be included even if it has no matching values in x |
| list | logical. If TRUE, the result will be returned as a list of vectors, each vector being the matching values in y. If FALSE, result is returned as a data.table with repeated values for each match. |
| indexes | logical. Whether to return the indices of the matches or the actual values. |
| nomatch | the value to be returned in the case when no match is found. If not provided and indexes=TRUE, items with no match will be represented as NA. If set to NULL, items with no match will be set to an index value of length+1. If indexes=FALSE, they will default to NA. |

Details

This behavior can be imitated by using joins to create lookup tables, but `matches` is simpler and faster: usually faster than the best joins in other packages and thousands of times faster than the built in [merge](#).

`all.x/all.y` correspond to the four types of database joins in the following way:

left `all.x=TRUE, all.y=FALSE`

right all.x=FALSE, all.y=TRUE

inner all.x=FALSE, all.y=FALSE

full all.x=TRUE, all.y=TRUE

Note that NA values will match other NA values.

Source of the function: <https://github.com/cran/grr/blob/master/R/grr.R>

Value

data.table

Examples

```
mat_elem <- data.table::data.table(
  DrugName = rep(c("untreated", "drugA", "drugB", "untreated"), 2),
  DrugName_2 = rep(c("untreated", "vehicle", "drugA", "drugB"), 2),
  clid = rep(c("C1", "C2"), each = 4)
)
untreated_tag <- gDRutils::get_env_identifiers("untreated_tag")
ref_idx <- which(
  mat_elem$DrugName %in% untreated_tag |
  mat_elem$DrugName_2 %in% untreated_tag
)
ref <- mat_elem[ref_idx, ]
treated <- mat_elem[-ref_idx, ]
valid <- c("DrugName", "DrugName_2")
trt <- lapply(valid, function(x) {
  colnames <- c("clid", x)
  treated[, colnames, with = FALSE]
})
trt <- do.call(paste,
  do.call(rbind, lapply(trt, function(x) setNames(x, names(trt[[1]]))))
)
ref <- lapply(valid, function(x) {
  colnames <- c("clid", x)
  ref[, colnames, with = FALSE]
})
ref <- do.call(paste,
  do.call(rbind, lapply(ref, function(x) setNames(x, names(ref[[1]]))))
)
grr_matches(trt, ref, list = FALSE, all.y = FALSE)
```

identify_data_type

Identify type of data

Description

Identify type of data

Usage

```
identify_data_type(df, codilution_conc = 2, matrix_conc = 1)
```

Arguments

| | |
|------------------------------|---|
| <code>df</code> | data.table of raw drug response data containing both treated and untreated values |
| <code>codilution_conc</code> | integer of maximum number of concentration ratio of co-treatment to classify as codilution data type; defaults to 2 |
| <code>matrix_conc</code> | integer of minimum number of concentration pairs of co-treatment to classify as co-treatment or matrix data type; defaults to 1 |

Value

data.table of raw drug response data with additional column `type` with the info of data type for a given row of data.table

Author(s)

Bartosz Czech bartosz.czech@contractors.roche.com

Examples

```
conc <- rep(seq(0, 0.3, 0.1), 2)
ctrl_df <- S4Vectors::DataFrame(
  ReadoutValue = c(2, 2, 1, 1, 2, 1),
  Concentration = rep(0, 6),
  masked = FALSE,
  DrugName = rep(c("DRUG_10", "vehicle", "DRUG_8"), 2),
  CellLineName = "CELL1"
)

trt_df <- S4Vectors::DataFrame(
  ReadoutValue = rep(seq(1, 4, 1), 2),
  Concentration = conc,
  masked = rep(FALSE, 8),
  DrugName = c("DRUG_10", "DRUG_8"),
  CellLineName = "CELL1"
)
input_df <- data.table::as.data.table(rbind(ctrl_df, trt_df))
input_df$Duration <- 72
input_df$CorrectedReadout2 <- input_df$ReadoutValue
identify_data_type(input_df)
```

| | |
|---------------|----------------------|
| identify_keys | <i>identify_keys</i> |
|---------------|----------------------|

Description

Group columns from a `data.table` that correspond to different

Usage

```
identify_keys(
  df_,
  nested_keys = NULL,
  override_untrt_controls = NULL,
  identifiers = gDRutils::get_env_identifiers()
)
```

Arguments

`df_` a `data.table` to identify keys for.

`nested_keys` character vector of keys to exclude from the returned list. The keys discarded should be identical to the keys in the third dimension of the `SummarizedExperiment`. Defaults to the "Barcode" and the masked identifier.

`override_untrt_controls` named list containing defining factors in the treatments. Defaults to `NULL`.

`identifiers` named list containing all identifiers to use during processing. By default, this value will be obtained by the environment.

Details

This is most likely to be used for provenance tracking and will be placed on the `SummarizedExperiment` metadata for downstream analyses to reference.

Value

named list of key types and their corresponding key values.

See Also

`map_df`, `create_SE`

Examples

```
n <- 64
md_df <- data.table::data.table(
  Gnumber = rep(c("vehicle", "untreated", paste0("G", seq(2))), each = 16),
  DrugName = rep(c("vehicle", "untreated", paste0("GN", seq(2))), each = 16),
  clid = paste0("C", rep_len(seq(4), n)),
  CellLineName = paste0("N", rep_len(seq(4), n)),
```

```

replicates = rep_len(paste0("R", rep(seq(4), each = 4)), 64),
drug_moa = "inhibitor",
ReferenceDivisionTime = rep_len(c(120, 60), n),
Tissue = "Lung",
parental_identififier = "CL12345",
Duration = 160
)
md_df <- unique(md_df)
ref <- md_df$Gnumber %in% c("vehicle", "untreated")
trt_df <- md_df[!ref, ]
identify_keys(trt_df)

```

| | |
|-------------------|--|
| is_preceding_step | <i>check if the given step is preceding the step chosen in the partial run</i> |
|-------------------|--|

Description

check if the given step is preceding the step chosen in the partial run

Usage

```
is_preceding_step(current_step, start_from, steps = get_pipeline_steps())
```

Arguments

| | |
|--------------|---|
| current_step | string with the step to be evaluated |
| start_from | string indicating the pipeline step from which partial run should be launched |
| steps | charvect with all available steps |

Value

logical

| | |
|-------------------------------|---|
| map_conc_to_standardized_conc | <i>Create a mapping of concentrations to standardized concentrations.</i> |
|-------------------------------|---|

Description

Create a mapping of concentrations to standardized concentrations.

Usage

```
map_conc_to_standardized_conc(conc1, conc2)
```

Arguments

conc1 numeric vector of the concentrations for drug 1.
conc2 numeric vector of the concentrations for drug 2.

Details

The concentrations are standardized in that they will contain regularly spaced dilutions and close values will be rounded.

Value

data.table of 2 columns named "concs" and "rconcs" containing the original concentrations and their closest matched standardized concentrations respectively. and their new standardized concentrations.

See Also

replace_conc_w_standardized_conc

Examples

```
ratio <- 0.5  
conc1 <- c(0, 10 ^ (seq(-3, 1, ratio)))  
  
shorter_range <- conc1[-1]  
noise <- runif(length(shorter_range), 1e-12, 1e-11)  
conc2 <- shorter_range + noise  
  
map_conc_to_standardized_conc(conc1, conc2)
```

map_df

Map treated conditions to their respective references.

Description

Map treated conditions to their respective Day0, untreated, or single-agent references using condition metadata.

Usage

```
map_df(  
  trt_md,  
  ref_md,  
  override_untrt_controls = NULL,  
  ref_cols,  
  ref_type = c("Day0", "untrt_Endpoint")  
)
```

Arguments

| | |
|-------------------------|---|
| trt_md | data.table of treated metadata. |
| ref_md | data.table of untreated metadata. |
| override_untrt_controls | named list indicating what treatment metadata fields should be used as a control. Defaults to NULL. |
| ref_cols | character vector of the names of reference columns to include. Likely obtained from identify_keys(). |
| ref_type | string of the reference type to map to. Should be one of c("Day0", "untrt_Endpoint", "ref_Endpoint"). |

Details

If override_untrt_controls is specified, TODO: FILL ME!

Value

named list mapping treated metadata to untreated metadata.

See Also

identify_keys

Examples

```
n <- 64
md_df <- data.table::data.table(
  Gnumber = rep(c("vehicle", "untreated", paste0("G", seq(2))), each = 16),
  DrugName = rep(c("vehicle", "untreated", paste0("GN", seq(2))), each = 16),
  clid = paste0("C", rep_len(seq(4), n)),
  CellLineName = paste0("N", rep_len(seq(4), n)),
  replicates = rep_len(paste0("R", rep(seq(4), each = 4)), 64),
  drug_moa = "inhibitor",
  ReferenceDivisionTime = rep_len(c(120, 60), n),
  Tissue = "Lung",
  parental_identifier = "CL12345",
  Duration = 160
)
md_df <- unique(md_df)
ref <- md_df$Gnumber %in% c("vehicle", "untreated")
ref_df <- md_df[ref, ]
trt_df <- md_df[!ref, ]
Keys <- identify_keys(trt_df)
ref_type <- "untrt_Endpoint"
map_df(
  trt_df,
  ref_df,
  ref_cols = Keys[[ref_type]],
  ref_type = ref_type
)
```

| | |
|-----------------|--|
| map_ids_to_fits | <i>Get predicted values for a given fit and input.</i> |
|-----------------|--|

Description

Map fittings to identifiers and compute the predicted values for corresponding fits.

Usage

```
map_ids_to_fits(pred, match_col, fittings, fitting_id_col)
```

Arguments

| | |
|----------------|--|
| pred | numeric vector for which you want predictions. |
| match_col | vector to match on fittings to get the correct fit. |
| fittings | data.table of fit metrics. |
| fitting_id_col | string of the column name in fittings that should be used to match with match_col. |

Value

Numeric vector of predicted values given pred inputs and fittings values.

Examples

```
pred <- c(1, 5, 5)
match_col <- c(1, 1, 2)
fitting_id_col <- "match_on_me"

fit1 <- data.table::data.table(h = 2.09, x_inf = 0.68, x_0 = 1, ec50 = 0.003)
fit2 <- data.table::data.table(h = 0.906, x_inf = 0.46, x_0 = 1, ec50 = 0.001)
fittings <- do.call(rbind, list(fit1, fit2))
fittings[[fitting_id_col]] <- c(1, 2)

map_ids_to_fits(pred, match_col, fittings, fitting_id_col)
```

| | |
|---------------|--|
| map_untreated | <i>Identify untreated rows based on Drug treatment alone</i> |
|---------------|--|

Description

Identify untreated rows based on Drug treatment alone

Usage

```
map_untreated(mat_elem)
```

Arguments

| | |
|----------|------------------|
| mat_elem | input data frame |
|----------|------------------|

Details

Using the given rownames, map the untreated conditions

Value

list

| | |
|------------|-------------------|
| merge_data | <i>merge_data</i> |
|------------|-------------------|

Description

Merge all the input data into a single data.table

Usage

```
merge_data(manifest, treatments, data)
```

Arguments

| | |
|------------|---------------------------------------|
| manifest | a data.table with a manifest info |
| treatments | a data.table with a treatatments info |
| data | a data.table with a raw data info |

Value

a data.table with merged data and metadata.

Examples

```

td <- gDRimport::get_test_data()
l_tbl <- gDRimport::load_data(
  manifest_file = gDRimport::manifest_path(td),
  df_template_files = gDRimport::template_path(td),
  results_file = gDRimport::result_path(td)
)
merge_data(
  l_tbl$manifest,
  l_tbl$treatments,
  l_tbl$data
)

```

| | |
|-----------------|------------------------|
| order_result_df | <i>Order_result_df</i> |
|-----------------|------------------------|

Description

Order a data.table with results

Usage

```
order_result_df(df_)
```

Arguments

df_ a data.table with results

Value

a ordered data.table with results

| | |
|---------------|--|
| prepare_input | <i>Prepare input data common for all experiments</i> |
|---------------|--|

Description

Current steps

- refining nested confounders
- refining nested identifiers
- splitting df_ into (per experiment) df_list

Usage

```
prepare_input(x, ...)
```


Arguments

x data.table with raw data or MAE object with dose-reponse data
... additional parameters

Value

list of input data

Examples

```
td <- gDRimport::get_test_data()
l_tbl <- gDRimport::load_data(
  manifest_file = gDRimport::manifest_path(td),
  df_template_files = gDRimport::template_path(td),
  results_file = gDRimport::result_path(td)
)
df_ <- merge_data(
  l_tbl$manifest,
  l_tbl$treatments,
  l_tbl$data
)
nested_confounders = intersect(
  names(df_),
  gDRutils::get_env_identifiers("barcode")
)
prepare_input(df_, nested_confounders, NULL)
```

prepare_input.data.table

Prepare input data common for all experiments

Description

Current steps

- refining nested confounders
- refining nested identifiers
- splitting df_ into (per experiment) df_list

Usage

```
## S3 method for class 'data.table'
prepare_input(
  x,
  nested_confounders = gDRutils::get_env_identifiers("barcode"),
  nested_identifiers_l = .get_default_nested_identifiers(),
  ...
)
```

Arguments

x data.table with raw data
nested_confounders Character vector of the nested_confounders for a given assay. **nested_keys** is character vector of column names to include in the data.tables in the assays of the resulting SummarizedExperiment object. Defaults to the **nested_identifiers** and **nested_confounders** if passed through
nested_identifiers_l list with the nested_identifiers(character vectors) for single-agent and (optionally) for combination data
... additional parameters

Value

list of input data

```
prepare_input.MultiAssayExperiment
```

Prepare input data common for all experiments

Description

Current steps

- refining nested confounders
- refining nested identifiers
- splitting df_ into (per experiment) df_list

Usage

```
## S3 method for class 'MultiAssayExperiment'
prepare_input(
  x,
  nested_confounders = gDRutils::get_SE_identifiers(x[[1]], "barcode"),
  nested_identifiers_l = .get_default_nested_identifiers(x[[1]]),
  raw_data_field = "experiment_raw_data",
  split_data = TRUE,
  ...
)
```

Arguments

| | |
|----------------------|---|
| x | MAE object with dose-reponse data |
| nested_confounders | Character vector of the nested_confounders for a given assay. nested_keys is character vector of column names to include in the data.tables in the assays of the resulting SummarizedExperiment object. Defaults to the nested_identifiers and nested_confounders if passed through |
| nested_identifiers_l | list with the nested_identifiers(character vectors) for single-agent and (optionally) for combination data |
| raw_data_field | metadata field with raw data |
| split_data | Boolean indicating need of splitting the data into experiment types |
| ... | additional parameters |

Value

list of input data

read_intermediate_data

read intermediate data for the given experiment and step to qs file

Description

read intermediate data for the given experiment and step to qs file

Usage

```
read_intermediate_data(path, step, experiment)
```

Arguments

| | |
|------------|--|
| path | string with the input directory of the qs file |
| step | string with the step name |
| experiment | string with the experiment name |

Value

se

| | |
|-------------------|----------------------------------|
| remove_drug_batch | <i>Remove batch from Gnumber</i> |
|-------------------|----------------------------------|

Description

Remove batch from Gnumber

Usage

```
remove_drug_batch(drug)
```

Arguments

| | |
|------|-----------|
| drug | drug name |
|------|-----------|

Value

Gnumber without a batch

Examples

```
remove_drug_batch("DRUG.123")
```

| | |
|-------------------------------------|------------------------------------|
| replace_conc_with_standardized_conc | <i>Standardize concentrations.</i> |
|-------------------------------------|------------------------------------|

Description

Utilize a map to standardize concentrations.

Usage

```
replace_conc_with_standardized_conc(  
  original_concs,  
  conc_map,  
  original_conc_col,  
  standardized_conc_col  
)
```

Arguments

`original_concs` numeric vector of concentrations to replace using `conc_map`.
`conc_map` data.table of two columns named `original_conc_col` and `standardized_conc_col`.
`original_conc_col` string of the name of the column in `conc_map` containing the original concentrations to replace.
`standardized_conc_col` string of the name of the column in `conc_map` containing the standardized concentrations to use for replacement.

Value

numeric vector of standardized concentrations.

See Also

`map_conc_to_standardized_conc`

Examples

```
conc_map <- data.table::data.table(  
  orig = c(0.99, 0.6, 0.456, 0.4),  
  std = c(1, 0.6, 0.46, 0.4)  
)  
original_concs <- c(0.456, 0.456, 0.4, 0.99)  
exp <- c(0.46, 0.46, 0.4, 1)  
obs <- replace_conc_with_standardized_conc(  
  original_concs,  
  conc_map,  
  original_conc_col = "orig",  
  standardized_conc_col = "std"  
)
```

`round_concentration` *Round concentration to ndigit significant digits*

Description

Round concentration to ndigit significant digits

Usage

```
round_concentration(x, ndigit = 3)
```

Arguments

`x` value to be rounded.
`ndigit` number of significant digits (default = 4).

Value

rounded x

Examples

```
round_concentration(x = c(0.00175,0.00324,0.0091), ndigit = 1)
```

save_intermediate_data

save intermediate data for the given experiment and step to qs file

Description

save intermediate data for the given experiment and step to qs file

Usage

```
save_intermediate_data(path, step, experiment, se)
```

Arguments

| | |
|------------|--|
| path | string with the save directory for the qs file |
| step | string with the step name |
| experiment | string with the experiment name |
| se | output se |

Value

NULL

split_raw_data

Split raw data into list based on the data types

Description

Split raw data into list based on the data types

Usage

```
split_raw_data(df, type_col = "type")
```

Arguments

`df` data.table of raw drug response data containing both treated and untreated values with column specified in `type_col` argument.

`type_col` string with column names in `df` with info about data type. Defaults to "type".

Value

list with split data based on its data type

Author(s)

Bartosz Czech bartosz.czech@contractors.roche.com

Examples

```
cell_lines <- gDRtestData::create_synthetic_cell_lines()
drugs <- gDRtestData::create_synthetic_drugs()
df_layout <- drugs[4:6, as.list(cell_lines[7:8, ]), names(drugs)]
df_layout <- gDRtestData::add_data_replicates(df_layout)
df_layout <- gDRtestData::add_concentration(
  df_layout,
  concentrations = 10 ^ (seq(-3, .5, .5))
)

df_2 <-
  drugs[c(21, 26), as.list(cell_lines[which(cell_lines$clid %in% df_layout$clid)]), names(drugs)]
df_2 <- gDRtestData::add_data_replicates(df_2)
df_2 <- gDRtestData::add_concentration(
  df_2,
  concentrations = 10 ^ (seq(-3, .5, .5))
)
colnames(df_2)[colnames(df_2) %in% c(colnames(drugs), "Concentration")] <-
  paste0(
    colnames(df_2)[colnames(df_2) %in% c(colnames(drugs), "Concentration")],
    "_2"
  )
df_layout_2 <- df_layout[df_2, on = intersect(names(df_layout), names(df_2)),
  allow.cartesian = TRUE]
df_merged_data <- gDRtestData::generate_response_data(df_layout_2, 0)
df <- identify_data_type(df_merged_data)
split_raw_data(df)

conc <- rep(seq(0, 0.3, 0.1), 2)
ctrl_df <- S4Vectors::DataFrame(
  ReadoutValue = c(2, 2, 1, 1, 2, 1),
  Concentration = rep(0, 6),
  masked = FALSE,
  DrugName = rep(c("DRUG_10", "vehicle", "DRUG_8"), 2),
  CellLineName = "CELL1"
)
```

```

trt_df <- S4Vectors::DataFrame(
  ReadoutValue = rep(seq(1, 4, 1), 2),
  Concentration = conc,
  masked = rep(FALSE, 8),
  DrugName = c("DRUG_10", "DRUG_8"),
  CellLineName = "CELL1"
)
input_df <- data.table::as.data.table(rbind(ctrl_df, trt_df))
input_df$Duration <- 72
input_df$CorrectedReadout2 <- input_df$ReadoutValue
split_df <- identify_data_type(input_df)
split_raw_data(split_df)

```

test_synthetic_data *Testing synthetic data form gDRtestData package*

Description

Testing synthetic data form gDRtestData package

Usage

```

test_synthetic_data(
  original,
  data,
  dataName,
  override_untrt_controls = NULL,
  assays = c("Normalized", "Averaged", "Metrics"),
  tolerance = 0.001
)

```

Arguments

| | |
|-------------------------|--|
| original | original MAE assay |
| data | datase MAE or data.table |
| dataName | dataset name |
| override_untrt_controls | named list containing defining factors in the treatments |
| assays | assays to test |
| tolerance | tolerance factor |

Value

NULL

Examples

```
set.seed(2)
cell_lines <- gDRtestData::create_synthetic_cell_lines()
drugs <- gDRtestData::create_synthetic_drugs()
data <- "finalMAE_small"
original <- gDRutils::get_synthetic_data(data)
test_synthetic_data(original, original, "test")
```

Index

- * **annotation**
 - add_CellLine_annotation, 6
 - add_Drug_annotation, 7
 - remove_drug_batch, 44
- * **calculate_GR**
 - calculate_GR_value, 15
- * **combinations**
 - calculate_excess, 14
 - calculate_matrix_metric, 17
 - define_matrix_grid_positions, 22
- * **convert_to_raw_data**
 - convert_mae_to_raw_data, 20
 - convert_se_to_raw_data, 20
- * **data_type**
 - identify_data_type, 32
 - split_raw_data, 46
- * **internal**
 - add_intermediate_data, 8
 - do_skip_step, 23
 - gDRcore-package, 3
 - generateCodilution, 24
 - generateCodilutionSmall, 25
 - generateComboMatrix, 25
 - generateComboMatrixSmall, 25
 - generateComboNoNoiseData, 26
 - generateComboNoNoiseData2, 26
 - generateComboNoNoiseData3, 26
 - generateLigandData, 27
 - generateMediumData, 27
 - generateNoiseRawData, 27
 - generateNoNoiseRawData, 28
 - generateTripleComboMatrix, 28
 - get_mae_from_intermediate_data, 30
 - get_pipeline_steps, 30
 - is_preceding_step, 35
 - read_intermediate_data, 43
 - save_intermediate_data, 46
- * **map_df**
 - .map_references, 4
 - map_df, 36
 - map_ids_to_fits, 38
 - map_untreated, 39
- * **merge_data**
 - merge_data, 39
- * **prepare_input**
 - prepare_input, 40
 - prepare_input.data.table, 41
 - prepare_input.MultiAssayExperiment, 42
- * **runDrugResponseProcessingPipeline**
 - average_SE, 9
 - fit_SE.combinations, 23
- * **test_utils**
 - test_synthetic_data, 48
- * **utils**
 - .standardize_conc, 5
 - cleanup_metadata, 19
 - data_model, 21
 - data_model.character, 21
 - data_model.data.table, 22
 - get_assays_per_pipeline_step, 29
 - get_default_nested_identifiers, 29
 - grr_matches, 31
 - identify_keys, 34
 - map_conc_to_standardized_conc, 35
 - order_result_df, 40
 - replace_conc_with_standardized_conc, 44
 - round_concentration, 45
 - .calculate_matrix_metric
(calculate_matrix_metric), 17
 - .map_references, 4
 - .standardize_conc, 5
- add_CellLine_annotation, 6
- add_Drug_annotation, 7
- add_intermediate_data, 8
- average_SE, 9

calculate_Bliss
 (calculate_matrix_metric), 17
calculate_endpt_GR_value
 (calculate_GR_value), 15
calculate_excess, 14
calculate_GR_value, 15
calculate_HSA
 (calculate_matrix_metric), 17
calculate_matrix_metric, 17
calculate_time_dep_GR_value
 (calculate_GR_value), 15
cleanup_metadata, 19
convert_mae_to_raw_data, 20
convert_se_to_raw_data, 20
create_and_normalize_SE (average_SE), 9
create_SE (average_SE), 9

data_model, 21
data_model.character, 21
data_model.data.table, 22
define_matrix_grid_positions, 22
do_skip_step, 23

fit_SE (average_SE), 9
fit_SE.combinations, 23

gDRcore (gDRcore-package), 3
gDRcore-package, 3
generateCodilution, 24
generateCodilutionSmall, 25
generateComboMatrix, 25
generateComboMatrixSmall, 25
generateComboNoNoiseData, 26
generateComboNoNoiseData2, 26
generateComboNoNoiseData3, 26
generateLigandData, 27
generateMediumData, 27
generateNoiseRawData, 27
generateNoNoiseRawData, 28
generateTripleComboMatrix, 28
get_assays_per_pipeline_step, 29
get_default_nested_identifiers, 29
get_mae_from_intermediate_data, 30
get_pipeline_steps, 30
grr_matches, 31

identify_data_type, 32
identify_keys, 34
is_preceding_step, 35

map_conc_to_standardized_conc, 35
map_df, 36
map_ids_to_fits, 38
map_untreated, 39
match, 31
merge, 31
merge_data, 39

normalize_SE (average_SE), 9

order_result_df, 40

prepare_input, 40
prepare_input.data.table, 41
prepare_input.MultiAssayExperiment, 42

read_intermediate_data, 43
remove_drug_batch, 44
replace_conc_with_standardized_conc,
 44
round_concentration, 45
runDrugResponseProcessingPipeline
 (average_SE), 9
runDrugResponseProcessingPipelineFxn
 (average_SE), 9

save_intermediate_data, 46
split_raw_data, 46
SummarizedExperiment, 11, 12, 24

test_synthetic_data, 48