Package 'ObMiTi'

May 30, 2024

```
Type Package
Title Ob/ob Mice Data on Normal and High Fat Diet
Version 1.12.0
Year 2021
Description The package provide RNA-seq count for 2 strains of mus mus-
      clus; Wild type and Ob/Ob. Each strain was divided into two groups, and each group received ei-
      ther chow diet or high fat diet. RNA expression was measured after 20 weeks in 7 tissues.
License GPL-3
URL https://github.com/OmarElAshkar/ObMiTi
BugReports https://github.com/OmarElAshkar/ObMiTi/issues
Encoding UTF-8
RoxygenNote 7.1.1
Depends R (>= 4.1), SummarizedExperiment, ExperimentHub
Suggests knitr, rmarkdown, BiocManager, GenomicFeatures, S4Vectors,
      devtools, testthat
VignetteBuilder knitr
biocViews ExperimentHub, GEO, RNASeqData
git_url https://git.bioconductor.org/packages/ObMiTi
git_branch RELEASE_3_19
git_last_commit e42acdd
git_last_commit_date 2024-04-30
Repository Bioconductor 3.19
Date/Publication 2024-05-30
Author Omar Elashkar [aut, cre] (<a href="https://orcid.org/0000-0002-5505-778X">https://orcid.org/0000-0002-5505-778X</a>),
      Mahmoud Ahmed [aut] (<a href="https://orcid.org/0000-0002-4377-6541">https://orcid.org/0000-0002-4377-6541</a>)
Maintainer Omar Elashkar < omar.i.elashkar@gmail.com>
```

ObMiTi

Contents

	ObMiTi		. 2
Index			3
ObMiT	i	ObMiTi package	

Description

Title: Ob/ob Mice Data on Normal and High Fat Diet The package provide RNA-seq count for 2 strains of mus musclus; Wild type and Ob/Ob. Each strain was divided into two groups, and each group received either chow diet or high fat diet. RNA expression was measured after 12 weeks in 7 tissues.

Details

The dataset can be accessed through the ExperimentHub as a RangedSummarizedExperiment object contains:

assay The read counts matrix.

colData The phenotype data of the samples

rowRanges The feature data and annotation of the peaks.

metadata extra details about the sample and associated phenotype studies. This is a data. frame of bibliography information of the studies from which the samples were collected for.

Examples

```
# load the data object
library(ExperimentHub)

# query package resources on ExperimentHub
eh <- ExperimentHub()
query(eh, "ObMiTi")

# load data from ExperimentHub
ob_counts <- query(eh, "ObMiTi")[[1]]

# print object
ob_counts</pre>
```

Index

ObMiTi, 2