

# simpIntLists Package

October 26, 2023

## R topics documented:

simpIntLists-package . . . . .	1
ArabidopsisBioGRIDInteractionEntrezId . . . . .	3
ArabidopsisBioGRIDInteractionOfficial . . . . .	5
ArabidopsisBioGRIDInteractionUniqueId . . . . .	6
C.ElegansBioGRIDInteractionEntrezId . . . . .	8
C.ElegansBioGRIDInteractionOfficial . . . . .	10
C.ElegansBioGRIDInteractionUniqueId . . . . .	12
findInteractionList . . . . .	13
FruitFlyBioGRIDInteractionEntrezId . . . . .	15
FruitFlyBioGRIDInteractionOfficial . . . . .	17
FruitFlyBioGRIDInteractionUniqueId . . . . .	18
HumanBioGRIDInteractionEntrezId . . . . .	20
HumanBioGRIDInteractionOfficial . . . . .	21
HumanBioGRIDInteractionUniqueId . . . . .	22
MouseBioGRIDInteractionEntrezId . . . . .	23
MouseBioGRIDInteractionOfficial . . . . .	24
MouseBioGRIDInteractionUniqueId . . . . .	26
S.PombeBioGRIDInteractionEntrezId . . . . .	27
S.PombeBioGRIDInteractionOfficial . . . . .	29
S.PombeBioGRIDInteractionUniqueId . . . . .	32
YeastBioGRIDInteractionEntrezId . . . . .	34
YeastBioGRIDInteractionOfficial . . . . .	37
YeastBioGRIDInteractionUniqueId . . . . .	41
<b>Index</b>	<b>45</b>

---

simpIntLists-package

*The package contains BioGRID interactions for various organisms in a simple format*

---

## Description

The package contains BioGRID interactions for arabidopsis(thale cress), c.elegans, fruit fly, human, mouse, yeast( budding yeast ) and S.pombe (fission yeast) . Entrez ids, official names and unique ids can be used to find proteins.

**Details**

Package: simpIntLists  
 Type: Package  
 Version: 1.0  
 Date: 2011-01-18  
 License: GPL version 2 or newer  
 LazyLoad: yes

**Author(s)**

Kircicegi KORKMAZ, Volkan ATALAY, Rengul CETIN ATALAY Maintainer: Kircicegi KORKMAZ <e102771@ceng.metu.edu.tr>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. Nucleic Acids Res. Jan1; 34:D535-9

**Examples**

```

> library(simpIntLists)
> i<-findInteractionList("arabidopsis", "EntrezId")
> i[1:5]

[[1]]
[[1]]$name
[1] 828230

[[1]]$interactors
[1] 832208 821860 5888 842783 834532

[[2]]
[[2]]$name
[1] 832208

[[2]]$interactors
[1] 828230 821455 852713 831710 821860 5888 11144

[[3]]
[[3]]$name
[1] 821860

[[3]]$interactors
[1] 828230 831710 832208

[[4]]
[[4]]$name

```

```

[1] 836259

[[4]]$interactors
  [1] 818903 825075 836259 819292 835842 816408 843133 836132 837479 819311
 [11] 825382 816538 839341 819296 838883 832518 821807 822061

[[5]]
[[5]]$name
[1] 818903

[[5]]$interactors
  [1] 836259 834983 836248 837479 814686 825075 816394 837483 839300 821251

> data(ArabidopsisBioGRIDInteractionUniqueId)
> ArabidopsisBioGRIDInteractionUniqueId[30:32]

[[1]]
[[1]]$name
[1] "At2g18790"

[[1]]$interactors
  [1] "At5g57360" "At1g09530" "At1g09570" "At2g25930" "At3g59060" "At5g02810"
  [7] "At4g17230" "At5g49230" "At5g59560" "At2g02950" "At5g61270" "At1g76500"
 [13] "At1g10470" "At1g04400" "At2g18790" "At5g63310" "At2g20180" "At2g43010"
 [19] "At5g35840" "At4g16250" "At4g18130" "At2g32950" "At1g22280" "At1g04240"
 [25] "At1g52240"

[[2]]
[[2]]$name
[1] "At1g09530"

[[2]]$interactors
  [1] "At2g18790" "At5g61380" "At3g59060" "At5g02810" "At5g61270" "At2g43010"
  [7] "At2g01570" "At1g09570" "At1g02340" "At1g14920" "At1g66350" "At3g03450"
 [13] "At5g17490" "At1g09530"

[[3]]
[[3]]$name
[1] "At2g46970"

[[3]]$interactors
[1] "At5g61380"

```

---

ArabidopsisBioGRIDInteractionEntrezId

*BioGRID interactions for thale cress (Arabidopsis thaliana), entrez  
ids are used as identifiers*

---

**Description**

This data set contains a list of interactions for thale cress (*Arabidopsis thaliana*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, Entrez ids are used.

**Usage**

```
data(ArabidopsisBioGRIDInteractionEntrezId)
```

**Format**

The format is: List of 2118 A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: \$ :List of 2 ..\$ name : int 828230 ..\$ interactors: int [1:12] 832208 821860 821860 832208 832208 821860 832208 5888 842783 834532 ...

**Source**

<http://thebiogrid.org/download.php>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

**Examples**

```
> data(ArabidopsisBioGRIDInteractionEntrezId)
> ArabidopsisBioGRIDInteractionEntrezId[1:5]

[[1]]
[[1]]$name
[1] 828230

[[1]]$interactors
[1] 832208 821860 5888 842783 834532

[[2]]
[[2]]$name
[1] 832208

[[2]]$interactors
[1] 828230 821455 852713 831710 821860 5888 11144

[[3]]
[[3]]$name
[1] 821860

[[3]]$interactors
[1] 828230 831710 832208
```

```

[[4]]
[[4]]$name
[1] 836259

[[4]]$interactors
[1] 818903 825075 836259 819292 835842 816408 843133 836132 837479 819311
[11] 825382 816538 839341 819296 838883 832518 821807 822061

[[5]]
[[5]]$name
[1] 818903

[[5]]$interactors
[1] 836259 834983 836248 837479 814686 825075 816394 837483 839300 821251

```

---

ArabidopsisBioGRIDInteractionOfficial

*BioGRID interactions for thale cress (Arabidopsis thaliana), official names are used as identifiers*

---

## Description

This data set contains a list of interactions for thale cress (*Arabidopsis thaliana*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, official names are used.

## Usage

```
data(ArabidopsisBioGRIDInteractionOfficial)
```

## Format

The format is: List of 2109 A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: \$ :List of 2 ..\$ name : chr "BRCA2(IV)" ..\$ interactors: chr [1:12] "ATRAD51" "DMC1" "DMC1" "ATRAD51" ...

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. Nucleic Acids Res. Jan1; 34:D535-9

**Examples**

```

> data(ArabidopsisBioGRIDInteractionOfficial)
> ArabidopsisBioGRIDInteractionOfficial[1:5]

[[1]]
[[1]]$name
[1] "BRCA2 (IV) "

[[1]]$interactors
[1] "ATRAD51" "DMC1" "RAD51" "ATDSS1 (I) " "ATDSS1 (V) "

[[2]]
[[2]]$name
[1] "ATRAD51"

[[2]]$interactors
[1] "BRCA2 (IV) " "ATRAD54" "RAD54" "BRCA2B" "DMC1" "RAD51"

[[3]]
[[3]]$name
[1] "DMC1"

[[3]]$interactors
[1] "BRCA2 (IV) " "BRCA2B" "ATRAD51"

[[4]]
[[4]]$name
[1] "TOC1"

[[4]]$interactors
 [1] "PIF4" "PIL6" "TOC1" "APRR9" "ZTL" "LKP2" "FKF1" "APRR3" "PIF3"
[10] "PIL1" "PIL2" "PIL5" "LHY" "CCA1" "GI" "APRR5" "TIC" "ABI3"

[[5]]
[[5]]$name
[1] "PIF4"

[[5]]$interactors
 [1] "TOC1" "HRB1" "PIF7" "PIF3" "RGA1" "PIL6" "PHYB" "PHYA" "HFR1" "RGL2"

```

---

ArabidopsisBioGRIDInteractionUniqueId

*BioGRID interactions for thale cress (Arabidopsis thaliana), unique  
ids are used as identifiers*

---

**Description**

This data set contains a list of interactions for thale cress (*Arabidopsis thaliana*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, unique ids (systematic names) are used.

**Usage**

```
data(ArabidopsisBioGRIDInteractionUniqueId)
```

**Format**

The format is: List of 2106 A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: \$ :List of 2 ..\$ name : chr "At4g00020" ..\$ interactors: chr [1:12] "At5g20850" "At3g22880" "At3g22880" "At5g20850" ...

**Source**

<http://thebiogrid.org/download.php>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

**Examples**

```
> data(ArabidopsisBioGRIDInteractionUniqueId)
> ArabidopsisBioGRIDInteractionUniqueId[1:5]

[[1]]
[[1]]$name
[1] "At4g00020"

[[1]]$interactors
[1] "At5g20850" "At3g22880" "At1g64750" "At5g45010"

[[2]]
[[2]]$name
[1] "At5g20850"

[[2]]$interactors
[1] "At4g00020" "At3g19210" "YGL163C" "At5g01630" "At3g22880"
[6] "RP1-199H16.4"

[[3]]
[[3]]$name
[1] "At3g22880"

[[3]]$interactors
[1] "At4g00020" "At5g01630" "At5g20850"
```

```

[[4]]
[[4]]$name
[1] "At5g61380"

[[4]]$interactors
[1] "At2g43010" "At3g59060" "At5g61380" "At2g46790" "At5g57360" "At2g18915"
[7] "At1g68050" "At5g60100" "At1g09530" "At2g46970" "At3g62090" "At2g20180"
[13] "At1g01060" "At2g46830" "At1g22770" "At5g24470" "At3g22380" "At3g24650"

[[5]]
[[5]]$name
[1] "At2g43010"

[[5]]$interactors
[1] "At5g61380" "At5g49230" "At5g61270" "At1g09530" "At2g01570" "At3g59060"
[7] "At2g18790" "At1g09570" "At1g02340" "At3g03450"

```

---

C.ElegansBioGRIDInteractionEntrezId

*BioGRID interactions for C.elegans (Caenorhabditis elegans), entrez ids are used as identifiers*

---

## Description

This data set contains a list of interactions for *C.elegans* (*Caenorhabditis elegans*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, Entrez ids are used.

## Usage

```
data(C.ElegansBioGRIDInteractionEntrezId)
```

## Format

The format is: List of 3573 A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: \$ :List of 2 ..\$ name : int 177286 ..\$ interactors: int [1:4] 179791 178104 180982 178104

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9



**Examples**

```
> data(C.ElegansBioGRIDInteractionEntrezId)
> C.ElegansBioGRIDInteractionEntrezId[1:5]

[[1]]
[[1]]$name
[1] 177286

[[1]]$interactors
[1] 179791 178104 180982

[[2]]
[[2]]$name
[1] 179791

[[2]]$interactors
[1] 177286 179941 171934 175195

[[3]]
[[3]]$name
[1] 178104

[[3]]$interactors
  [1] 177286 174090 180611 175428 179736 172249 175117 175909 174484
 [10] 180724 176061 176068 172327 172088 179425 181055 174137 179204
 [19] 266854 175464 174044 174392 172399 175638 181557 174721 179338
 [28] 179959 180980 180982 172582 174091 173920 181098 181263 180622
 [37] 181082 184508 174350 173180 171801 172524 172826 172832 172195
 [46] 172520 181274 177546 178001 180357 179217 173345 180961 175545
 [55] 174693 181407 181013 181194 175890 171607 174771 179770 176992
 [64] 179732 172374 186632 181408 181539 173338 172353 176060 177373
 [73] 177956 176430 266820 176137 180032 174323 178113 175621 174317
 [82] 177329 174107 174106 188569 172233 172414 172856 172532 173137
 [91] 178788 173863 178845 172747 173143 178296 179213 174830 3565510
[100] 189253 171849 173149 189590 3565921 189992 176667 173078 175089
[109] 171654 173229 175126 175504 173854 181291 178846 174462 171840
[118] 177659 172504 178555 187716 175921 175074 174121 181545 191690
[127] 178120 179276 174685 172243 174782 174788 182980 188620 181456

[[4]]
[[4]]$name
[1] 179437

[[4]]$interactors
[1] 179795 180819 175638 178732

[[5]]
[[5]]$name
```

```
[1] 179795

[[5]]$interactors
[1] 179437 171715
```

---

```
C.ElegansBioGRIDInteractionOfficial
```

*BioGRID interactions for C.elegans (Caenorhabditis elegans), official names are used as identifiers*

---

## Description

This data set contains a list of interactions for C.elegans (Caenorhabditis elegans). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, official names are used.

## Usage

```
data(C.ElegansBioGRIDInteractionOfficial)
```

## Format

The format is: List of 3557 A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: \$ :List of 2 ..\$ name : chr "soc-2" ..\$ interactors: chr [1:4] "W07G4.5" "let-60" "bar-1" "let-60"

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. Nucleic Acids Res. Jan1; 34:D535-9

## Examples

```
> data(C.ElegansBioGRIDInteractionOfficial)
> C.ElegansBioGRIDInteractionOfficial[1:5]

[[1]]
[[1]]$name
[1] "soc-2"

[[1]]$interactors
[1] "W07G4.5" "let-60" "bar-1"

[[2]]
[[2]]$name
[1] "W07G4.5"
```

```
[[2]]$interactors
```

```
[1] "soc-2" "pas-1" "ftn-2" "gei-4"
```

```
[[3]]
```

```
[[3]]$name
```

```
[1] "let-60"
```

```
[[3]]$interactors
```

```
[1] "soc-2"      "icd-1"      "rgl-1"      "frm-8"      "W05B10.4"  "lin-35"
[7] "mog-4"      "let-756"    "mel-11"     "pdi-2"      "cgh-1"     "lin-39"
[13] "pnk-1"      "let-502"    "rop-1"      "sem-5"      "tra-2"     "rol-3"
[19] "dsh-2"      "sel-8"      "sma-6"      "prx-5"      "cye-1"     "pal-1"
[25] "eor-2"      "unc-130"    "mdf-1"      "hda-1"      "lam-2"     "bar-1"
[31] "cyc-1"      "vps-32.1"  "mog-5"      "kin-9"      "daf-12"    "ddr-2"
[37] "ksr-1"      "efn-3"      "zyg-9"      "F22G12.4"  "F23C8.6"   "ego-1"
[43] "sur-6"      "cco-1"      "atp-3"      "lrp-1"      "plc-1"     "itr-1"
[49] "lin-3"      "pha-4"      "mom-2"      "sur-2"      "unc-6"     "mpk-1"
[55] "unc-53"     "sdz-19"    "dpy-7"      "dpy-22"    "hmg-1.2"   "mex-3"
[61] "F54D5.5"    "nid-1"     "egl-18"    "lin-25"    "mei-2"     "ver-4"
[67] "scd-1"      "sel-7"      "hmp-2"      "cdc-25.1"  "mup-4"     "lag-1"
[73] "epi-1"      "mua-3"     "smo-1"     "ceh-26"    "kin-30"    "dab-1"
[79] "par-5"      "emb-5"     "mig-5"     "rme-2"     "dpy-2"     "dpy-10"
[85] "ver-2"      "unc-40"    "glh-1"     "mom-5"     "gld-1"     "par-6"
[91] "lin-40"     "T27F7.1"   "unc-62"    "aph-1"     "W02A11.2"  "mex-5"
[97] "sel-9"      "lin-29"    "W03F8.10"  "W06F12.3"  "pop-1"     "gsk-3"
[103] "vps-4"      "chk-1"     "Y47G6A.5"  "pie-1"     "hsf-1"     "lin-7"
[109] "Y65B4A.3"  "vps-28"    "unc-52"    "pat-3"     "ZK546.14"  "egl-15"
[115] "sos-1"      "let-23"    "sop-3"     "C09G4.2"   "pbrm-1"    "F33E11.2"
[121] "nhr-269"    "T26A5.8"   "ace-4"     "egl-27"    "his-24"    "ins-22"
[127] "let-653"    "nhr-44"    "ptp-3"     "rnt-1"     "din-1"     "trr-1"
[133] "hlh-12"     "srh-215"   "ptr-24"
```

```
[[4]]
```

```
[[4]]$name
```

```
[1] "gna-1"
```

```
[[4]]$interactors
```

```
[1] "B0365.1" "dlg-1"    "pal-1"    "W02G9.3"
```

```
[[5]]
```

```
[[5]]$name
```

```
[1] "B0365.1"
```

```
[[5]]$interactors
```

```
[1] "gna-1" "dyb-1"
```

---

C.ElegansBioGRIDInteractionUniqueId

*BioGRID interactions for C.elegans (Caenorhabditis elegans), unique ids are used as identifiers*

---

## Description

This data set contains a list of interactions for C.elegans (Caenorhabditis elegans). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, unique ids(systematic names) are used.

## Usage

```
data(C.ElegansBioGRIDInteractionUniqueId)
```

## Format

The format is: List of 3571 A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: \$:List of 2 ..\$ name : chr "AC7.2" ..\$ interactors: chr [1:4] "W07G4.5" "ZK792.6" "C54D1.6" "ZK792.6"

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. Nucleic Acids Res. Jan1; 34:D535-9

## Examples

```
> data(C.ElegansBioGRIDInteractionUniqueId)
> C.ElegansBioGRIDInteractionUniqueId[1:5]

[[1]]
[[1]]$name
[1] "AC7.2"

[[1]]$interactors
[1] "W07G4.5" "ZK792.6" "C54D1.6"

[[2]]
[[2]]$name
[1] "W07G4.5"

[[2]]$interactors
[1] "AC7.2" "C15H11.7" "D1037.3" "W07B3.2"
```

```
[[3]]
[[3]]$name
[1] "ZK792.6"

[[3]]$interactors
 [1] "AC7.2"      "C56C10.8"  "F28B4.2"   "H09G03.2"  "W05B10.4"
 [6] "C32F10.2"  "C04H5.6"   "C05D11.4"  "C06C3.1"   "C07A12.4"
[11] "C07H6.5"   "C07H6.7"   "C10G11.5"  "C10H11.9"  "C12D8.11"
[16] "C14F5.5"   "C15F1.3"   "C16D9.2"   "C27A2.6"   "C32A3.1"
[21] "C32D5.2"   "C34C6.6"   "C37A2.4"   "C38D4.6"   "C44H4.7"
[26] "C47G2.2"   "C50F4.11"  "C53A5.3"   "C54D1.5"   "C54D1.6"
[31] "C54G4.8"   "C56C10.3"  "EEED8.5"   "F08F1.1"   "F11A1.3"
[36] "F11D5.3"   "F13B9.5"   "F15A2.5"   "F22B5.7"   "F22G12.4"
[41] "F23C8.6"   "F26A3.3"   "F26E4.1"   "F26E4.9"   "F27C1.7"
[46] "F29D11.1"  "F31B12.1"  "F33D4.2"   "F36H1.4"   "F38A6.1"
[51] "F38E1.7"   "F39B2.4"   "F41C6.1"   "F43C1.2"   "F45E10.1"
[56] "F45E6.6"   "F46C8.6"   "F47A4.2"   "F47D12.4"  "F53G12.5"
[61] "F54D5.5"   "F54F3.1"   "F55A8.1"   "F56H9.5"   "F57B10.12"
[66] "F59F3.5"   "H20J18.1"  "K04G11.2"  "K05C4.6"   "K06A5.7"
[71] "K07D8.1"   "K08B4.1"   "K08C7.3"   "K08E5.3"   "K12C11.2"
[76] "K12H4.1"   "M01B2.1"   "M110.5"    "M117.2"    "T04A8.14"
[81] "T05C12.6"  "T11F8.3"   "T14B4.6"   "T14B4.7"   "T17A3.8"
[86] "T19B4.7"   "T21G5.3"   "T23D8.1"   "T23G11.3"  "T26E3.3"
[91] "T27C4.4"   "T27F7.1"   "T28F12.2"  "VF36H2L.1" "W02A11.2"
[96] "W02A2.7"   "W02D7.7"   "W03C9.4"   "W03F8.10"  "W06F12.3"
[101] "W10C8.2"   "Y18D10A.5" "Y34D9A.10" "Y39H10A.7" "Y47G6A.5"
[106] "Y49E10.14" "Y53C10A.12" "Y54G11A.10" "Y65B4A.3"  "Y87G2A.10"
[111] "ZC101.2"   "ZK1058.2"  "ZK546.14"  "F58A3.2"   "T28F12.3"
[116] "ZK1067.1"  "Y71F9B.10" "C09G4.2"   "C26C6.1"   "F33E11.2"
[121] "R08H2.9"   "T26A5.8"   "Y48B6A.7"  "C04A2.3"   "M163.3"
[126] "M04D8.2"   "C29E6.1"   "T19A5.4"   "C09D8.1"   "B0414.2"
[131] "F07A11.6"  "C47D12.1"  "C28C12.8"  "T20B3.3"   "F46G10.5"
```

```
[[4]]
[[4]]$name
[1] "B0024.12"

[[4]]$interactors
[1] "B0365.1" "C25F6.2" "C38D4.6" "W02G9.3"
```

```
[[5]]
[[5]]$name
[1] "B0365.1"

[[5]]$interactors
[1] "B0024.12" "F47G6.1"
```

---

```
findInteractionList
```

*Find BioGRID interaction list for a given organism an identifier type*

---

### Description

Find BioGRID interaction list for a given organism an identifier type

### Usage

```
findInteractionList(organism, idType)
```

### Arguments

organism	Organism name. Can be one of 'arabidopsis', 'c.elegans', 'fruitFly', 'human', 'mouse', 'yeast', 's.pombe'.
idType	Type of identifier used. Can be one of 'EntrezId', 'Official' and 'UniqueId'

### Value

List containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gen/protein and "interactors" containing the list of genes/proteins interacting with it.

### Examples

```
> l <- findInteractionList("arabidopsis", "EntrezId")
> l[1:5]

[[1]]
[[1]]$name
[1] 828230

[[1]]$interactors
[1] 832208 821860 5888 842783 834532

[[2]]
[[2]]$name
[1] 832208

[[2]]$interactors
[1] 828230 821455 852713 831710 821860 5888 11144

[[3]]
[[3]]$name
[1] 821860

[[3]]$interactors
[1] 828230 831710 832208
```

```

[[4]]
[[4]]$name
[1] 836259

[[4]]$interactors
[1] 818903 825075 836259 819292 835842 816408 843133 836132 837479 819311
[11] 825382 816538 839341 819296 838883 832518 821807 822061

[[5]]
[[5]]$name
[1] 818903

[[5]]$interactors
[1] 836259 834983 836248 837479 814686 825075 816394 837483 839300 821251

```

---

FruitFlyBioGRIDInteractionEntrezId

*BioGRID interactions for Fruit fly (Drosophila melanogaster), entrez ids are used as identifiers*

---

## Description

This data set contains a list of interactions for Fruit fly (*Drosophila melanogaster*) The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, Entrez ids are used.

## Usage

```
data(FruitFlyBioGRIDInteractionEntrezId)
```

## Format

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 7578 \$ :List of 2 ..\$ name : int 43383 ..\$ interactors: int [1:18] 37006 40877 46391 32132 43584 3355072 39452 40887 40889 47186 ...

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. Nucleic Acids Res. Jan1; 34:D535-9

**Examples**

```

> data(FruitFlyBioGRIDInteractionEntrezId)
> FruitFlyBioGRIDInteractionEntrezId[1:5]

[[1]]
[[1]]$name
[1] 43383

[[1]]$interactors
  [1] 37006 40877 46391 32132 43584 3355072 39452 40887 40889
 [10] 47186 50457 42986 38941 33013 318573 43358 39349

[[2]]
[[2]]$name
[1] 37006

[[2]]$interactors
  [1] 43383 32074 32502 42987 31298 40687 32501 48317 33214
 [10] 31291 31657 34708 39377 41587 36645 35256 40739 31300
 [19] 33841 39251 44548 117294 32994 39801 32953 31275 40482
 [28] 40529 31106 41734 37371 3355072 42267 35810 48572 43997
 [37] 42215 326157 38981 32487 40560 47894 42324 31283 39862
 [46] 37849 41840 33268 34245 39808 32724 44027 38844 39703
 [55] 34132 36789 37982 32446 32490 35353 40135 43386 32602
 [64] 40483 40485 47877

[[3]]
[[3]]$name
[1] 41450

[[3]]$interactors
[1] 35735 43981 49228

[[4]]
[[4]]$name
[1] 35735

[[4]]$interactors
[1] 41450 40116 37022 40678 32312

[[5]]
[[5]]$name
[1] 43384

[[5]]$interactors
[1] 35808 31396 33031 43142 43727 42221 39972 31441 39643 40544 40605 35851

```



---

FruitFlyBioGRIDInteractionOfficial

*BioGRID interactions for Fruit fly (Drosophila melanogaster), official names are used as identifiers*

---

## Description

This data set contains a list of interactions for Fruit fly (*Drosophila melanogaster*) The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, official names are used.

## Usage

```
data(FruitFlyBioGRIDInteractionOfficial)
```

## Format

The format is: List of 7577 A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: \$ :List of 2 ..\$ name : chr "fkh" ..\$ interactors: chr [1:18] "CG6459" "CG10032" "CG11899" "CkIIbeta" ...

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

## Examples

```
> data(FruitFlyBioGRIDInteractionOfficial)
> FruitFlyBioGRIDInteractionOfficial[1:5]

[[1]]
[[1]]$name
[1] "fkh"

[[1]]$interactors
 [1] "CG6459" "CG10032" "CG11899" "CkIIbeta" "CG15529" "CG41099"
 [7] "CG17666" "Mst84Dc" "Mst84Da" "mus205" "CG34168" "ssh"
[13] "CG7081" "CG9572" "CG31054" "CG4849" "byn"

[[2]]
[[2]]$name
[1] "CG6459"

[[2]]$interactors
 [1] "fkh" "CG11756" "CG12708" "Nmnat" "ng2"
```

```

[6] "RpL13A"      "CG15646"      "ttk"          "RpLP1"        "CG4116"
[11] "CG4617"      "Sir2"         "yps"          "granny-smith" "BEAF-32"
[16] "CG10263"     "Rm62"         "ng1"          "H2.0"         "Sod"
[21] "lola"         "Dsp1"         "vfl"          "CG13041"      "RpS10b"
[26] "CG14418"     "CG14454"     "CG14641"     "sta"          "CG14840"
[31] "CG15649"     "CG41099"     "Xrp1"         "CG18449"      "Hsp60B"
[36] "jbug"         "koko"         "CG8683"      "CG32352"      "CG42299"
[41] "CG32944"     "hbn"          "CG3517"      "CG3598"       "zetaCOP"
[46] "RpL39"       "Hsc70-4"     "aru"          "Borr"          "CG4998"
[51] "B-H1"        "sbb"          "CG7546"      "Eig71Ec"      "Btk29A"
[56] "CG8435"     "CG9083"      "RpL37a"      "CG9213"       "CG9335"
[61] "CG9368"     "CG9986"      "U2af50"      "CG12546"      "CG14452"
[66] "tws"

```

```
[[3]]
```

```
[[3]]$name
```

```
[1] "Tango9"
```

```
[[3]]$interactors
```

```
[1] "phr"          "DIP1"          "mod(mdg4) "
```

```
[[4]]
```

```
[[4]]$name
```

```
[1] "phr"
```

```
[[4]]$interactors
```

```
[1] "Tango9"      "CG9472"      "Ir54a"       "noi"          "Tango13"
```

```
[[5]]
```

```
[[5]]$name
```

```
[1] "Noa36"
```

```
[[5]]$interactors
```

```
[1] "CG11635" "CG3062"  "CG12679" "CG14546" "CG1792"  "CG31122" "Ccn"
[8] "Cdk7"     "CG6945"  "Syt14"    "opa"      "ptc"
```

---

```
FruitFlyBioGRIDInteractionUniqueId
```

*BioGRID interactions for Fruit fly (Drosophila melanogaster), unique ids (systematic names) are used as identifiers*

---

## Description

This data set contains a list of interactions for Fruit fly (*Drosophila melanogaster*) The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, unique ids (systematic names) are used.

**Usage**

```
data(FruitFlyBioGRIDInteractionUniqueId)
```

**Format**

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 7563 \$:List of 2 ..\$ name : chr "Dmel\_CG10002" ..\$ interactors: chr [1:18] "Dmel\_CG6459" "Dmel\_CG10032" "Dmel\_CG11899" "Dmel\_CG15224" ...

**Source**

<http://thebiogrid.org/download.php>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

**Examples**

```
> data(FruitFlyBioGRIDInteractionUniqueId)
> FruitFlyBioGRIDInteractionUniqueId[1:5]

[[1]]
[[1]]$name
[1] "Dmel_CG10002"

[[1]]$interactors
 [1] "Dmel_CG6459" "Dmel_CG10032" "Dmel_CG11899" "Dmel_CG15224" "Dmel_CG15529"
 [6] "Dmel_CG41099" "Dmel_CG17666" "Dmel_CG17945" "Dmel_CG17946" "Dmel_CG1925"
[11] "Dmel_CG34168" "Dmel_CG6238" "Dmel_CG7081" "Dmel_CG9572" "Dmel_CG31054"
[16] "Dmel_CG4849" "Dmel_CG7260"

[[2]]
[[2]]$name
[1] "Dmel_CG6459"

[[2]]$interactors
 [1] "Dmel_CG10002" "Dmel_CG11756" "Dmel_CG12708" "Dmel_CG13645" "Dmel_CG14266"
 [6] "Dmel_CG1475" "Dmel_CG15646" "Dmel_CG1856" "Dmel_CG4087" "Dmel_CG4116"
[11] "Dmel_CG4617" "Dmel_CG5216" "Dmel_CG5654" "Dmel_CG7340" "Dmel_CG10159"
[16] "Dmel_CG10263" "Dmel_CG10279" "Dmel_CG10781" "Dmel_CG11607" "Dmel_CG11793"
[21] "Dmel_CG12052" "Dmel_CG12223" "Dmel_CG12701" "Dmel_CG13041" "Dmel_CG14206"
[26] "Dmel_CG14418" "Dmel_CG14454" "Dmel_CG14641" "Dmel_CG14792" "Dmel_CG14840"
[31] "Dmel_CG15649" "Dmel_CG41099" "Dmel_CG17836" "Dmel_CG18449" "Dmel_CG2830"
[36] "Dmel_CG30092" "Dmel_CG31232" "Dmel_CG8683" "Dmel_CG32352" "Dmel_CG42299"
[41] "Dmel_CG32944" "Dmel_CG33152" "Dmel_CG3517" "Dmel_CG3598" "Dmel_CG3948"
[46] "Dmel_CG3997" "Dmel_CG4264" "Dmel_CG4276" "Dmel_CG4454" "Dmel_CG4998"
[51] "Dmel_CG5529" "Dmel_CG5580" "Dmel_CG7546" "Dmel_CG7608" "Dmel_CG8049"
[56] "Dmel_CG8435" "Dmel_CG9083" "Dmel_CG9091" "Dmel_CG9213" "Dmel_CG9335"
```

```

[61] "Dmel_CG9368" "Dmel_CG9986" "Dmel_CG9998" "Dmel_CG12546" "Dmel_CG14452"
[66] "Dmel_CG6235"

[[3]]
[[3]]$name
[1] "Dmel_CG10007"

[[3]]$interactors
[1] "Dmel_CG11205" "Dmel_CG17686" "Dmel_CG32491"

[[4]]
[[4]]$name
[1] "Dmel_CG11205"

[[4]]$interactors
[1] "Dmel_CG10007" "Dmel_CG9472" "Dmel_CG14487" "Dmel_CG2925" "Dmel_CG32632"

[[5]]
[[5]]$name
[1] "Dmel_CG10009"

[[5]]$interactors
[1] "Dmel_CG11635" "Dmel_CG3062" "Dmel_CG12679" "Dmel_CG14546" "Dmel_CG1792"
[6] "Dmel_CG31122" "Dmel_CG32183" "Dmel_CG3319" "Dmel_CG6945" "Dmel_CG9778"
[11] "Dmel_CG1133" "Dmel_CG2411"

```

---

HumanBioGRIDInteractionEntrezId

*BioGRID interactions for human (Homo sapiens), entrez ids are used as identifiers*

---

## Description

This data set contains a list of interactions for human (*Homo sapiens*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, Entrez ids are used.

## Usage

```
data(HumanBioGRIDInteractionEntrezId)
```

## Format

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 10213 \$ :List of 2 ..\$ name : int 6416 ..\$ interactors: int [1:25] 2318 192176 2318 2318 9043 5599 5871 5609 1326 207 ...

**Source**

<http://thebiogrid.org/download.php>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. Nucleic Acids Res. Jan1; 34:D535-9

**Examples**

```
> data(HumanBioGRIDInteractionEntrezId)
> HumanBioGRIDInteractionEntrezId[1]

[[1]]
[[1]]$name
[1] 6416

[[1]]$interactors
[1] 2318 192176 9043 5599 5871 5609 1326 207 23162 4296
[11] 4294 4216 409 10746 4214 4868
```

---

HumanBioGRIDInteractionOfficial

*BioGRID interactions for human (Homo sapiens), official names are used as identifiers*

---

**Description**

This data set contains a list of interactions for human (Homo sapiens). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, official names are used.

**Usage**

```
data(HumanBioGRIDInteractionOfficial)
```

**Format**

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 10098 \$ :List of 2 ..\$ name : chr "MAP2K4" ..\$ interactors: chr [1:25] "FLNC" "Flna" "FLNC" "FLNC" ...

**Source**

<http://thebiogrid.org/download.php>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. Nucleic Acids Res. Jan1; 34:D535-9

**Examples**

```

> data(HumanBioGRIDInteractionOfficial)
> HumanBioGRIDInteractionOfficial[1]

[[1]]
[[1]]$name
[1] "MAP2K4"

[[1]]$interactors
 [1] "FLNC"      "Flna"      "SPAG9"     "MAPK8"     "MAP4K2"    "MAP2K7"
 [7] "MAP3K8"    "AKT1"      "MAPK8IP3"  "MAP3K11"   "MAP3K10"   "MAP3K4"
[13] "ARRB2"    "MAP3K2"    "MAP3K1"    "NPHS1"

```

---

HumanBioGRIDInteractionUniqueId

*BioGRID interactions for human (Homo sapiens), unique ids (systematic names) are used as identifiers*

---

**Description**

This data set contains a list of interactions for human (*Homo sapiens*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, unique ids (systematic names) are used.

**Usage**

```
data(HumanBioGRIDInteractionUniqueId)
```

**Format**

The format is: List of 2785 A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: \$:List of 2 ..\$ name : chr "-" ..\$ interactors: chr "\_"

**Source**

<http://thebiogrid.org/download.php>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

**Examples**

```

> data(HumanBioGRIDInteractionUniqueId)
> HumanBioGRIDInteractionUniqueId[1]

```

```
[[1]]
[[1]]$name
[1] "-"

[[1]]$interactors
[1] "-"
```

---

MouseBioGRIDInteractionEntrezId

*BioGRID interactions for Mouse (Mus musculus), entrez ids are used as identifiers*

---

## Description

This data set contains a list of interactions for Mouse (*Mus musculus*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, Entrez ids are used.

## Usage

```
data(MouseBioGRIDInteractionEntrezId)
```

## Format

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 2361 \$ :List of 2 ..\$ name : int 4087 ..\$ interactors: int [1:28] 75141 19376 69159 72433 69288 54126 78294 57443 18412 52432 ...

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

## Examples

```
> data(MouseBioGRIDInteractionEntrezId)
> MouseBioGRIDInteractionEntrezId[1:5]

[[1]]
[[1]]$name
[1] 4087

[[1]]$interactors
[1] 75141 19376 69159 72433 69288 54126 78294 57443 18412 52432
[11] 26397 74137 16589 73341 50780 16876 66854 66894 80837 11854
[21] 80981 16801 71713 108960 16909 17126 17127 66603
```

```

[[2]]
[[2]]$name
[1] 75141

[[2]]$interactors
[1] 4087 4088 4089 7046 90 658 57154 64750

[[3]]
[[3]]$name
[1] 19376

[[3]]$interactors
[1] 4087 4089 7046

[[4]]
[[4]]$name
[1] 69159

[[4]]$interactors
[1] 4087 7046 90 658

[[5]]
[[5]]$name
[1] 72433

[[5]]$interactors
[1] 4087 4088 4089 7046 658

```

---

MouseBioGRIDInteractionOfficial

*BioGRID interactions for Mouse (Mus musculus), official names ids  
are used as identifiers*

---

## Description

This data set contains a list of interactions for Mouse (*Mus musculus*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, official names are used.

## Usage

```
data(MouseBioGRIDInteractionOfficial)
```

## Format

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 2354 \$ :List of 2 ..\$ name : chr "SMAD2" ..\$ interactors: chr [1:28] "Rasd2" "Rab34" "Rheb1" "Rab38" ...



**Source**

<http://thebiogrid.org/download.php>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

**Examples**

```
> data(MouseBioGRIDInteractionOfficial)
> MouseBioGRIDInteractionOfficial[1:5]

[[1]]
[[1]]$name
[1] "SMAD2"

[[1]]$interactors
 [1] "Rasd2"    "Rab34"    "Rheb11"   "Rab38"    "Rhobtb1"  "Arhgef7"  "Rps27a"
 [8] "Fbxo3"    "Sqstm1"   "Ppp2r2d"  "Map2k3"   "Nuak2"    "Uhmk1"    "Arhgef6"
[15] "Rgs3"     "Lhx9"     "Trim35"   "Wwp2"     "Rhoj"     "Rhod"     "Ar14d"
[22] "Arhgef1"  "Cdc40"    "Irak2"    "Lmo2"     "Smad2"    "Smad3"    "Sip1"

[[2]]
[[2]]$name
[1] "Rasd2"

[[2]]$interactors
[1] "SMAD2" "SMAD3" "SMAD4" "TGFB1" "ACVR1" "BMP1B" "SMURF1" "SMURF2"

[[3]]
[[3]]$name
[1] "Rab34"

[[3]]$interactors
[1] "SMAD2" "SMAD4" "TGFB1"

[[4]]
[[4]]$name
[1] "Rheb11"

[[4]]$interactors
[1] "SMAD2" "TGFB1" "ACVR1" "BMP1B"

[[5]]
[[5]]$name
[1] "Rab38"
```

```
[[5]]$interactors
[1] "SMAD2" "SMAD3" "SMAD4" "TGFBR1" "BMPR1B"
```

---

MouseBioGRIDInteractionUniqueId

*BioGRID interactions for Mouse (Mus musculus), unique ids (systematic names) are used as identifiers*

---

## Description

This data set contains a list of interactions for Mouse (*Mus musculus*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, Entrez ids are used.

## Usage

```
data(MouseBioGRIDInteractionUniqueId)
```

## Format

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example:

```
List of 648 $ :List of 2 ..$ name : chr "-" ..$ interactors: chr "-"
```

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

## Examples

```
> data(MouseBioGRIDInteractionUniqueId)
> MouseBioGRIDInteractionUniqueId[1:5]
```

```
[[1]]
[[1]]$name
[1] "-"
```

```
[[1]]$interactors
[1] "-"
```

```
[[2]]
[[2]]$name
[1] "-"
```

```
[[2]]$interactors
[1] "-"
```

```

[[3]]
[[3]]$name
[1] "RP11-96L7.1"

[[3]]$interactors
[1] "RP23-31C9.4" "RP23-382C19.6" "RP23-465A12.1" "RP24-196O13.1"
[5] "RP23-271L22.3" "RP24-189G18.2" "RP23-145E1.5" "RP23-27I6.6"
[9] "RP23-47P18.14" "RP23-42H18.3" "RP23-358G23.4" "RP23-19I2.1"
[13] "RP23-467E19.1" "RP23-450P9.2" "RP23-378G22.2" "RP23-209C6.3"
[17] "RP23-185A18.1" "RP23-457P12.1" "RP23-273O7.1" "RP23-348N2.1"
[21] "RP23-211K16.1" "RP23-372E6.1" "RP23-446O17.1" "RP23-319B15.1"
[25] "RP23-125A1.5" "RP23-419G21.5" "RP23-407I21.7" "RP23-25D18.1"
[29] "RP23-185A18.5" "RP23-234K24.1" "RP23-92B18.5" "RP23-38K18.3"
[33] "RP23-220K22.2" "RP23-261L3.4" "MNCb-2778"

[[4]]
[[4]]$name
[1] "RP23-31C9.4"

[[4]]$interactors
[1] "RP11-96L7.1"

[[5]]
[[5]]$name
[1] "RP23-382C19.6"

[[5]]$interactors
[1] "RP11-96L7.1"

```

---

S.PombeBioGRIDInteractionEntrezId

*BioGRID interactions for fission yeast (Schizosaccharomyces pombe),  
entrez ids are used as identifiers*

---

## Description

This data set contains a list of interactions for fission yeast (*Schizosaccharomyces pombe*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, Entrez ids are used.

## Usage

data(S.PombeBioGRIDInteractionEntrezId)

**Format**

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 2110 \$ :List of 2 ..\$ name : int 2539495 ..\$ interactors: int [1:10] 2541652 2542008 2539252 2541055 2542677 2543539 2541652 2540024 2539649 2542008

**Source**

<http://thebiogrid.org/download.php>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. Nucleic Acids Res. Jan1; 34:D535-9

**Examples**

```
> data(S.PombeBioGRIDInteractionEntrezId)
> S.PombeBioGRIDInteractionEntrezId[1:5]

[[1]]
[[1]]$name
[1] 2539495

[[1]]$interactors
[1] 2541652 2542008 2539252 2541055 2542677 2543539 2540024 2539649

[[2]]
[[2]]$name
[1] 2541652

[[2]]$interactors
 [1] 2539495 2539442 2543239 2541818 2542151 2540329 2542677 2542200 2542632
[10] 2539123 2538951 2540810 2542861 2540258 2539869 2540363 2542804 2540283
[19] 2539572 2542140 3361487 2541982 2541293 2542972 2539027 2541055 2541209
[28] 2542558 2541372 2539781 2541867 2539244 2540473

[[3]]
[[3]]$name
[1] 2540719

[[3]]$interactors
 [1] 2543289 2539087 2538959 2541512 2539686 2542266 2542313 2539527 2543204
[10] 3361533 2541051 2540345 2540627 2540255 2542374 2543580 2543281 2542757
[19] 2543222 2539090 2539209 2541643 2541746 2543544 2542558 2541159 2540630
[28] 2539838 2543387 2540917 2540470 2541165 2540633 2542824 2539933 2540020
[37] 2542150 2541194 2539881 2540589 2539285 2543685 2541620 2540719 2543240
[46] 2540992 2543639 2539164 2539737 2540234 2542366 2543577 2540352 2540244
[55] 2540348 2540911 2541120 2541209 2541270 3361323 2541580 2542007 2542207
[64] 2542967 2543164 2543436 2541849 2541088 3361306 2540601 2538775 2538706
```

```
[73] 2542226 2541604
```

```
[[4]]
```

```
[[4]]$name
```

```
[1] 2543289
```

```
[[4]]$interactors
```

```
[1] 2540719 2543629 2542083 2540255 2539627 2541849 2543164 2539527 2543204
[10] 2542374 2543580 2543281 2539090 2539209 2542757 2541746 2542313 2543387
[19] 2540627 2543240 2538959 2540470 2539933 2540020 2539881 2542029 2541536
[28] 2541628 2541580 2542207 2542558 2541941 2542007 2541656 2543510 2543452
[37] 2543577 2543319 2542198 2543668 2543372 2540023 2539613 2539911 2539960
[46] 2540115 2539714 2540352 2540436 2540348 2540353 3361323 2540945 2541101
[55] 2541088 2541120 2540735 2541135 2541270 2541251 2538930 2538913 2539375
[64] 2539497 2542023 2541834 2540244 2539130 2538926 2541512 2542677 2543078
[73] 2540887 2540911 2543436 2539041 2540582 2540589 2539087 2540728
```

```
[[5]]
```

```
[[5]]$name
```

```
[1] 2539087
```

```
[[5]]$interactors
```

```
[1] 2540719 2540470 2542266 2538959 2542029 2543666 2541643 2540992 2543281
[10] 2541512 2539686 2543240 2539527 2543606 2540627 2539869 2539123 2540255
[19] 2539090 2542313 2540032 2541849 2542558 2539164 2542083 2541695 2542632
[28] 2543323 2540630 2540620 2542749 2539004 2541620 2540917 2541710 2542824
[37] 2541165 2539933 2540020 2542150 2541194 2540728 3361323 2539285 2542844
[46] 2542252 2538689 2541159 2540013 2543407 2539627 2542366 2540352 2541120
[55] 2542007 2542207 2542967 2543436 2542196 2539402 2539208 2542503 2542542
[64] 2541270 2542226 2539499 2539641 2543237 2541265 2543289 2539087 2539894
[73] 2538775 2542703
```

---

```
S.PombeBioGRIDInteractionOfficial
```

*BioGRID interactions for fission yeast (Schizosaccharomyces pombe),  
official names are used as identifiers*

---

## Description

This data set contains a list of interactions for fission yeast (*Schizosaccharomyces pombe*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, official names are used.

## Usage

```
data(S.PombeBioGRIDInteractionOfficial)
```

**Format**

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 2110 \$ :List of 2 ..\$ name : chr "ptc1" ..\$ interactors: chr [1:10] "sty1" "ptc3" "ptc2" "wis1" ...

**Source**

<http://thebiogrid.org/download.php>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. Nucleic Acids Res. Jan1; 34:D535-9

**Examples**

```
> data(S.PombeBioGRIDInteractionOfficial)
> S.PombeBioGRIDInteractionOfficial[1:5]

[[1]]
[[1]]$name
[1] "ptc1"

[[1]]$interactors
[1] "sty1" "ptc3" "ptc2" "wis1" "pyp1" "hsp90" "ppb1" "pck2"

[[2]]
[[2]]$name
[1] "sty1"

[[2]]$interactors
 [1] "ptc1"          "cut1"          "sod2"          "pub1"          "csx1"
 [6] "atf1"          "pyp1"          "pyp2"          "cdc25"         "wee1"
[11] "ssp1"          "cyr1"          "msa1"          "stell1"        "cdc2"
[16] "atf21"         "hal4"          "leu1"          "tpx1"          "pap1"
[21] "crm1"          "cmk2"          "cdc37"         "sin1"          "srk1"
[26] "wis1"          "mcs4"          "rad1"          "SPBP8B7.28c"  "pka1"
[31] "sck2"          "asp1"          "tor1"

[[3]]
[[3]]$name
[1] "rad3"

[[3]]$interactors
 [1] "rad26" "chk1" "cds1" "nse6" "rhp18" "cdc45" "taz1" "pof3" "cid13"
[10] "meu13" "rad13" "uve1" "cdc20" "cdc6" "cdt2" "rhp51" "rad4" "rad32"
[19] "slp1"  "pku70" "tel1" "rad17" "hus1" "rad9" "rad1" "orc2" "mcm7"
[28] "cdc23" "mcl1" "skp1" "orc1" "hsk1" "hob1" "srw1" "spp2" "pcn1"
[37] "rec12" "psf2" "top3" "mad2" "sap1" "rhp55" "rqh1" "rad3" "mrc1"
[46] "crb2"  "tel2" "cdc21" "nrm1" "cdc10" "hst4" "srs2" "csn1" "fbh1"
```

```
[55] "exo1" "nse5" "rhp14" "mcs4" "ctf18" "swi3" "pli1" "rhp57" "ddb1"
[64] "rhp41" "rad2" "tlg2" "cdc17" "pob3" "nbs1" "trt1" "ssb3" "ctp1"
[73] "hta2" "mek1"
```

```
[[4]]
[[4]]$name
[1] "rad26"
```

```
[[4]]$interactors
[1] "rad3" "pol1" "cdc1" "cdc6"
[5] "cdc27" "cdc17" "rad2" "pof3"
[9] "cid13" "cdt2" "rhp51" "rad4"
[13] "pku70" "tel1" "rad32" "hus1"
[17] "taz1" "mcl1" "cdc20" "mrc1"
[21] "cds1" "orc1" "spp2" "pcn1"
[25] "top3" "rad24" "SPAC1071.02" "pds5"
[29] "pli1" "ddb1" "rad1" "tfs1"
[33] "rhp57" "pcf3" "nth1" "ssu72"
[37] "srs2" "trm10" "rdp1" "mfh1"
[41] "ase1" "SPBC11C11.10" "SPBC11C11.11c" "amo1"
[45] "pho2" "rap1" "SPBC1861.07" "csn1"
[49] "ngg1" "exo1" "SPBC2F12.12c" "swi3"
[53] "rtt109" "ptn1" "pob3" "rhp14"
[57] "tas3" "SPBC839.03c" "ctf18" "SPBC947.10"
[61] "dcr1" "ccr4" "mug154" "alp14"
[65] "ufd2" "gda1" "fbh1" "SPCC1919.03c"
[69] "SPCC306.07c" "nse6" "pyp1" "dcc1"
[73] "swi10" "nse5" "tlg2" "caf1"
[77] "nda3" "mad2" "chk1" "swi1"
```

```
[[5]]
[[5]]$name
[1] "chk1"
```

```
[[5]]$interactors
[1] "rad3" "orc1" "cdc45" "cds1" "rad24"
[6] "cdr1" "rad17" "crb2" "rad4" "nse6"
[11] "rhp18" "mrc1" "pof3" "rad31" "cdc20"
[16] "cdc2" "wee1" "cdc6" "pku70" "taz1"
[21] "top1" "cdc17" "rad1" "cdc21" "cdc1"
[26] "cdc22" "cdc25" "spp1" "mcm7" "mcm2"
[31] "rhp54" "mus81" "rqh1" "skp1" "msc1"
[36] "srw1" "hsk1" "spp2" "pcn1" "rec12"
[41] "psf2" "swi1" "swi3" "sap1" "crb3"
[46] "rad25" "sum3" "orc2" "cdc18" "cdc24"
[51] "cdc27" "hst4" "csn1" "rhp14" "rhp57"
[56] "ddb1" "rhp41" "tlg2" "hus5" "SPCC613.03"
[61] "cek1" "dcp2" "rfp1" "ctf18" "hta2"
[66] "hta1" "cut2" "mus7" "tra1" "rad26"
[71] "chk1" "rid1" "ssb3" "pot1"
```

---

S.PombeBioGRIDInteractionUniqueId

*BioGRID interactions for fission yeast (Schizosaccharomyces pombe),  
unique ids (systematic names) are used as identifiers*

---

## Description

This data set contains a list of interactions for fission yeast (*Schizosaccharomyces pombe*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, unique ids (systematic names) are used.

## Usage

```
data(S.PombeBioGRIDInteractionUniqueId)
```

## Format

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 2097 \$ :List of 2 ..\$ name : chr "SPCC4F11.02" ..\$ interactors: chr [1:10] "SPAC24B11.06c" "SPAC2G11.07c" "SPCC1223.11" "SPBC409.07c" ...

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

## Examples

```
> data(S.PombeBioGRIDInteractionUniqueId)
> S.PombeBioGRIDInteractionUniqueId[1:5]

[[1]]
[[1]]$name
[1] "SPCC4F11.02"

[[1]]$interactors
[1] "SPAC24B11.06c" "SPAC2G11.07c" "SPCC1223.11" "SPBC409.07c"
[5] "SPAC26F1.10c" "SPAC926.04c" "SPBP4H10.04" "SPBC12D12.04c"

[[2]]
[[2]]$name
[1] "SPAC24B11.06c"

[[2]]$interactors
[1] "SPCC4F11.02" "SPCC5E4.04" "SPAC977.10" "SPAC11G7.02"
[5] "SPAC17A2.09c" "SPBC29B5.01" "SPAC26F1.10c" "SPAC19D5.01"
```



```

[9] "SPAC24H6.05" "SPCC18B5.03" "SPCC297.03" "SPBC19C7.03"
[13] "SPAC13G7.13c" "SPBC32C12.02" "SPBC11B10.09" "SPBC2F12.09c"
[17] "SPAC29A4.16" "SPBC1A4.02c" "SPCC576.03c" "SPAC1783.07c"
[21] "SPAC1805.17" "SPAC23A1.06c" "SPBC9B6.10" "SPAPYUG7.02c"
[25] "SPCC1322.08" "SPBC409.07c" "SPBC887.10" "SPAC1952.07"
[29] "SPBP8B7.28c" "SPBC106.10" "SPAC22E12.14c" "SPCC1672.06c"
[33] "SPBC30D10.10c"

```

```
[[3]]
```

```
[[3]]$name
```

```
[1] "SPBC216.05"
```

```
[[3]]$interactors
```

```

[1] "SPAC9E9.08" "SPCC1259.13" "SPCC18B5.11c" "SPAC11E3.08c"
[5] "SPBC1734.06" "SPAC17D4.02" "SPAC16A10.07c" "SPCC338.16"
[9] "SPAC821.04c" "SPAC222.15" "SPBC3E7.08c" "SPBC19C7.09c"
[13] "SPBC25H2.13c" "SPBC336.04" "SPAC17H9.19c" "SPAC644.14c"
[17] "SPAC23C4.18c" "SPAC13C5.07" "SPAC821.08c" "SPCC126.02c"
[21] "SPCC23B6.03c" "SPAC14C4.13" "SPAC20G4.04c" "SPAC664.07c"
[25] "SPAC1952.07" "SPBC685.09" "SPBC25D12.03c" "SPBC1347.10"
[29] "SPAPB1E7.02c" "SPBC409.05" "SPBC29A10.15" "SPBC776.12c"
[33] "SPBC21D10.12" "SPAC144.13c" "SPBC17D11.06" "SPBC16D10.09"
[37] "SPAC17A5.11" "SPBC725.13c" "SPBC16G5.12c" "SPBC20F10.06"
[41] "SPCC1672.02c" "SPAC3C7.03c" "SPAC2G11.12" "SPBC216.05"
[45] "SPAC694.06c" "SPBC342.05" "SPAC458.03" "SPCC16A11.17"
[49] "SPBC16A3.07c" "SPBC336.12c" "SPAC1783.04c" "SPAC4H3.05"
[53] "SPBC215.03c" "SPBC336.01" "SPBC29A10.05" "SPBC651.10"
[57] "SPBC649.03" "SPBC887.10" "SPBC902.02c" "SPBC30D10.04"
[61] "SPAC1687.05" "SPAC20H4.07" "SPAC17H9.10c" "SPAC12B10.12c"
[65] "SPAC3G6.06c" "SPAC823.05c" "SPAC20G8.01" "SPBC609.05"
[69] "SPBC6B1.09c" "SPBC29A3.14c" "SPCC23B6.05c" "SPCC338.08"
[73] "SPAC19G12.06c" "SPAC14C4.03"

```

```
[[4]]
```

```
[[4]]$name
```

```
[1] "SPAC9E9.08"
```

```
[[4]]$interactors
```

```

[1] "SPBC216.05" "SPAC3H5.06c" "SPAC27E2.05" "SPBC336.04"
[5] "SPBC1734.02c" "SPAC20G8.01" "SPAC3G6.06c" "SPCC338.16"
[9] "SPAC821.04c" "SPAC17H9.19c" "SPAC644.14c" "SPAC23C4.18c"
[13] "SPCC126.02c" "SPCC23B6.03c" "SPAC13C5.07" "SPAC20G4.04c"
[17] "SPAC16A10.07c" "SPAPB1E7.02c" "SPBC25H2.13c" "SPAC694.06c"
[21] "SPCC18B5.11c" "SPBC29A10.15" "SPBC17D11.06" "SPBC16D10.09"
[25] "SPBC16G5.12c" "SPAC8E11.02c" "SPAC1071.02" "SPAC110.02"
[29] "SPAC1687.05" "SPAC17H9.10c" "SPAC1952.07" "SPAC20H4.03c"
[33] "SPAC20H4.07" "SPAC25H1.06" "SPAC30D11.07" "SPAC3G9.04"
[37] "SPAC4H3.05" "SPAC6B12.09" "SPAC6F12.09" "SPAC9.05"
[41] "SPAPB1A10.09" "SPBC11C11.10" "SPBC11C11.11c" "SPBC15D4.10c"
[45] "SPBC15D4.15" "SPBC1778.02" "SPBC1861.07" "SPBC215.03c"

```

```
[49] "SPBC28F2.10c" "SPBC29A10.05" "SPBC2F12.12c" "SPBC30D10.04"
[53] "SPBC342.06c" "SPBC609.02" "SPBC609.05" "SPBC649.03"
[57] "SPBC83.03c" "SPBC839.03c" "SPBC902.02c" "SPBC947.10"
[61] "SPCC188.13c" "SPCC31H12.08c" "SPCC4G3.11" "SPCC895.07"
[65] "SPAC20H4.10" "SPAC824.08" "SPBC336.01" "SPCC1919.03c"
[69] "SPCC306.07c" "SPAC11E3.08c" "SPAC26F1.10c" "SPAC31A2.15c"
[73] "SPBC4F6.15c" "SPBC651.10" "SPAC823.05c" "SPCC18.06c"
[77] "SPBC26H8.07c" "SPBC20F10.06" "SPCC1259.13" "SPBC216.06c"
```

```
[[5]]
```

```
[[5]]$name
```

```
[1] "SPCC1259.13"
```

```
[[5]]$interactors
```

```
[1] "SPBC216.05" "SPBC29A10.15" "SPAC17D4.02" "SPCC18B5.11c"
[5] "SPAC8E11.02c" "SPAC644.06c" "SPAC14C4.13" "SPBC342.05"
[9] "SPAC23C4.18c" "SPAC11E3.08c" "SPBC1734.06" "SPAC694.06c"
[13] "SPCC338.16" "SPAC4C5.04" "SPBC25H2.13c" "SPBC11B10.09"
[17] "SPCC18B5.03" "SPBC336.04" "SPCC126.02c" "SPAC16A10.07c"
[21] "SPBC1703.14c" "SPAC20G8.01" "SPAC1952.07" "SPCC16A11.17"
[25] "SPAC27E2.05" "SPAC1F7.05" "SPAC24H6.05" "SPAC6B12.10c"
[29] "SPBC25D12.03c" "SPBC4.04c" "SPAC15A10.03c" "SPCC4G3.05c"
[33] "SPAC2G11.12" "SPBC409.05" "SPAC343.11c" "SPAC144.13c"
[37] "SPBC776.12c" "SPBC17D11.06" "SPBC16D10.09" "SPAC17A5.11"
[41] "SPBC725.13c" "SPBC216.06c" "SPBC30D10.04" "SPCC1672.02c"
[45] "SPAC13G7.08c" "SPAC17A2.13c" "SPCC1795.11" "SPBC685.09"
[49] "SPBC14C8.07c" "SPAC8F11.07c" "SPBC1734.02c" "SPAC1783.04c"
[53] "SPBC215.03c" "SPBC649.03" "SPAC20H4.07" "SPAC17H9.10c"
[57] "SPAC12B10.12c" "SPAC823.05c" "SPAC30D11.13" "SPCC613.03"
[61] "SPCC1450.11c" "SPAC19A8.12" "SPAC19A8.10" "SPBC902.02c"
[65] "SPAC19G12.06c" "SPCC622.08c" "SPBC14C8.01c" "SPAC6B12.02c"
[69] "SPBP16F5.03c" "SPAC9E9.08" "SPCC1259.13" "SPBC1709.12"
[73] "SPCC23B6.05c" "SPAC26H5.06"
```

---

YeastBioGRIDInteractionEntrezId

*BioGRID interactions for budding yeast (Saccharomyces cerevisiae),  
entrez ids are used as identifiers*

---

## Description

This data set contains a list of interactions for budding yeast (*Saccharomyces cerevisiae*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, Entrez ids are used.

## Usage

```
data(YeastBioGRIDInteractionEntrezId)
```

**Format**

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 6049 \$ :List of 2 ..\$ name : int 850504 ..\$ interactors: int [1:887] 852545 853814 856220 853086 850749 853986 856848 851407 856518 854317 ...

**Source**

<http://thebiogrid.org/download.php>

**References**

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

**Examples**

```
> data(YeastBioGRIDInteractionEntrezId)
> YeastBioGRIDInteractionEntrezId[1:5]

[[1]]
[[1]]$name
[1] 850504

[[1]]$interactors
 [1] 852545 853814 856220 853086 850749 853986 856848 851407 856518 854317
[11] 856918 852261 855083 851447 851403 852100 851770 855499 855180 853112
[21] 856522 853348 851797 853452 852611 850520 854913 854418 856418 851204
[31] 851562 850893 855584 850676 851934 855974 852532 854966 855834 853364
[41] 852728 856490 855136 850504 855117 851029 855450 851996 855765 854353
[51] 854289 850423 851051 854504 854150 855616 852885 855841 855478 851707
[61] 852971 855728 850346 856702 854549 851771 851148 851376 852122 850450
[71] 852499 856862 851372 854668 855506 855836 856584 855302 855645 850320
[81] 851798 856899 856425 851997 854079 850400 851644 853668 852095 851737
[91] 856050 851891 851087 856249 855454 850367 854200 854822 854777 855048
[101] 855503 850534 855094 855665 855449 850980 853144 851752 852577 854042
[111] 856557 851048 852782 850863 853155 855238 851788 856481 853318 850973
[121] 854694 851984 850711 856463 851191 850897 851731 855473 852969 852028
[131] 852392 855922 855428 852864 854204 850440 852222 852557 850728 856061
[141] 850966 851832 856191 851967 852713 853301 853136 852053 855217 855515
[151] 853568 852406 852547 856696 852772 853862 850741 854309 856301 851412
[161] 853638 852424 850782 852427 852415 856924 851676 853728 851962 855613
[171] 855586 851217 852418 850456 851441 851336 851776 851844 852810 852804
[181] 853178 856409 854713 853260 853226 853743 853870 850706 851002 854992
[191] 854902 855589 855552 855496 855788 854035 854509 856186 851212 852265
[201] 852191 852332 852461 852477 850349 850427 851484 851478 851421 851419
[211] 851339 851596 851612 851618 851672 851904 851905 851921 852064 856686
[221] 856739 856759 856860 856921 852822 852931 852977 852984 853065 856382
[231] 856375 856435 856614 854762 854756 854706 854652 853279 853250 853544
[241] 853864 853811 853782 853957 853970 850712 850763 850811 850898 850923
[251] 851084 851085 854980 855173 855226 855483 855475 855466 854179 854232
[261] 854470 856040 856156 856158 856204 851220 851250 852254 852341 852370
```

[271] 852431 852518 852582 850360 851558 851491 851442 851591 851625 851646  
 [281] 851722 851887 852050 852130 856715 856689 856659 856892 850593 852848  
 [291] 852799 852774 852768 852716 852675 852644 852903 852980 853030 853077  
 [301] 853170 856404 856458 856512 856552 856576 854812 854804 854773 854686  
 [311] 854672 854647 853366 853303 853217 853491 853566 853868 853825 850684  
 [321] 850776 850840 850933 851135 854879 855086 855088 855101 855122 855169  
 [331] 855364 855727 855569 855557 855529 855462 855772 855773 854142 854099  
 [341] 854208 854370 854420 854460 854505 854542 856105 856103 855954 855903  
 [351] 855844 856134 856148 856227 855224 852869 850998 855532 854481 853202  
 [361] 851768 853438 854456 856422 856607 850554 854284 851318 852755 396422  
 [371] 851244 851213 852303 852405 852469 850441 851494 851542 851706 851764  
 [381] 851831 851869 851929 851935 852837 852882 852968 853020 853110 856358  
 [391] 856364 856399 854718 854725 854771 854818 853276 853281 853350 853538  
 [401] 853581 853636 853732 853763 853836 853890 853916 850683 850654 850768  
 [411] 850800 850887 854915 854949 855085 855096 855154 855186 855634 855644  
 [421] 855647 855710 854195 854391 854449 854531 855835 856071 856309 852563  
 [431] 851978 852023 856867 856908 852708 856583 854819 853322 853433 853471  
 [441] 853721 850810 850999 851086 851088 851130 855143 855575 854086 854087  
 [451] 854294 856016 856019 856188 856212 852444 852519 852035 852099 852136  
 [461] 856796 856802 856835 856873 856903 856923 853209 851209 852348 852377  
 [471] 852459 851423 851454 851727 856895 852661 852826 852870 853196 856511  
 [481] 856514 856556 854809 853280 853966 850639 850658 850778 850843 851042  
 [491] 851055 851100 851126 854939 854953 855003 855126 855254 855568 855581  
 [501] 855603 855787 854159 854361 855875 855964 856051 856276 852229 852276  
 [511] 850451 851378 851758 851950 856909 852609 852702 852796 852839 853026  
 [521] 853031 856445 853313 850745 851164 854871 855264 855345 855360 855639  
 [531] 855656 854066 854247 854371 854383 854500 856037 856135 856170 856173  
 [541] 856210 856293 851223 851259 851289 852368 852436 852454 851452 851704  
 [551] 851834 852002 856827 852659 852670 852854 852861 852972 852993 852997  
 [561] 853089 856415 856530 856545 853305 853347 853375 853502 853583 853818  
 [571] 853876 853920 853928 853929 850668 850677 850752 851132 855012 855339  
 [581] 855709 854153 854252 854261 854280 854300 854443 855917 855919 855920  
 [591] 855929 855958 856081 856123 856128 853783 851263 851334 856547 854664  
 [601] 853587 856311 851520 850633 851635 851115 855565 854937 850620

[[2]]

[[2]]\$name

[1] 852545

[[2]]\$interactors

[1] 850504 856425 852515 855346 854322 854856 853568 850777 853423 855355

[11] 855644 854090 853061 854076 852403 854900

[[3]]

[[3]]\$name

[1] 853814

[[3]]\$interactors

[1] 850504 853958 855101 851782 851579 853010 852819 853674 854984 853909

[11] 851919 853719 853041 854662 852787 855625 854542 854778 853817 856648

```
[21] 852794 855892 851708
```

```
[[4]]
```

```
[[4]]$name
```

```
[1] 856220
```

```
[[4]]$interactors
```

```
[1] 850504 855450 852724 853017 852732 856457 851025 855219 854335 854904
```

```
[11] 856901 850713 855676 852649 852879 851770 850505 855687 856321 855830
```

```
[21] 850998 854123 855512 851369 852709 856909
```

```
[[5]]
```

```
[[5]]$name
```

```
[1] 853086
```

```
[[5]]$interactors
```

```
[1] 850504 855450 851748 855405 856767 852329 856398 855449 856413 855224
```

```
[11] 856195 853529 852874 856478 855836 850620 852951 855441 852883 850790
```

```
[21] 855242 850745 855029 852872 856418 850554 850521 851659 853207
```

---

```
YeastBioGRIDInteractionOfficial
```

*BioGRID interactions for budding yeast (Saccharomyces cerevisiae),  
official names are used as identifiers*

---

## Description

This data set contains a list of interactions for budding yeast (*Saccharomyces cerevisiae*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, Entrez ids are used.

## Usage

```
data(YeastBioGRIDInteractionOfficial)
```

## Format

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 6032 \$ :List of 2 ..\$ name : chr "ACT1" ..\$ interactors: chr [1:887] "ALG7" "ASK1" "COG4" "ERG1" ...

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

**Examples**

```

> data(YeastBioGRIDInteractionOfficial)
> YeastBioGRIDInteractionOfficial[1:5]

[[1]]
[[1]]$name
[1] "ACT1"

[[1]]$interactors
  [1] "ALG7"      "ASK1"      "COG4"      "ERG1"      "FRS1"      "HRT1"
  [7] "LSM4"      "NOP14"     "ORC6"      "PNO1"      "RAD3"      "RFT1"
 [13] "RNA14"     "RRP42"     "SAS10"     "SLD5"      "SLY1"      "SSU72"
 [19] "SWP1"      "YPP1"      "YHR122W"   "PHS1"      "GCD6"      "CYR1"
 [25] "DOC1"      "EPL1"      "ERG13"     "ESA1"      "MYO1"      "MYO4"
 [31] "NHP10"     "PWP1"      "SRV2"      "COF1"      "SWR1"      "TAF14"
 [37] "SWC5"      "VPS71"     "IQG1"      "ARP4"      "INO80"     "YNG2"
 [43] "MYO5"      "ACT1"      "AIP1"      "BUD6"      "BNI1"      "RVS167"
 [49] "SSK2"      "LAS17"     "PFY1"      "YIH1"      "VRP1"      "MYO2"
 [55] "HTZ1"      "YAF9"      "SWC4"      "RVB2"      "SLA2"      "SAC6"
 [61] "TWF1"      "HRB1"      "GBP2"      "VAC8"      "SCP1"      "RVB1"
 [67] "CRN1"      "DLD2"      "SMT3"      "ABP1"      "BEM1"      "RSP5"
 [73] "GCS1"      "TPM2"      "IES2"      "HSP82"     "OYE2"      "TIF11"
 [79] "TPM1"      "SRO9"      "TCP1"      "BEM2"      "SLT2"      "SAC7"
 [85] "MDM20"     "FEN1"      "IPT1"      "SAC1"      "VPS52"     "SAC3"
 [91] "SUR1"      "SUR2"      "SUR4"      "NAT3"      "PIK1"      "RVS161"
 [97] "SHE4"      "PAN1"      "CAP2"      "HOF1"      "MGS1"      "IES1"
[103] "ABF2"      "ARP5"      "SEC2"      "MCM5"      "SMI1"      "SUP35"
[109] "CHK1"      "INO4"      "SPO12"     "NUP2"      "SRM1"      "SEC10"
[115] "PFK1"      "CIK1"      "UME6"      "LRP1"      "LSM1"      "SEC22"
[121] "HOS4"      "LSM6"      "UBR2"      "SSF1"      "CLN3"      "YKE2"
[127] "ENT5"      "RPA49"     "PAC10"     "RAD30"     "RXT2"      "TCO89"
[133] "CAF40"     "GET1"      "CKB2"      "PAT1"      "SHP1"      "MTC4"
[139] "RIC1"      "ELC1"      "YPT6"      "MNN10"     "OPY2"      "SEM1"
[145] "RAD54"     "RPB4"      "TOS2"      "SSN2"      "SPT21"     "RTT106"
[151] "SOD1"      "CMD1"      "ISW1"      "EAF5"      "MLC1"      "CAP1"
[157] "IES3"      "ARP8"      "BSP1"      "CCT4"      "YKT6"      "VMA2"
[163] "NYV1"      "SHE3"      "TEF2"      "BMH1"      "BMH2"      "SHE2"
[169] "EAF1"      "NOP15"     "EAF7"      "TPD3"      "GRS1"      "CDC50"
[175] "NUP84"     "RPL35A"    "REF2"      "RKM4"      "RPB9"      "RPL7A"
[181] "BUD32"     "YSC84"     "PRK1"      "PFD1"      "RCY1"      "SBA1"
[187] "VPS1"      "PSR2"      "ATP14"     "PPZ1"      "RPL6A"     "FYV6"
[193] "PSD1"      "CNM67"     "POP2"      "YOL114C"   "VMA4"      "NOT5"
[199] "CCR4"      "FUS3"      "RPL23A"    "TCM62"     "EXO5"      "FZO1"
[205] "STP22"     "BUD31"     "RPL31A"    "RPP1A"     "PPH21"     "RPL35B"
[211] "PPH22"     "PST2"      "YDR042C"   "YDR049W"   "GRX3"      "GIC2"
[217] "SUM1"      "MRPL35"    "TSA2"      "CUP5"      "ISC1"      "PHM8"
[223] "YCK3"      "GRX4"      "RAD6"      "KSS1"      "PIL1"      "DBF2"
[229] "RTS3"      "STE20"     "PRS3"      "VMA10"     "SET5"      "DFG10"
[235] "YIL055C"   "XBP1"      "IMP2"      "FMP33"     "RPL39"     "EAF6"
[241] "RPL14A"    "DEF1"      "VMA5"      "NUP133"    "MLP1"      "SNF7"
[247] "BUD20"     "YPS1"      "COQ9"      "BUR2"      "SSQ1"      "ARC18"
[253] "TSA1"      "RPL13B"    "MRPS17"    "KEX2"      "VPS75"     "GIS2"

```

[259]	"RTS1"	"MSA1"	"UAF30"	"VPS28"	"RPL43A"	"YPR045C"
[265]	"YPR089W"	"DEP1"	"SPC72"	"RPL19B"	"RFS1"	"ECM33"
[271]	"HSL7"	"ATG12"	"PAF1"	"YCP4"	"PTC1"	"CBS1"
[277]	"IWR1"	"VPS54"	"PST1"	"TPS2"	"MKC7"	"SSD1"
[283]	"DOT1"	"EUG1"	"GIM4"	"RIP1"	"VMA8"	"PEA2"
[289]	"QCR6"	"MIG1"	"YGL081W"	"VPS73"	"CUE3"	"AIM14"
[295]	"EMP24"	"PDE1"	"VMA7"	"NNF2"	"SYF2"	"CLC1"
[301]	"COQ6"	"ARD1"	"GIC1"	"YHR112C"	"MRPL6"	"ATG7"
[307]	"EPS1"	"TIR3"	"NOT3"	"QDR1"	"FLX1"	"BNR1"
[313]	"PRY1"	"TIF2"	"YJL213W"	"PET191"	"VPS25"	"DID4"
[319]	"VPS24"	"ATG10"	"CSF1"	"PEP3"	"BNA5"	"VPS36"
[325]	"GIM5"	"AEP1"	"SOV1"	"VPS20"	"MTG1"	"CIN4"
[331]	"DIA1"	"MRP7"	"GIM3"	"IBD2"	"CHS1"	"ATX1"
[337]	"MRPS12"	"RSM19"	"TLG2"	"THI20"	"WHI2"	"SLK19"
[343]	"YOR246C"	"RDL2"	"SNC2"	"PDE2"	"SNF8"	"LSP1"
[349]	"ATG5"	"RPL7B"	"SSO1"	"EAF3"	"VMA13"	"DBF20"
[355]	"HSC82"	"YGL015C"	"GCD7"	"SRP1"	"YOR304C-A"	"ZUO1"
[361]	"CCT6"	"CCT3"	"PLP2"	"RPN1"	"RPN10"	"RPN11"
[367]	"RPT5"	"CWC2"	"NAB2"	"VCL"	"PEX22"	"ATS1"
[373]	"MNN2"	"AIM3"	"SEC66"	"PTC6"	"PEX19"	"RPN4"
[379]	"MTC5"	"PLP1"	"PEX5"	"PMP3"	"PEX3"	"MSN5"
[385]	"RIM8"	"ERP6"	"PEX8"	"YGR122W"	"FYV8"	"RIM101"
[391]	"SPO11"	"SOD2"	"ICE2"	"SDS3"	"APQ12"	"MPH1"
[397]	"YJL163C"	"HSP150"	"BCK1"	"HOC1"	"STE24"	"PEX1"
[403]	"PGM1"	"MTC2"	"IXR1"	"VPS51"	"UTH1"	"FPS1"
[409]	"MMM1"	"SIC1"	"CCW12"	"MMR1"	"TUB3"	"SPC2"
[415]	"RIM9"	"YMR074C"	"YMR124W"	"RIM13"	"RHO2"	"EOS1"
[421]	"APJ1"	"HDA1"	"DFG16"	"RUD3"	"RIM20"	"CIN1"
[427]	"CIN2"	"PMA2"	"HDA3"	"RGD1"	"VPS74"	"ERD1"
[433]	"YER130C"	"SPT2"	"HUR1"	"STB5"	"AIM21"	"RPE1"
[439]	"BBC1"	"TMA22"	"CMC1"	"SRN2"	"SEC72"	"ROM2"
[445]	"VID22"	"BER1"	"ASC1"	"LSM7"	"HST1"	"RTG1"
[451]	"RGA1"	"RLM1"	"ELP3"	"TKL1"	"YPR097W"	"RTC2"
[457]	"PYC2"	"SNX41"	"PAC11"	"AGE1"	"RRT13"	"YER071C"
[463]	"UBP9"	"YER134C"	"YER158C"	"ECM32"	"MAL12"	"LTE1"
[469]	"MUM2"	"TEC1"	"TOS1"	"YDL133W"	"QRI7"	"NUM1"
[475]	"UBP3"	"NCS6"	"ERV14"	"PUF4"	"SCW4"	"UBA4"
[481]	"BZZ1"	"MTC6"	"URM1"	"YJL160C"	"SRL3"	"SPA2"
[487]	"RTT109"	"ALT1"	"STM1"	"MID2"	"FKS1"	"IKI3"
[493]	"VIP1"	"RPS1B"	"SUR7"	"ERG6"	"MUB1"	"SCJ1"
[499]	"YCK2"	"AAH1"	"NCS2"	"BRE5"	"PFA4"	"IES4"
[505]	"NEW1"	"UME1"	"YPL056C"	"YPR153W"	"PIN4"	"SLA1"
[511]	"FIG2"	"YDL176W"	"SDH4"	"YPS7"	"RAD4"	"YGL242C"
[517]	"KEM1"	"GUP1"	"DST1"	"YGR125W"	"YGR130C"	"FSH1"
[523]	"PBS2"	"ERG3"	"ECM7"	"CUE4"	"MRE11"	"DYN3"
[529]	"ELP6"	"MKT1"	"FKH2"	"YOL087C"	"DIA2"	"LIP5"
[535]	"PTP2"	"LDB19"	"YPL068C"	"YME1"	"BRR1"	"ARO7"
[541]	"SYT1"	"MMS1"	"MDM10"	"SSA1"	"FLO1"	"ECM8"
[547]	"YBR139W"	"ICS2"	"PHO2"	"SWF1"	"VHS1"	"SHE9"
[553]	"IES5"	"SKI8"	"KEX1"	"CGR1"	"PIB2"	"SLX9"
[559]	"PCP1"	"VMA21"	"PBP1"	"RPS27B"	"ARP1"	"CHS7"
[565]	"RPS21B"	"SAP185"	"YJL070C"	"VPS55"	"JHD2"	"ELM1"

```

[571] "MEH1"      "PET10"      "DYN1"      "RHO4"      "YLL058W"   "LDB18"
[577] "YLR063W"    "PUN1"      "YPT7"      "JNM1"      "YNL022C"   "MDM12"
[583] "OST3"      "ARF3"      "AZF1"      "VPS17"     "PAC1"      "MRN1"
[589] "RTT10"     "CTI6"      "NIP100"    "KES1"      "SKS1"      "YPR013C"
[595] "DSS4"      "SMY1"      "NUP60"     "NUS1"      "RPC10"     "CCT2"
[601] "RPS5"      "SEC23"     "SIR2"      "HSP104"    "AIM7"      "BDF1"
[607] "YNL157W"   "ORC1"      "UBI4"

[[2]]
[[2]]$name
[1] "ALG7"

[[2]]$interactors
 [1] "ACT1"  "SLT2"  "SDS24" "ADE4"  "RPB2"  "GTT1"  "SOD1"  "GAA1"  "VPS53"
[10] "GAS1"  "EOS1"  "MET22" "CHO2"  "AVO1"  "PHO88" "HMG1"

[[3]]
[[3]]$name
[1] "ASK1"

[[3]]$interactors
 [1] "ACT1"  "DAD2"  "VPS20" "SPC19" "DAD1"  "DAM1"  "DUO1"  "RPL17A"
 [9] "RPS17A" "SPC34" "DAD4"  "HSK3"  "CBF2"  "TID3"  "SPC105" "RAS2"
[17] "PDE2"  "BCY1"  "CSE4"  "CIN8"  "MAD1"  "IPL1"  "FIN1"

[[4]]
[[4]]$name
[1] "COG4"

[[4]]$interactors
 [1] "ACT1"  "BNI1"  "PEX14" "COG2"  "TIP20" "VMA22" "NKP2"
 [8] "YMR181C" "GET4"  "COG8"  "COG3"  "SED5"  "COG5"  "COG1"
[15] "COG7"  "SLY1"  "YPT1"  "COG6"  "QCR2"  "RBD2"  "GCD7"
[22] "SMC5"  "SSB2"  "SSB1"  "PMR1"  "RAD4"

[[5]]
[[5]]$name
[1] "ERG1"

[[5]]$interactors
 [1] "ACT1"  "BNI1"  "SEC7"  "YNL311C" "ERG28"  "FAT1"  "ERG11"
 [8] "SEC2"  "YHR020W" "HSC82" "TEF1"  "TOR1"  "YGL010W" "IRE1"
[15] "HSP82" "UBI4"  "ERG25" "ERG24"  "ERG26"  "ERG27"  "ERG2"
[22] "ERG3"  "ERG5"  "ERG4"  "MYO1"  "RPN11"  "BUD27"  "SSS1"
[29] "MAL11"

```



---

YeastBioGRIDInteractionUniqueId

*BioGRID interactions for budding yeast (Saccharomyces cerevisiae),  
unique ids (systematic names) are used as identifiers*

---

## Description

This data set contains a list of interactions for budding yeast (*Saccharomyces cerevisiae*). The interactions are taken from BioGRID version 3.1.72, January 2011 release. For gene/protein entries, unique ids (systematic names) are used.

## Usage

```
data(YeastBioGRIDInteractionUniqueId)
```

## Format

The format is: A list containing the interactions. For each gene/protein, there is an entry in the list with "name" containing name of the gene/protein and "interactors" containing the list of genes/proteins interacting with it. example: List of 5931 \$ :List of 2 ..\$ name : chr "YFL039C" ..\$ interactors: chr [1:887] "YBR243C" "YKL052C" "YPR105C" "YGR175C" ...

## Source

<http://thebiogrid.org/download.php>

## References

Stark C, Breitkreutz BJ, Reguly T, Boucher L, Breitkreutz A, Tyers M. *Biogrid: A General Repository for Interaction Datasets*. *Nucleic Acids Res.* Jan1; 34:D535-9

## Examples

```
> data(YeastBioGRIDInteractionUniqueId)
> YeastBioGRIDInteractionUniqueId[1:5]

[[1]]
[[1]]$name
[1] "YFL039C"

[[1]]$interactors
 [1] "YBR243C" "YKL052C" "YPR105C" "YGR175C" "YLR060W" "YOL133W"
 [7] "YER112W" "YDL148C" "YHR118C" "YOR145C" "YER171W" "YBL020W"
[13] "YMR061W" "YDL111C" "YDL153C" "YDR489W" "YDR189W" "YNL222W"
[19] "YMR149W" "YGR198W" "YHR122W" "YJL097W" "YDR211W" "YJL005W"
[25] "YGL240W" "YFL024C" "YML126C" "YOR244W" "YHR023W" "YAL029C"
[31] "YDL002C" "YLR196W" "YNL138W" "YLL050C" "YDR334W" "YPL129W"
[37] "YBR231C" "YML041C" "YPL242C" "YJL081C" "YGL150C" "YHR090C"
[43] "YMR109W" "YFL039C" "YMR092C" "YLR319C" "YNL271C" "YDR388W"
[49] "YNR031C" "YOR181W" "YOR122C" "YCR059C" "YLR337C" "YOR326W"
[55] "YOL012C" "YNL107W" "YGR002C" "YPL235W" "YNL243W" "YDR129C"
[61] "YGR080W" "YNL004W" "YCL011C" "YEL013W" "YOR367W" "YDR190C"
```

[ 67]	"YLR429W"	"YDL178W"	"YDR510W"	"YCR088W"	"YBR200W"	"YER125W"
[ 73]	"YDL226C"	"YIL138C"	"YNL215W"	"YPL240C"	"YHR179W"	"YMR260C"
[ 79]	"YNL079C"	"YCL037C"	"YDR212W"	"YER155C"	"YHR030C"	"YDR389W"
[ 85]	"YOL076W"	"YCR034W"	"YDR072C"	"YKL212W"	"YDR484W"	"YDR159W"
[ 91]	"YPL057C"	"YDR297W"	"YLR372W"	"YPR131C"	"YNL267W"	"YCR009C"
[ 97]	"YOR035C"	"YIR006C"	"YIL034C"	"YMR032W"	"YNL218W"	"YFL013C"
[103]	"YMR072W"	"YNL059C"	"YNL272C"	"YLR274W"	"YGR229C"	"YDR172W"
[109]	"YBR274W"	"YOL108C"	"YHR152W"	"YLR335W"	"YGL097W"	"YLR166C"
[115]	"YGR240C"	"YMR198W"	"YDR207C"	"YHR081W"	"YJL124C"	"YLR268W"
[121]	"YIL112W"	"YDR378C"	"YLR024C"	"YHR066W"	"YAL040C"	"YLR200W"
[127]	"YDR153C"	"YNL248C"	"YGR078C"	"YDR419W"	"YBR095C"	"YPL180W"
[133]	"YNL288W"	"YGL020C"	"YOR039W"	"YCR077C"	"YBL058W"	"YBR255W"
[139]	"YLR039C"	"YPL046C"	"YLR262C"	"YDR245W"	"YPR075C"	"YDR363W-A"
[145]	"YGL163C"	"YJL140W"	"YGR221C"	"YDR443C"	"YMR179W"	"YNL206C"
[151]	"YJR104C"	"YBR109C"	"YBR245C"	"YEL018W"	"YGL106W"	"YKL007W"
[157]	"YLR052W"	"YOR141C"	"YPR171W"	"YDL143W"	"YKL196C"	"YBR127C"
[163]	"YLR093C"	"YBR130C"	"YBR118W"	"YER177W"	"YDR099W"	"YKL130C"
[169]	"YDR359C"	"YNL110C"	"YNL136W"	"YAL016W"	"YBR121C"	"YCR094W"
[175]	"YDL116W"	"YDL191W"	"YDR195W"	"YDR257C"	"YGL070C"	"YGL076C"
[181]	"YGR262C"	"YHR016C"	"YIL095W"	"YJL179W"	"YJL204C"	"YKL117W"
[187]	"YKR001C"	"YLR019W"	"YLR295C"	"YML016C"	"YML073C"	"YNL133C"
[193]	"YNL169C"	"YNL225C"	"YNR052C"	"YOL114C"	"YOR332W"	"YPR072W"
[199]	"YAL021C"	"YBL016W"	"YBL087C"	"YBR044C"	"YBR163W"	"YBR179C"
[205]	"YCL008C"	"YCR063W"	"YDL075W"	"YDL081C"	"YDL134C"	"YDL136W"
[211]	"YDL188C"	"YDR032C"	"YDR042C"	"YDR049W"	"YDR098C"	"YDR309C"
[217]	"YDR310C"	"YDR322W"	"YDR453C"	"YEL027W"	"YER019W"	"YER037W"
[223]	"YER123W"	"YER174C"	"YGL058W"	"YGR040W"	"YGR086C"	"YGR092W"
[229]	"YGR161C"	"YHL007C"	"YHL011C"	"YHR039C-A"	"YHR207C"	"YIL049W"
[235]	"YIL055C"	"YIL101C"	"YIL154C"	"YJL161W"	"YJL189W"	"YJR082C"
[241]	"YKL006W"	"YKL054C"	"YKL080W"	"YKR082W"	"YKR095W"	"YLR025W"
[247]	"YLR074C"	"YLR120C"	"YLR201C"	"YLR226W"	"YLR369W"	"YLR370C"
[253]	"YML028W"	"YMR142C"	"YMR188C"	"YNL238W"	"YNL246W"	"YNL255C"
[259]	"YOR014W"	"YOR066W"	"YOR295W"	"YPL065W"	"YPR043W"	"YPR045C"
[265]	"YPR089W"	"YAL013W"	"YAL047C"	"YBL027W"	"YBR052C"	"YBR078W"
[271]	"YBR133C"	"YBR217W"	"YBR279W"	"YCR004C"	"YDL006W"	"YDL069C"
[277]	"YDL115C"	"YDR027C"	"YDR055W"	"YDR074W"	"YDR144C"	"YDR293C"
[283]	"YDR440W"	"YDR518W"	"YEL003W"	"YEL024W"	"YEL051W"	"YER149C"
[289]	"YFR033C"	"YGL035C"	"YGL081W"	"YGL104C"	"YGL110C"	"YGL160W"
[295]	"YGL200C"	"YGL248W"	"YGR020C"	"YGR089W"	"YGR129W"	"YGR167W"
[301]	"YGR255C"	"YHR013C"	"YHR061C"	"YHR112C"	"YHR147C"	"YHR171W"
[307]	"YIL005W"	"YIL011W"	"YIL038C"	"YIL120W"	"YIL134W"	"YIL159W"
[313]	"YJL079C"	"YJL138C"	"YJL213W"	"YJR034W"	"YJR102C"	"YKL002W"
[319]	"YKL041W"	"YLL042C"	"YLR087C"	"YLR148W"	"YLR231C"	"YLR417W"
[325]	"YML094W"	"YMR064W"	"YMR066W"	"YMR077C"	"YMR097C"	"YMR138W"
[331]	"YMR316W"	"YNL005C"	"YNL153C"	"YNL164C"	"YNL192W"	"YNL259C"
[337]	"YNR036C"	"YNR037C"	"YOL018C"	"YOL055C"	"YOR043W"	"YOR195W"
[343]	"YOR246C"	"YOR286W"	"YOR327C"	"YOR360C"	"YPL002C"	"YPL004C"
[349]	"YPL149W"	"YPL198W"	"YPL232W"	"YPR023C"	"YPR036W"	"YPR111W"
[355]	"YMR186W"	"YGL015C"	"YLR291C"	"YNL189W"	"YOR304C-A"	"YGR285C"
[361]	"YDR188W"	"YJL014W"	"YOR281C"	"YHR027C"	"YHR200W"	"YFR004W"
[367]	"YOR117W"	"YDL209C"	"YGL122C"	"YAL055W"	"YAL020C"	"YBR015C"
[373]	"YBR108W"	"YBR171W"	"YCR079W"	"YDL065C"	"YDL020C"	"YDR128W"

[379]	"YDR183W"	"YDR244W"	"YDR276C"	"YDR329C"	"YDR335W"	"YGL045W"
[385]	"YGL002W"	"YGR077C"	"YGR122W"	"YGR196C"	"YHL027W"	"YHL022C"
[391]	"YHR008C"	"YIL090W"	"YIL084C"	"YIL040W"	"YIR002C"	"YJL163C"
[397]	"YJL159W"	"YJL095W"	"YJR075W"	"YJR117W"	"YKL197C"	"YKL127W"
[403]	"YKL098W"	"YKL032C"	"YKR020W"	"YKR042W"	"YLL043W"	"YLL006W"
[409]	"YLR079W"	"YLR110C"	"YLR190W"	"YML124C"	"YML055W"	"YMR063W"
[415]	"YMR074C"	"YMR124W"	"YMR154C"	"YNL090W"	"YNL080C"	"YNL077W"
[421]	"YNL021W"	"YOR030W"	"YOR216C"	"YOR275C"	"YOR349W"	"YPL241C"
[427]	"YPL036W"	"YPR179C"	"YBR260C"	"YDR372C"	"YDR414C"	"YER130C"
[433]	"YER161C"	"YGL168W"	"YHR178W"	"YIR003W"	"YJL121C"	"YJL020C"
[439]	"YJR014W"	"YKL137W"	"YLR119W"	"YLR292C"	"YLR371W"	"YLR373C"
[445]	"YLR412W"	"YMR116C"	"YNL147W"	"YOL068C"	"YOL067C"	"YOR127W"
[451]	"YPL089C"	"YPL086C"	"YPR074C"	"YPR097W"	"YBR147W"	"YBR218C"
[457]	"YDR425W"	"YDR488C"	"YDR524C"	"YER066W"	"YER071C"	"YER098W"
[463]	"YER134C"	"YER158C"	"YER176W"	"YGR292W"	"YAL024C"	"YBR057C"
[469]	"YBR083W"	"YBR162C"	"YDL133W"	"YDL104C"	"YDR150W"	"YER151C"
[475]	"YGL211W"	"YGL054C"	"YGL014W"	"YGR279C"	"YHR111W"	"YHR114W"
[481]	"YHR151C"	"YIL008W"	"YJL160C"	"YKR091W"	"YLL021W"	"YLL002W"
[487]	"YLR089C"	"YLR150W"	"YLR332W"	"YLR342W"	"YLR384C"	"YLR410W"
[493]	"YML063W"	"YML052W"	"YML008C"	"YMR100W"	"YMR214W"	"YNL154C"
[499]	"YNL141W"	"YNL119W"	"YNR051C"	"YOL003C"	"YOR189W"	"YPL226W"
[505]	"YPL139C"	"YPL056C"	"YPR153W"	"YBL051C"	"YBL007C"	"YCR089W"
[511]	"YDL176W"	"YDR178W"	"YDR349C"	"YER162C"	"YGL242C"	"YGL173C"
[517]	"YGL084C"	"YGL043W"	"YGR125W"	"YGR130C"	"YHR049W"	"YJL128C"
[523]	"YLR056W"	"YLR443W"	"YML101C"	"YMR224C"	"YMR299C"	"YMR312W"
[529]	"YNL085W"	"YNL068C"	"YOL087C"	"YOR080W"	"YOR196C"	"YOR208W"
[535]	"YOR322C"	"YPL068C"	"YPR024W"	"YPR057W"	"YPR060C"	"YPR095C"
[541]	"YPR164W"	"YAL010C"	"YAL005C"	"YAR050W"	"YBR076W"	"YBR139W"
[547]	"YBR157C"	"YDL106C"	"YDR126W"	"YDR247W"	"YDR393W"	"YER092W"
[553]	"YGL213C"	"YGL203C"	"YGL029W"	"YGL023C"	"YGR081C"	"YGR101W"
[559]	"YGR105W"	"YGR178C"	"YHR021C"	"YHR129C"	"YHR142W"	"YJL136C"
[565]	"YJL098W"	"YJL070C"	"YJR044C"	"YJR119C"	"YKL048C"	"YKR007W"
[571]	"YKR046C"	"YKR054C"	"YKR055W"	"YLL058W"	"YLL049W"	"YLR063W"
[577]	"YLR414C"	"YML001W"	"YMR294W"	"YNL022C"	"YOL009C"	"YOR085W"
[583]	"YOR094W"	"YOR113W"	"YOR132W"	"YOR269W"	"YPL184C"	"YPL183C"
[589]	"YPL181W"	"YPL174C"	"YPL145C"	"YPL026C"	"YPR013C"	"YPR017C"
[595]	"YKL079W"	"YAR002W"	"YDL193W"	"YHR143W-A"	"YIL142W"	"YJR123W"
[601]	"YPR181C"	"YDL042C"	"YLL026W"	"YDR063W"	"YLR399C"	"YNL157W"
[607]	"YML065W"	"YLL039C"				

[[2]]

[[2]]\$name

[1] "YBR243C"

[[2]]\$interactors

[1] "YFL039C" "YHR030C" "YBR214W" "YMR300C" "YOR151C" "YIR038C" "YJR104C"

[8] "YLR088W" "YJL029C" "YMR307W" "YNL080C" "YOL064C" "YGR157W" "YOL078W"

[15] "YBR106W" "YML075C"

[[3]]

[[3]]\$name

[1] "YKL052C"

[[3]]\$interactors

[1]	"YFL039C"	"YKR083C"	"YMR077C"	"YDR201W"	"YDR016C"	"YGR113W"
[7]	"YGL061C"	"YKL180W"	"YML024W"	"YKR037C"	"YDR320C-A"	"YKL138C-A"
[13]	"YGR140W"	"YIL144W"	"YGL093W"	"YNL098C"	"YOR360C"	"YIL033C"
[19]	"YKL049C"	"YEL061C"	"YGL086W"	"YPL209C"	"YDR130C"	

[[4]]

[[4]]\$name

[1] "YPR105C"

[[4]]\$interactors

[1]	"YFL039C"	"YNL271C"	"YGL153W"	"YGR120C"	"YGL145W"	"YHR060W"	"YLR315W"
[8]	"YMR181C"	"YOR164C"	"YML071C"	"YER157W"	"YLR026C"	"YNL051W"	"YGL223C"
[15]	"YGL005C"	"YDR189W"	"YFL038C"	"YNL041C"	"YPR191W"	"YPL246C"	"YLR291C"
[22]	"YOL034W"	"YNL209W"	"YDL229W"	"YGL167C"	"YER162C"		

[[5]]

[[5]]\$name

[1] "YGR175C"

[[5]]\$interactors

[1]	"YFL039C"	"YNL271C"	"YDR170C"	"YNL311C"	"YER044C"	"YBR041W"	"YHR007C"
[8]	"YNL272C"	"YHR020W"	"YMR186W"	"YPR080W"	"YJR066W"	"YGL010W"	"YHR079C"
[15]	"YPL240C"	"YLL039C"	"YGR060W"	"YNL280C"	"YGL001C"	"YLR100W"	"YMR202W"
[22]	"YLR056W"	"YMR015C"	"YGL012W"	"YHR023W"	"YFR004W"	"YFL023W"	"YDR086C"
[29]	"YGR289C"						

# Index

## \* datasets

ArabidopsisBioGRIDInteractionEntrezId,findInteractionList, [14](#)  
[3](#)  
 ArabidopsisBioGRIDInteractionOfficial,simpIntLists-package, [1](#)  
[5](#)  
 ArabidopsisBioGRIDInteractionUniqueId, [6](#)  
 C.ElegansBioGRIDInteractionEntrezId, [8](#)  
 C.ElegansBioGRIDInteractionOfficial, [10](#)  
 C.ElegansBioGRIDInteractionUniqueId, [12](#)  
 FruitFlyBioGRIDInteractionEntrezId, [15](#)  
 FruitFlyBioGRIDInteractionOfficial, [17](#)  
 FruitFlyBioGRIDInteractionUniqueId, [18](#)  
 HumanBioGRIDInteractionEntrezId, [20](#)  
 HumanBioGRIDInteractionOfficial, [21](#)  
 HumanBioGRIDInteractionUniqueId, [22](#)  
 MouseBioGRIDInteractionEntrezId, [23](#)  
 MouseBioGRIDInteractionOfficial, [24](#)  
 MouseBioGRIDInteractionUniqueId, [26](#)  
 S.PombeBioGRIDInteractionEntrezId, [27](#)  
 S.PombeBioGRIDInteractionOfficial, [29](#)  
 S.PombeBioGRIDInteractionUniqueId, [32](#)  
 YeastBioGRIDInteractionEntrezId, [34](#)  
 YeastBioGRIDInteractionOfficial, [37](#)  
 YeastBioGRIDInteractionUniqueId, [41](#)

## \* file

### \* package

ArabidopsisBioGRIDInteractionEntrezId, [3](#)  
 ArabidopsisBioGRIDInteractionOfficial, [5](#)  
 ArabidopsisBioGRIDInteractionUniqueId, [6](#)  
 C.ElegansBioGRIDInteractionEntrezId, [8](#)  
 C.ElegansBioGRIDInteractionOfficial, [10](#)  
 C.ElegansBioGRIDInteractionUniqueId, [12](#)  
 FruitFlyBioGRIDInteractionEntrezId, [15](#)  
 FruitFlyBioGRIDInteractionOfficial, [17](#)  
 FruitFlyBioGRIDInteractionUniqueId, [18](#)  
 findInteractionList, [13](#)  
 FruitFlyBioGRIDInteractionEntrezId, [15](#)  
 FruitFlyBioGRIDInteractionOfficial, [17](#)  
 FruitFlyBioGRIDInteractionUniqueId, [18](#)  
 HumanBioGRIDInteractionEntrezId, [20](#)  
 HumanBioGRIDInteractionOfficial, [21](#)  
 HumanBioGRIDInteractionUniqueId, [22](#)  
 MouseBioGRIDInteractionEntrezId, [23](#)  
 MouseBioGRIDInteractionOfficial, [24](#)  
 MouseBioGRIDInteractionUniqueId, [26](#)  
 S.PombeBioGRIDInteractionEntrezId, [27](#)  
 S.PombeBioGRIDInteractionOfficial, [29](#)  
 S.PombeBioGRIDInteractionUniqueId, [32](#)  
 YeastBioGRIDInteractionEntrezId, [34](#)  
 YeastBioGRIDInteractionOfficial, [37](#)  
 YeastBioGRIDInteractionUniqueId, [41](#)

S.PombeBioGRIDInteractionUniqueId,  
32  
simpIntLists  
(*simpIntLists-package*), 1  
simpIntLists-package, 1  
  
YeastBioGRIDInteractionEntrezId,  
34  
YeastBioGRIDInteractionOfficial,  
37  
YeastBioGRIDInteractionUniqueId,  
41