

Package ‘rSWeeP’

May 2, 2024

Title Functions to creation of low dimensional comparative matrices of Amino Acid Sequence occurrences

Version 1.16.0

Description The SWeeP method was developed to favor the analyzes between amino acids sequences and to assist alignment free phylogenetic studies. This method is based on the concept of sparse words, which is applied in the scan of biological sequences and its the conversion in a matrix of occurrences. Aiming the generation of low dimensional matrices of Amino Acid Sequence occurrences.

biocViews Software,StatisticalMethod,SupportVectorMachine,Technology,Sequencing,Genetics,Alignment

Depends R (>= 4.0)

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 7.0.2

Imports pracma, stats

Suggests Biostrings, methods, knitr, rmarkdown, BiocStyle

VignetteBuilder knitr

git_url <https://git.bioconductor.org/packages/rSWeeP>

git_branch RELEASE_3_19

git_last_commit ef8ae17

git_last_commit_date 2024-04-30

Repository Bioconductor 3.19

Date/Publication 2024-05-01

Author Danrley R. Fernandes [com, cre, aut]

Maintainer Danrley R. Fernandes <DanrleyRF@gmail.com>

Contents

orthBase	2
sWeeP	3

orthBase	<i>Generate a orthonormal matrix (lin , col)</i>
----------	--

Description

Generate a orthonormal matrix in a specified size, lin by col.

Usage

```
orthBase(lin, col)
```

Arguments

lin	Number of rows in the desired matrix
col	Number of columns in the desired matrix

Value

A orthonormal matrix in a specified size, lin by col.

Author(s)

Danley R. Fernandes.

See Also

[sweep](#), [orth](#)

Examples

```
orthBase(160000, 10)

lin <- 160000
col <- 10
orthBase(lin = lin, col = col)
```

`sWeeP`*A vectorial comparative method to amino acid sequence.*

Description

The "Spaced Words Projection (SWeeP)" is a method for representing biological sequences using compact vectors. SWeeP uses the spacedwords concept by scanning sequences and generating indices to create a higherdimensional matrix of occurrences that is later projected into a smaller randomly oriented orthonormal base (PIERRI, 2019). This way the resulting matrix will conserve the comparational data but will have a selectable size

Usage

```
sWeeP(xfas, baseMatrix)

## S4 method for signature 'character'
sWeeP(xfas, baseMatrix)

## S4 method for signature 'AAStringSet'
sWeeP(xfas, baseMatrix)
```

Arguments

<code>xfas</code>	A AAStringSet or a FASTA format file
<code>baseMatrix</code>	A orthonormal matrix with 160.000 coordinates

Details

The SWeeP method was developed to favor the comparison between complete proteomic sequences and to assist in machine learning analyzes. This method is based on the concept of spaced words, which are used to scan biological sequences and project them into matrix of occurrences, favoring the manipulation of the data. The `sWeeP` function can project a matrix n by m , where n is the number of sequences in the analyzed `xfas` and m is the number of columns in `baseMatrix` matrix.

Value

A matrix resulted by the projection of the sequences in `xfas` in the `baseMatrix` matrix

Author(s)

Danrley R. Fernandes.

References

Pierri, C. R. et al. SWeeP: Representing large biological sequences data sets in compact vectors. Scientific Reports, accepted in December 2019. doi: 10.1038/s41598-019-55627-4.

Examples

```
baseMatrix <- orthBase(160000,10)
path <- system.file(package = "rSWeeP", "extdata", "exdna.fas")
return <- sWeeP(path,baseMatrix)
distancia <- dist(return, method = "euclidean")
tree <- hclust(distancia, method="ward.D")
plot(tree, hang = -1, cex = 1)
```

Index

[orth](#), [2](#)

[orthBase](#), [2](#)

[sWeeP](#), [2](#), [3](#)

[sWeeP](#), [AAStringSet-method \(sWeeP\)](#), [3](#)

[sWeeP](#), [character-method \(sWeeP\)](#), [3](#)