

Package ‘netprioR’

May 16, 2025

Title A model for network-based prioritisation of genes

Description A model for semi-supervised prioritisation of genes integrating network data, phenotypes and additional prior knowledge about TP and TN gene labels from the literature or experts.

Imports stats, Matrix, dplyr, doParallel, foreach, parallel, sparseMVN, ggplot2, gridExtra, pROC

Depends methods, graphics, R(>= 3.3)

Suggests knitr, BiocStyle, pander

VignetteBuilder knitr

biocViews ImmunoOncology, CellBasedAssays, Preprocessing, Network

Type Package

Lazyload yes

LazyData true

Version 1.35.0

Date 2016-05-08

Author Fabian Schmich

Maintainer Fabian Schmich <fabian.schmich@bsse.ethz.ch>

License GPL-3

URL <http://bioconductor.org/packages/netprioR>

RoxygenNote 5.0.1

NeedsCompilation no

git_url <https://git.bioconductor.org/packages/netprioR>

git_branch devel

git_last_commit fc8108a

git_last_commit_date 2025-04-15

Repository Bioconductor 3.22

Date/Publication 2025-05-15

Contents

netprioR-package	2
bandwidth	3
cmn	3
conjugate_gradient	4
cuthill_mckee	4
fit	5
laplacian	5
learn	6
netprioR-class	7
norm_kern	8
plot.netprioR	9
ranks	9
ROC	10
simulate_labels	11
simulate_network_random	11
simulate_network_scalefree	12
simulate_phenotype	13
simulation	13
weights	14
Index	15

netprioR-package *Package: netprioR*

Description

This package provides a model for semi-supervised prioritisation of genes integrating network data, phenotypes and additional prior knowledge about TP and TN gene labels.

Author(s)

Fabian Schmich | Computational Biology Group, ETH Zurich | <fabian.schmich@bsse.ethz.ch>

References

Fabian Schmich et. al (2016).

bandwidth

bandwidth

Description

Compute the bandwidth of a matrix

Usage

bandwidth(x)

Arguments

x Input matrix

Value

Bandwidth

Author(s)

Fabian Schmich

cmn

Class Mass Normalization (CMN) from Zhu et al., 2003

Description

Class Mass Normalization (CMN) from Zhu et al., 2003

Usage

cmn(yhat, l, u)

Arguments

yhat Response for labeled (l) and unlabeled (u) genes
l Indices of labeled genes
u Indices of unlabeled genes

Value

Class normalized yhat

Author(s)

Fabian Schmich

conjugate_gradient *Conjugate Gradient Solver*

Description

Solves linear equation systems iteratively

Usage

```
conjugate_gradient(A, b, x0 = rep(0, ncol(A)), threshold = 1e-15,  
  verbose = FALSE)
```

Arguments

A	Matrix
b	Coefficients
x0	Starting solution
threshold	Termination threshold
verbose	Show iterative progress

Value

Solution for equation system

Author(s)

Fabian Schmich

cuthill_mckee *Cuthill McKee (CM) algorithm*

Description

Transform sparse matrix into a band matrix

Usage

```
cuthill_mckee(x)
```

Arguments

x	Input matrix
---	--------------

Value

Band matrix

Author(s)

Fabian Schmich

fit	<i>Fit netprioR model</i>
-----	---------------------------

Description

Fit [netprioR](#) model

Usage

```
fit(object, ...)
```

```
## S4 method for signature 'netprioR'  
fit(object, refit = FALSE, ...)
```

Arguments

object	A netprioR object
...	Additional arguments
refit	Flag whether to overwrite existing fit

Value

A [netprioR](#) object with fitted model

Author(s)

Fabian Schmich

Examples

```
data(simulation)  
np <- netprioR(networks = simulation$networks,  
               phenotypes = simulation$phenotypes,  
               labels = simulation$labels.obs,  
               model.fit = FALSE)  
summary(np)  
np <- fit(np, nrestarts = 1, verbose = FALSE)  
summary(np)
```

laplacian	<i>Graph Laplacian</i>
-----------	------------------------

Description

Compute the Laplacian matrix of a graph given its adjacency matrix

Usage

```
laplacian(x, norm = c("none", "sym", "asym"))
```

Arguments

x	Adjacency matrix
norm	Type of normalisation

Value

Laplacian matrix

Author(s)

Fabian Schmich

learn

Fit netprioR model

Description

Infer parameters and hidden data using the EM algorithm of netprioR

Usage

```
learn(Yobs, X, G, l, u, a = 0.1, b = 0.1, sigma2 = 1, tau2 = 10,
      eps = 1e-11, max.iter = 500, thresh = 0.001, use.cg = TRUE,
      thresh.cg = 1e-05, nrestarts = 5, max.cores = detectCores(),
      verbose = FALSE)
```

Arguments

Yobs	Observed labels (NA, if not observed)
X	Phenotypes
G	Graph Laplacians
l	Indices of labelled instances
u	Indices of unlabelled instances
a	Shape parameter of Gamma prior for W
b	Scale parameter of Gamma prior for W
sigma2	Cariance for Gaussian labels
tau2	Variance for Gaussian prior for beta
eps	Small value added to diagonal of Q in order to make it non-singular
max.iter	Maximum number of iterations for EM
thresh	Threshold for termination of EM with respect to change in parameters
use.cg	Flag whether to use conjugate gradient instead of exact computation of expectations
thresh.cg	Threshold for the termination of the conjugate gradient solver
nrestarts	Number of restarts for EM
max.cores	Maximum number of cores to use for parallel computation
verbose	Print verbose output

Value

List containing: Predicted labels \hat{Y} and inferred parameters W and β

Author(s)

Fabian Schmich

netprioR-class	<i>netprioR</i>
----------------	-----------------

Description

Class that represents a netprioR model.

Usage

```
netprioR(networks, phenotypes, labels, ...)

## S4 method for signature 'list,matrix,factor'
netprioR(networks, phenotypes, labels,
  fit.model = FALSE, a = 0.1, b = 0.1, sigma2 = 0.1, tau2 = 100,
  eps = 1e-10, max.iter = 500, thresh = 1e-06, use.cg = FALSE,
  thresh.cg = 1e-06, nrestarts = 5, max.cores = detectCores(),
  verbose = TRUE, ...)
```

Arguments

networks	List of $N \times N$ adjacency matrices of gene-gene similarities
phenotypes	Matrix of dimension $N \times P$ containing covariates
labels	Vector of $N \times 1$ labels for all genes (NA if no label available)
...	Additional arguments
fit.model	Indicator whether to fit the model
a	Shape parameter of Gamma prior for W
b	Scale parameter of Gamma prior for W
sigma2	Cariance for Gaussian labels
tau2	Variance for Gaussian prior for β
eps	Small value added to diagonal of Q in order to make it non-singular
max.iter	Maximum number of iterations for EM
thresh	Threshold for termination of EM with respect to change in parameters
use.cg	Flag whether to use conjugate gradient instead of exact computation of expectations
thresh.cg	Threshold for the termination of the conjugate gradient solver
nrestarts	Number of restarts for EM
max.cores	Maximum number of cores to use for parallel computation
verbose	Print verbose output

Value

A `netprioR` object

Slots

`networks` List of NxN adjacency matrices of gene-gene similarities
`phenotypes` Matrix of dimension NxP containing covariates
`labels` Vector of Nx1 labels for all genes. NA if no label available.
`is.fitted` Flag indicating if model is fitted
`model` List containing estimated parameters and imputed missing data

Author(s)

Fabian Schmich

Examples

```
# runs long-ish
data(simulation)
np <- netprioR(networks = simulation$networks,
               phenotypes = simulation$phenotypes,
               labels = simulation$labels.obs,
               fit.model = TRUE)
summary(np)
```

norm_kern

Normalise kernel

Description

adopted from GeneMania, Mostafavi et al, 2009

Usage

```
norm_kern(x)
```

Arguments

x kernel

Value

Normalised kernel

Author(s)

Fabian Schmich

plot.netprioR	<i>Plot method for netprioR objects</i>
---------------	---

Description

Plot method for netprioR objects

Usage

```
## S3 method for class 'netprioR'  
plot(x, which = c("all", "weights", "lik", "scores"), ...)
```

Arguments

x	A netprioR object
which	Flag for which plot should be shown, options: weights, lik, scores, all
...	Additional paramters for plot

Value

Plot of the weights, likelihood, ranks, or all three

Author(s)

Fabian Schmich

Examples

```
data(simulation)  
plot(simulation$model)
```

ranks	<i>Retrieve ranked prioritisation list</i>
-------	--

Description

Retrieve ranked prioritisation list

Usage

```
ranks(object)  
  
## S4 method for signature 'netprioR'  
ranks(object)
```

Arguments

object	A netprioR object
--------	-------------------

Value

Ranked list of prioritised genes

Author(s)

Fabian Schmich

Examples

```
data(simulation)
ranks(simulation$model)
```

ROC

Compute ROC curve from netprioR model and true labels

Description

Compute ROC curve from netprioR model and true labels

Usage

```
ROC(object, ...)

## S4 method for signature 'netprioR'
ROC(object, true.labels, plot = FALSE, ...)
```

Arguments

object	A netprioR object
...	Additional arguments
true.labels	True full set of underlying labels
plot	Flag whether to plot the AUC curve

Value

ROC curve with AUC

Author(s)

Fabian Schmich

Examples

```
data(simulation)
ROC(simulation$model, true.labels = simulation$labels.true)
```

simulate_labels	<i>Simulate labels</i>
-----------------	------------------------

Description

Simulate labels

Usage

```
simulate_labels(values, sizes, nobs)
```

Arguments

values	Vector of labels for groups
sizes	Vector of group sizes
nobs	Vector of number of observed labels per group

Value

List of Y, Yobs and indices for labeled instances

Author(s)

Fabian Schmich

Examples

```
labels <- simulate_labels(values = c("Positive", "Negative"),
  sizes = c(10, 10),
  nobs = c(5, 5))
```

simulate_network_random

Simulate random networks with predefined number of members for each of the two groups and the number of neighbours for each node

Description

Simulate random networks with predefined number of members for each of the two groups and the number of neighbours for each node

Usage

```
simulate_network_random(nmemb, nnei = 1)
```

Arguments

nmemb	Vector of number of members for each group
nnei	Number of neighbours for each node

Value

Adjacency matrix of graph

Author(s)

Fabian Schmich

Examples

```
network <- simulate_network_random(nmemb = c(10, 10), nnei = 1)
```

simulate_network_scalefree

Simulate scalefree networks

Description

Simulate scale free networks for predefined number of members for each of two groups and a parameter pclus that determines how strictly distinct the groups are

Usage

```
simulate_network_scalefree(nmemb, pclus = 1)
```

Arguments

nmemb	Vector of numbers of members per group
pclus	Scalar in [0, 1] determining how strictly distinct groups are

Value

Adjacency matrix

Author(s)

Fabian Schmich

Examples

```
network <- simulate_network_scalefree(nmemb = c(10, 10), pclus = 0.8)
```

simulate_phenotype	<i>Simulate phenotypes correlated to labels pivoted into two groups</i>
--------------------	---

Description

Simulate phenotypes correlated to labels pivoted into two groups

Usage

```
simulate_phenotype(labels.true, meandiff, sd)
```

Arguments

labels.true	Vector of labels
meandiff	difference of means between positive and negative groups
sd	Standard deviation of the phenotype

Value

Simulated phenotype

Author(s)

Fabian Schmich

Examples

```
data(simulation)
phenotypes <- simulate_phenotype(labels.true = simulation$labels.true, meandiff = 0.5, sd = 1)
```

simulation	<i>Example data: Simulated networks, phenotypes and labels for N = 1000 genes</i>
------------	---

Description

The data set contains simulated data for $N = 1000$ genes and $P = 1$ (univariate) phenotypes. The list of networks contains 2 low noise networks and two high noise networks. The class labels are "Positive" and "Negative".

Usage

```
data(simulation)
```

Details

The code used to simulate the data can be found in `system.file("example", "data_simulation.R", package = "netprioR")`

Value

List of simulated networks, phenotypes and labels for 1000 genes

`weights`*Retrieve network weights*

Description

Retrieve network weights

Usage

```
weights(object, ...)
```

```
## S4 method for signature 'netprioR'  
weights(object)
```

Arguments

<code>object</code>	A netprioR object
<code>...</code>	Additional arguments

Value

Estimated network weights

Author(s)

Fabian Schmich

Examples

```
data(simulation)  
weights(simulation$model)
```

Index

- * **package**
 - netprioR-package, 2
- bandwidth, 3
- cmn, 3
- conjugate_gradient, 4
- cuthill_mckee, 4
- fit, 5
- fit, netprioR-method (fit), 5
- laplacian, 5
- learn, 6
- netprioR, 5, 8–10, 14
- netprioR (netprioR-class), 7
- netprioR, list, matrix, factor-method (netprioR-class), 7
- netprioR-class, 7
- netprioR-package, 2
- norm_kern, 8
- plot.netprioR, 9
- ranks, 9
- ranks, netprioR-method (ranks), 9
- ROC, 10
- ROC, netprioR-method (ROC), 10
- simulate_labels, 11
- simulate_network_random, 11
- simulate_network_scalefree, 12
- simulate_phenotype, 13
- simulation, 13
- weights, 14
- weights, netprioR-method (weights), 14