

# Package ‘rGenomeTracks’

May 15, 2025

**Title** Integrated visualization of epigenomic data

**Version** 1.14.0

**Description** rGenomeTracks package leverages the power of pyGenomeTracks software with the interactivity of R.

pyGenomeTracks is a python software that offers robust method for visualizing epigenetic data files like narrowPeak, Hic matrix, TADs and arcs, however though, here is no way currently to use it within R interactive session.

rGenomeTracks wrapped the whole functionality of pyGenomeTracks with additional utilities to make to more pleasant for R users.

**Config/reticulate** `list( packages = list( list(package =  
 ``pyGenomeTracks", version = ``3.6" ) ) )`

**License** GPL-3

**Depends** R (>= 4.1.0),

**Imports** imager, reticulate, methods, rGenomeTracksData

**SystemRequirements** pyGenomeTracks (prefered to use  
 `install_pyGenomeTracks()`)

**Encoding** UTF-8

**Roxygen** `list(markdown = TRUE)`

**RoxygenNote** 7.1.1

**Suggests** rmarkdown, knitr, testthat (>= 3.0.0)

**Config/testthat/edition** 3

**VignetteBuilder** knitr

**biocViews** Software, HiC, Visualization

**git\_url** <https://git.bioconductor.org/packages/rGenomeTracks>

**git\_branch** RELEASE\_3\_21

**git\_last\_commit** 3502b4c

**git\_last\_commit\_date** 2025-04-15

**Repository** Bioconductor 3.21

**Date/Publication** 2025-05-14

**Author** Omar Elashkar [aut, cre] (ORCID:  
<https://orcid.org/0000-0002-5505-778X>)

**Maintainer** Omar Elashkar <omar.i.elashkar@gmail.com>

## Contents

+,genome_track,genome_track-method	2
epilogos_json	3
install_pyGenomeTracks	5
plot_gtracks	5
track_bed	8
track_bedgraph	11
track_bedgraph_matrix	14
track_bigwig	15
track_domains	18
track_epilogos	20
track_gtf	21
track_hic_matrix	24
track_hlines	26
track_links	28
track_narrow_peak	30
track_scalebar	32
track_spacer	34
track_vlines	35
track_x_axis	36
<b>Index</b>	<b>38</b>

---

+,genome\_track,genome\_track-method  
*Adding genome\_track Objects*

---

## Description

This method adds two "genome\_track" objects together.

## Usage

```
## S4 method for signature 'genome_track,genome_track'
e1 + e2
```

## Arguments

e1 genome\_track object.  
e2 genome\_track object.

**Value**

genome\_track object

**Author(s)**

Omar Elashkar

**Examples**

```
tads_dir <- system.file("extdata", "tad_classification.bed",
  package = "rGenomeTracks"
)
genes_dir <- system.file("extdata", "dm3_genes.bed.gz",
  package = "rGenomeTracks"
)
links_dir <- system.file("extdata", "test.arcs",
  package = "rGenomeTracks"
)
tads <- track_domains(tads_dir, color = "#cccccc", border_color = "red")
links_overlay <- track_links(links_dir,
  color = "red",
  line_width = 3, links_type = "loop",
  overlay_previous = "share-y"
)
links <- track_links(links_dir,
  color = "blue",
  line_width = 3, height = 3
)
genes <- track_bed(genes_dir,
  height = 7, style = "flybase",
  fontsize = 10
)
vlines <- track_vlines(genes_dir)
## Not run:
plot_gtracks(tads + links_overlay + links + genes + vlines, chr = "X", start = 30 * 10^5, end = 35 * 10^5)

## End(Not run)
```

---

epilogos\_json

*Generate epilogo json configuration file*

---

**Description**

A convenience function to generate epilogo json configuration file to be passed for `epi_logos()`

**Usage**

```
epilogos_json(cat_df)
```

**Arguments**

cat\_df                    Dataframe with 3 columns of categories, names and colors

**Details**

The only argument passed to this function is data.frame or data.frame similar object. It should have 3 column: First is the state number of epilogos. The second is the label of the state. Finally, the desired colored of such state. Check the example provided for the structure of this data.frame.

**Value**

Directory

**Author(s)**

Omar Elashkar

**Examples**

```
epilog_dir <- system.file("extdata", "epilog.qcat.bgz", package = "rGenomeTracks")
epi_cat <- data.frame(
  category = 1:15,
  label = c(
    "Active TSS",
    "Flanking Active TSS",
    "Transcr at gene 5 and 3",
    "Strong transcription",
    "Weak transcription",
    "Genic enhancers",
    "Enhancers",
    "ZNF genes & repeats",
    "Heterochromatin",
    "Bivalent/Poised TSS",
    "Flanking Bivalent TSS/Enh",
    "Bivalent Enhancer",
    "Repressed PolyComb",
    "Weak Repressed PolyComb",
    "Quiescent/Low"
  ),
  color = c(
    "#ff0000", "#ff4500", "#32cd32", "#008000",
    "#006400", "#c2e105", "#ffff00", "#66cdaa",
    "#8a91d0", "#cd5c5c", "#e9967a", "#bdb76b",
    "#808080", "#c0c0c0", "#ffffff"
  )
)
epilog <- track_epilogos(file = epilog_dir, categories_file = epilogos_json(epi_cat))
## Not run:
plot_gtracks(epilog, chr = "X", start = 3100000, 3150000)

## End(Not run)
```

---

`install_pyGenomeTracks`*Install pyGenomeTracks Dependency*

---

**Description**

Install pyGenomeTracks dependency for plot\_gtracks()

**Usage**

```
install_pyGenomeTracks()
```

**Details**

The function will install miniconda if does not exists and check pyGenomeTracks installation.

**Value**

None

**Author(s)**

Omar Elashkar

**Examples**

```
## Not run:  
install_pyGenomeTracks()  
  
## End(Not run)
```

---

`plot_gtracks`*Plotting genomic tracks*

---

**Description**

This is a generic function used to plot genome\_track objects.

**Usage**

```

plot_gtracks(
  obj,
  chr,
  start,
  end,
  dir = NULL,
  plot = TRUE,
  verbose = FALSE,
  dpi = 100,
  title = NULL,
  fontsize = NULL,
  width = 40,
  height = NULL,
  trackLabelFraction = 0.05,
  trackLabelHAlign = "left",
  ...
)

## S4 method for signature 'genome_track'
plot_gtracks(
  obj,
  chr,
  start,
  end,
  dir = NULL,
  plot = TRUE,
  verbose = FALSE,
  dpi = 100,
  title = NULL,
  fontsize = NULL,
  width = 40,
  height = NULL,
  trackLabelFraction = 0.05,
  trackLabelHAlign = "left",
  ...
)

```

**Arguments**

obj	genome_track object. Define all tracks to be plotted.
chr	String or numeric value to indicate the chromosome desired.
start	Numeric. Starting position of plotting on the defined chromosome.
end	Numeric. Starting position of plotting on the defined chromosome.
dir	String. Default is NULL. If defined, a string to directory and extension to which image is exported. Extension could be png, svg or pdf.
plot	Boolean. Default if TRUE. If FALSE, plot will not be generated, only exported.

verbose	If TRUE, print command that will be passed to pyGenomeTracks.
dpi	Numeric. Default is 100
title	String. Title of the generated plot. Default is NULL.
fontsize	If set, global fontsize value overrides individual tracks.R . argument of all tracks passed.
width	Numeric. The width of the plot. Default is 40
height	Numeric. Height of the plot. Default is NULL to set is based on tracks height.
trackLabelFraction	Numeric. Default is 0.05.
trackLabelHAlign	String. Position of labels alignment. Options are "left", "right" or "center". Default is "left".
...	Extra arguments to be passed for generic plot().

**Value**

None

None

**Note**

For this function to run, you need pyGenomeTracks installed in R's loading environment. If not, please run `install_pyGenomeTracks()`

**Author(s)**

Omar Elashkar

Omar Elashkar

**Examples**

```
## Not run:
# Get example data directories
# Download h5 example
ah <- AnnotationHub()
query(ah, "rGenomeTracksData")
h5_dir <- ah[["AH95901"]]
tads_dir <- system.file("extdata", "tad_classification.bed",
  package = "rGenomeTracks"
)
arcs_dir <- system.file("extdata", "links2.links", package = "rGenomeTracks")
bw_dir <- system.file("extdata", "bigwig2_X_2.5e6_3.5e6.bw", package = "rGenomeTracks")
#
# Create HiC track from HiC matrix
h5 <- track_hic_matrix(
  file = h5_dir, depth = 250000, min_value = 5, max_value = 200,
  transform = "log1p", show_masked_bins = FALSE
)
```

```
# Create TADS track
tads <- track_domains(
  file = tads_dir, border_color = "black",
  color = "none", height = 5,
  line_width = 5,
  show_data_range = FALSE,
  overlay_previous = "share-y"
)

# Create arcs track
arcs <- track_links(
  file = arcs_dir, links_type = "triangles", line_style = "dashed",
  overlay_previous = "share-y",
  color = "darkred",
  line_width = 3,
  show_data_range = FALSE
)

# Create bigwig track
bw <- track_bigwig(
  file = bw_dir, color = "red",
  max_value = 50,
  min_value = 0,
  height = 4,
  overlay_previous = "yes",
  show_data_range = FALSE
)

# Create one object from HiC, arcs and bigwig
tracks <- h5 + arcs + bw

# Plot the tracks
plot_gtracks(tracks, chr = "X", start = 25 * 10^5, end = 31 * 10^5)
# Plot HiC, TADS and bigwig tracks
plot_gtracks(h5 + tads + bw, chr = "X", start = 25 * 10^5, end = 31 * 10^5)

## End(Not run)
```

---

track\_bed

*Generate bed track*

---

## Description

Generate genome\_track object from a bed file.

## Usage

```
track_bed(
  file,
```



```

    title = NULL,
    height = 2,
    overlay_previous = "no",
    fontsize = 12,
    orientation = NULL,
    line_width = 0.5,
    color = "#1f78b4",
    max_value = NULL,
    min_value = NULL,
    border_color = "black",
    preferred_name = "transcript_name",
    merge_transcripts = FALSE,
    labels = TRUE,
    style = "flybase",
    display = "stacked",
    max_labels = 60,
    global_max_row = FALSE,
    gene_rows = NULL,
    arrow_interval = 2,
    arrowhead_included = FALSE,
    color_utr = 0,
    height_utr = 1,
    arrow_length = 0,
    all_labels_inside = FALSE,
    labels_in_margin = FALSE
)

```

### Arguments

file	String. The location of the track file
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".
fontsize	Numeric value to font size of tracks's text.
orientation	String. Set to "inverted" to make the track upside down. Default is NULL.
line_width	Numeric. Default is 0.5.
color	String. Hex color or string color. Default is "#1f78b4".
max_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
min_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
border_color	String. default is "black"
preferred_name	String. Denote which column to get elements names. Default is "transcript_name".
merge_transcripts	Boolean. Default is FALSE.
labels	Boolean. Default is FALSE.

style	String. Options are "flybase" (default), or "UCSV" or "tassarow".
display	String. options are "stacked" (default) or "collapsed", "triangles" or "interleaved".
max_labels	Numeric. Any integer about 1. Default is 60.
global_max_row	Boolean. Default is FALSE.
gene_rows	Numeric. Default is NULL.
arrow_interval	Numeric. Should be above 1. Default is 2
arrowhead_included	Boolean. Default is FALSE
color_utr	String. Hex color or string. Default is "grey"
height_utr	Numeric. Between 0 and 1. Default is 1.
arrow_length	Numeric. Default is NULL.
all_labels_inside	Boolean. Default is FALSE
labels_in_margin	Boolean. Default is FALSE.

### Details

track\_bed() supports all common bed files with minimal of 3 columns and maximum of 12 columns.

### Value

genome\_track

### Note

fontsize argument can be overridden by the same argument in plot\_gtracks()

### Author(s)

Omar Elashkar

### Examples

```
bed12_dir <- system.file("extdata", "dm3_genes.bed.gz",
  package = "rGenomeTracks"
)
bed4_dir <- system.file("extdata", "dm3_genes.bed4.gz",
  package = "rGenomeTracks"
)
bed6_dir <- system.file("extdata", "dm3_genes.bed6.gz",
  package = "rGenomeTracks"
)

# Create bed track using bed4 file
bed4 <- track_bed(
```

```

    file = bed4_dir, height = 3, title = "bed4", color = "cyan", ,
    border_color = "#9ACD32", line_width = 1.5
  )

  # Create bed track using bed6 file
  bed6 <- track_bed(
    file = bed6_dir, height = 3, title = "bed4", fontsize = 8, color = "red",
    border_color = "yellow", arrowhead_included = TRUE
  )

  # Create bed track using bed12 file
  bed12 <- track_bed(
    file = bed12_dir, height = 3, title = "bed12", style = "UCSC",
    arrow_interval = 10, fontsize = 10
  )

  # Create a spacer track
  space <- track_spacer(height = 1)
  ## Not run:
  # Plotting the tracks
  plot_gtracks(bed4 + space + bed6 + space + bed12 + space,
    chr = "X", start = 300 * 10^4, end = 330 * 10^4, verbose = TRUE
  )

  ## End(Not run)

```

---

track_bedgraph	<i>Generate bedgraph track</i>
----------------	--------------------------------

---

## Description

Generate genome\_track object from bedgraph files.

## Usage

```

track_bedgraph(
  file,
  title = NULL,
  height = 2,
  overlay_previous = "no",
  orientation = NULL,
  color = "#1f78b4",
  alpha = 1,
  max_value = NULL,
  min_value = NULL,
  use_middle = FALSE,
  show_data_range = TRUE,
  type = "fill",
  negative_color = NULL,

```

```

nans_to_zeros = FALSE,
summary_method = NULL,
number_of_bins = 700,
transform = "no",
log_pseudocount = 0,
y_axis_values = "transformed",
second_file = NULL,
operation = "file",
grid = FALSE,
rasterize = FALSE
)

```

### Arguments

file	String. The location of the track file
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".
orientation	String. Default is NULL. Other option is "inverted".
color	String. Hex color or string color. Default is "#1f78b4".
alpha	Numeric variable between 0 and 1 to indicate level of transparency. Default is 1.
max_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
min_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
use_middle	Boolean. Default is FALSE.
show_data_range	Boolean. Default is TRUE.
type	String. Options are "fill" (default), "line", "points".
negative_color	Hex color or string to indicate color of negative values. Default is NULL.
nans_to_zeros	Boolean. To convert empty values to zeros, set this to TRUE. Default is FALSE.
summary_method	String. summary_method applied over bin range. This parameter is set to NULL. See details for options.
number_of_bins	Numeric value to indicate summary method used over the bin range. Default is 700
transform	String to indicate type of transformation applied. Default is "no".
log_pseudocount	Numeric. Default is 0.
y_axis_values	String with two options "transformed" (default) or "original".
second_file	Path for another file to be included in operations. This parameter is not set by default.
operation	Default is set to "file". See details.
grid	Boolean. Default is FALSE.
rasterize	Boolean. Default is FALSE.

**Details**

summary\_method parameter can be chosen to be by "mean", "average", "max", "min", "stdev", "dev", "coverage", "cov" or "sum". Transform parameter options are "no" (default) or "log", "log1p", "-log", "log2" or "log10". 'log1p': transformed\_values = log(1 + initial\_values) 'log': transformed\_values = log(log\_pseudocount + initial\_values) 'log2': transformed\_values = log2(log\_pseudocount + initial\_values) 'log10': transformed\_values = log10(log\_pseudocount + initial\_values) '-log': transformed\_values = log(log\_pseudocount + initial\_values) To compute operations on the fly on the file or between 2 bedgraph files, you can tweak operation parameter, it should contains file or file and second\_file. It is advised to use nans\_to\_zeros = TRUE to avoid unexpected results. Example value for operation are "0.89 \* file", "- file", "file - second\_file", "log2((1 + file) / (1 + second\_file))" and "max(file, second\_file)"

to add the preferred line width or point size : type = "line:lw" where lw (linewidth) is numeric value. Like type = "line:0.5" and type = "points:0.5"

By default the bedgraph is plotted at the base pair resolution. This can lead to very large pdf/svg files. If plotting large regions. If you want to decrease the size of your file. You can either rasterize the bedgraph profile by using: rasterize = TRUE

**Value**

genome\_track

**Note**

fontsize parameter can be overridden by the same argument in plot\_gtracks() height parameter will be ignored if overlay\_previous is set.

**Author(s)**

Omar Elashkar

**Examples**

```
bg_dir <- system.file("extdata", "GSM3182416_E12DHL_WT_Hoxd11vp.bedgraph.gz",
  package = "rGenomeTracks"
)
bed_genes_dir <- system.file("extdata", "HoxD_cluster_regulatory_regions_mm10.bed",
  package = "rGenomeTracks"
)

bg <- track_bedgraph(bg_dir, color = "green", height = 5, max_value = 10)
bg_middle <- track_bedgraph(bg_dir,
  use_middle = TRUE, color = "blue",
  height = 5, max_value = 10
)
bed_genes <- track_bed(bed_genes_dir,
  title = "Regulatory regions", ,
  color = "red", height = 3
)

tracks <- track_x_axis(where = "top") + bg + bg_middle + bed_genes
```

```
## Not run:
plot_gtracks(tracks,
  chr = 2, start = 738 * 10^5, end = 750 * 10^5,
  trackLabelFraction = 0.2
)

## End(Not run)
```

---

track\_bedgraph\_matrix *Generate bedgraph matrix track*

---

### Description

A track for file like bedgraph but with more than 4 columns, like the insulation score from hicPlot-TADs

### Usage

```
track_bedgraph_matrix(
  file,
  title = NULL,
  height = 2,
  overlay_previous = "no",
  orientation = NULL,
  max_value = NULL,
  min_value = NULL,
  show_data_range = FALSE,
  type = "matrix",
  rasterize = TRUE,
  pos_score_in_bin = "center",
  plot_horizontal_lines = FALSE,
  colormap = "viridis"
)
```

### Arguments

file	String. The location of the track file
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm.
overlay_previous	String. Options are "no" (default) or "yes" or
orientation	String. Set to "inverted" to make the track upside down. Default is NULL.
max_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
min_value	Numeric. Default is NULL. The min value cut-off for the numeric column.
show_data_range	Boolean. Default is FALSE.

type	"matrix" (default) or "lines".
rasterize	Boolean. Default is TRUE
pos_score_in_bin	String value to indicate the position of score with respect to bin start and end. Possible values are either "center" (default) or "block".
plot_horizontal_lines	Boolean. Can be used only if type parameter is set to "lines".
colormap	String with matplotlib-compatible colormap. Default is set to "viridis".

### Details

The different options for color maps can be found here: <https://matplotlib.org/users/colormaps.html>.

### Value

genome\_track

### Note

fontsize argument can be overridden by the same argument in plot\_gtracks()

### Author(s)

Omar Elashkar

### Examples

```
IS_dir <- system.file("extdata", package = "rGenomeTracks", "tad_separation_score.bm.gz")
IS <- track_bedgraph_matrix(IS_dir)
## Not run:
plot_gtracks(IS, chr = "X", start = 2000000, end = 3500000)

## End(Not run)
```

---

track_bigwig	<i>Generate bigwig track</i>
--------------	------------------------------

---

### Description

Create genome\_track object from bigwig file.

**Usage**

```

track_bigwig(
  file,
  title = NULL,
  height = 2,
  overlay_previous = "no",
  orientation = NULL,
  color = "#1f78b4",
  alpha = 1,
  max_value = NULL,
  min_value = NULL,
  show_data_range = TRUE,
  type = "fill",
  negative_color = NULL,
  nans_to_zeros = FALSE,
  summary_method = "mean",
  number_of_bins = 700,
  transform = "no",
  log_pseudocount = 0,
  y_axis_values = "transformed",
  second_file = NULL,
  operation = "file",
  grid = FALSE
)

```

**Arguments**

file	String. The location of the track file
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm.
overlay_previous	String. Options are "no" (default) or "yes" or
orientation	String. Set to "inverted" to make the track upside down. Default is NULL.
color	String. Hex color or string color. Default is "#1f78b4".
alpha	Numeric variable between 0 and 1 to indicate level of transparency. Default is 1.
max_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
min_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
show_data_range	Boolean. Default is TRUE.
type	String. Options are "fill" (default), "line", "points".
negative_color	Hex color or string to indicate color of negative values. Default is NULL.
nans_to_zeros	Boolean. To convert empty values to zeros, set this to TRUE. Default is FALSE.
summary_method	String. summary_method applied over bin range. This parameter is set to NULL. See details for options.



number_of_bins	Numeric value to indicate summary method used over the bin range. Default is 700
transform	String to indicate type of transformation applied. Default is "no".
log_pseudocount	Numeric. Default is 0.
y_axis_values	String with two options "transformed" (default) or "original".
second_file	Path for another file to be included in operations. This parameter is not set by default.
operation	Default is set to "file". See details.
grid	Boolean. Default is FALSE.

### Details

summary\_method parameter can be chosen to be by "mean", "average", "max", "min", "stdev", "dev", "coverage", "cov" or "sum". Transform parameter options are "no" (default) or "log", "log1p", "-log", "log2" or "log10". 'log1p': transformed\_values =  $\log(1 + \text{initial\_values})$  'log': transformed\_values =  $\log(\log\_pseudocount + \text{initial\_values})$  'log2': transformed\_values =  $\log_2(\log\_pseudocount + \text{initial\_values})$  'log10': transformed\_values =  $\log_{10}(\log\_pseudocount + \text{initial\_values})$  '-log': transformed\_values =  $\log(\log\_pseudocount + \text{initial\_values})$  To compute operations on the fly on the file or between 2 bedgraph files, you can tweak operation parameter, it should contain file or file and second\_file. It is advised to use nans\_to\_zeros = TRUE to avoid unexpected results. Example value for operation are "0.89 \* file", "- file", "file - second\_file", " $\log_2((1 + \text{file}) / (1 + \text{second\_file}))$ " and "max(file, second\_file)"

### Value

None

**to add the preferred line width or point size : type = "line:lw" where lw (linewidth) is numeric value.**

Like type = "line:0.5" and type = "points:0.5"

### Author(s)

Omar Elashkar

### Examples

```
bw_dir <- system.file("extdata", "bigwig2_X_2.5e6_3.5e6.bw",
  package = "rGenomeTracks"
)
mean_bw <- track_bigwig(
  file = bw_dir, color = "gray",
  type = "point:1", summary_method = "mean", number_of_bins = 300, max_value = 200, min_value = -5
)
min_bw <- track_bigwig(
  file = bw_dir, color = "blue", type = "line:1", summary_method = "min", number_of_bins = 300,
  overlay_previous = "share-y", show_data_range = FALSE,
```

```

    max_value = 200, min_value = -5
  )
max_bw <- track_bigwig(
  file = bw_dir, color = "red", type = "line:1", summary_method = "max", number_of_bins = 300,
  overlay_previous = "share-y", show_data_range = FALSE,
  max_value = 200, min_value = -5
)
hlines <- track_hlines(
  y_values = "10, 150",
  overlay_previous = "share-y",
  color = "blue", line_style = "dotted"
)
## Not run:
plot_gtracks(mean_bw + min_bw + max_bw + hlines, chr = "X", start = 27 * 10^5, end = 31 * 10^5)

## End(Not run)

```

---

track_domains	<i>Generate domains track</i>
---------------	-------------------------------

---

## Description

Domain files are bed files represents TADS in the case of HiC analysis.

## Usage

```

track_domains(
  file,
  title = NULL,
  height = 2,
  overlay_previous = "no",
  orientation = NULL,
  line_width = 0.5,
  color = "#1f78b4",
  max_value = NULL,
  show_data_range = TRUE,
  min_value = NULL,
  border_color = "black",
  preferred_name = "transcript_name",
  merge_transcripts = FALSE
)

```

## Arguments

file	String. The location of the track file
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.

overlay_previous	String. Options are "no" (default) or "yes" or "share-y".
orientation	String. Set to "inverted" to make the track upside down. Default is NULL.
line_width	Numeric. Default is 0.5.
color	String. Hex color or string color. Default is "#1f78b4".
max_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
show_data_range	Boolean. Default is TRUE.
min_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
border_color	String. default is "black"
preferred_name	String. Denote which column to get elements names. Default is "transcript_name".
merge_transcripts	Boolean. Default is FALSE.

### Details

To remove the border, set 'border\_color' parameter to "none".

### Value

genome\_track

### Author(s)

Omar Elashkar

### Examples

```
tads_dir <- system.file("extdata", "tad_classification.bed",
  package = "rGenomeTracks"
)
tads <- track_domains(
  file = tads_dir, border_color = "black",
  color = "#11FF34", height = 5
)
tads_i <- track_domains(
  file = tads_dir, border_color = "red",
  color = "#cccccc", height = 3, orientation = "inverted"
)
tracks <- track_x_axis(where = "top") +
  tads + tads_i
## Not run:
plot_gtracks(tracks, chr = "X", start = 30 * 10^5, end = 35 * 10^5)

## End(Not run)
```

---

track_epilogos	<i>Generate epilogos track</i>
----------------	--------------------------------

---

### Description

Generate epilogos genome\_track from qcat file.

### Usage

```
track_epilogos(
  file,
  title = NULL,
  height = 2,
  overlay_previous = "no",
  categories_file = NULL,
  orientation = NULL
)
```

### Arguments

file	String. The location of the track file
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".
categories_file	Optionally pass a string of JSON custom colors configuration file directory. Default is NULL.
orientation	String. Set to "inverted" to make the track upside down. Default is NULL.

### Details

Epilogos is used widely to represent multiple "states" across genome, like ChromHMM states. More details [here](#) qcat file is needed which can be generated using [epilogos](#) track\_epilogos can optionally take categories\_file parameter which specify the color scheme for the states present in qcat file. Check the example section for demonstration.

### Value

None

### Note

fontsize argument can be overridden by the same argument in plot\_gtracks()

**Author(s)**

Omar Elashkar

**Examples**

```

epilog_dir <- system.file("extdata", "epilog.qcat.bgz", package = "rGenomeTracks")
epi_cat <- data.frame(
  category = 1:15,
  label = c(
    "Active TSS",
    "Flanking Active TSS",
    "Transcr at gene 5 and 3",
    "Strong transcription",
    "Weak transcription",
    "Genic enhancers",
    "Enhancers",
    "ZNF genes & repeats",
    "Heterochromatin",
    "Bivalent/Poised TSS",
    "Flanking Bivalent TSS/Enh",
    "Bivalent Enhancer",
    "Repressed PolyComb",
    "Weak Repressed PolyComb",
    "Quiescent/Low"
  ),
  color = c(
    "#ff0000", "#ff4500", "#32cd32", "#008000",
    "#006400", "#c2e105", "#ffff00", "#66cdaa",
    "#8a91d0", "#cd5c5c", "#e9967a", "#bdb76b",
    "#808080", "#c0c0c0", "#ffffff"
  )
)
epilog <- track_epilogos(file = epilog_dir, categories_file = epilogos_json(epi_cat))
## Not run:
plot_gtracks(epilog, chr = "X", start = 3100000, 3150000)

## End(Not run)

```

track\_gtf

*Generate gtf track***Description**

Create genome\_track object for gtf annotation files.

**Usage**

```

track_gtf(
  file,

```

```

title = NULL,
height = 2,
overlay_previous = "no",
fontsize = 12,
orientation = NULL,
line_width = 0.5,
color = "#1f78b4",
border_color = "black",
prefered_name = "transcript_name",
merge_transcripts = FALSE,
labels = FALSE,
display = "stacked",
max_labels = 60,
global_max_row = FALSE,
gene_rows = NULL,
arrow_interval = 2,
arrowhead_included = FALSE,
color_utr = "grey",
height_utr = 1,
arrow_length = NULL,
all_labels_inside = FALSE,
labels_in_margin = FALSE
)

```

### Arguments

file	String. The location of the track file
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".
fontsize	Numeric value to font size of tracks's text.
orientation	String. Set to "inverted" to make the track upside down. Default is NULL.
line_width	Numeric. Default is 0.5.
color	String. Hex color or string color. Default is "#1f78b4".
border_color	String. default is "black"
prefered_name	String. Denote which column to get elements names. Default is "transcript_name".
merge_transcripts	Boolean. Default is FALSE.
labels	Boolean. Default is FALSE.
display	String. options are "stacked" (default) or "collapsed", "triangles" or "interleaved".
max_labels	Numeric. Any integer about 1. Default is 60.
global_max_row	Boolean. Default is FALSE.

gene\_rows            Numeric. Default is NULL.  
 arrow\_interval    Numeric. Should be above 1. Default is 2  
 arrowhead\_included  
                   Boolean. Default is FALSE  
 color\_utr         String. Hex color or string. Default is "grey"  
 height\_utr        Numeric. Between 0 and 1. Default is 1.  
 arrow\_length     Numeric. Default is NULL.  
 all\_labels\_inside  
                   Boolean. Default is FALSE  
 labels\_in\_margin  
                   Boolean. Default is FALSE.

### Details

gtf files, unlike bed file, can provide richer annotation regarding levels of annotation where genomic features can be grouped based on the composing entity.

### Value

genome\_track

### Note

fontsize argument can be overridden by the same argument in plot\_gtracks()

### Author(s)

Omar Elashkar

### Examples

```

gtf_dir <- system.file("extdata", "dm3_subset_BDGP5.78.gtf.gz",
  package = "rGenomeTracks"
)
gtf <- track_gtf(
  file = gtf_dir, height = 10,
  preferred_name = "gene_name", merge_transcripts = TRUE, fontsize = 12
)
## Not run:
plot_gtracks(gtf + track_spacer() +
  track_x_axis(), chr = "X", start = 30 * 10^5, end = 33 * 10^5)

## End(Not run)

```

---

track_hic_matrix	<i>Generate HiC track</i>
------------------	---------------------------

---

### Description

Create a genome\_track for matrix files. Currently, only cool format and h5 format.

### Usage

```
track_hic_matrix(
  file,
  title = NULL,
  height = NULL,
  overlay_previous = "no",
  orientation = NULL,
  max_value = NULL,
  min_value = NULL,
  transform = "no",
  rasterize = TRUE,
  colormap = "RdYlBu_r",
  depth = 100000,
  show_masked_bins = FALSE,
  scale_factor = 1
)
```

### Arguments

file	String. The location of the track file
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".
orientation	String. Set to "inverted" to make the track upside down. Default is NULL.
max_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
min_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
transform	String to indicate type of transformation applied. Default is "no".
rasterize	Boolean. Default is FALSE.
colormap	String with matplotlib-compatible colormap. Default is set to "viridis".
depth	Numeric value above 1 to indicate the maximum distance that should be plotted. Default is 100000.
show_masked_bins	Boolean. If TRUE, showing masked bins as white lines. Default is FALSE.
scale_factor	Numeric factor by which matrix is to be scaled.



## Details

This function expect cool or h5 format. Format converter like [hicConvertFormat](#) can help converting to supported formats. depth is the maximum distance that should be plotted. If it is more than 125% of the plotted region, it will be adjusted to this maximum value. colormap argument should be compatible with [matplotlib](#). show\_masked\_bins plots bins not used during the corrections as white lines. Setting this argument to FALSE (default) extends neighboring bins to obtain an aesthetically pleasant output. scale argument scales the matrix by specific factor. This is useful if plotting multiple hic-matrices to be on the same scale.

## Value

genom\_track

## Author(s)

Omar Elashkar

## Examples

```
## Not run:
# Get example data directories
# Download h5 example
ah <- AnnotationHub()
query(ah, "rGenomeTracksData")
h5_dir <- ah[["AH95901"]]
tads_dir <- system.file("extdata", "tad_classification.bed",
  package = "rGenomeTracks"
)
arcs_dir <- system.file("extdata", "links2.links", package = "rGenomeTracks")
bw_dir <- system.file("extdata", "bigwig2_X_2.5e6_3.5e6.bw", package = "rGenomeTracks")
#
# Create HiC track from HiC matrix
h5 <- track_hic_matrix(
  file = h5_dir, depth = 250000, min_value = 5, max_value = 200,
  transform = "log1p", show_masked_bins = FALSE
)

# Create TADS track
tads <- track_domains(
  file = tads_dir, border_color = "black",
  color = "none", height = 5,
  line_width = 5,
  show_data_range = FALSE,
  overlay_previous = "share-y"
)

# Create arcs track
arcs <- track_links(
  file = arcs_dir, links_type = "triangles", line_style = "dashed",
  overlay_previous = "share-y",
  color = "darkred",
```

```

    line_width = 3,
    show_data_range = FALSE
  )

  # Create bigwig track
  bw <- track_bigwig(
    file = bw_dir, color = "red",
    max_value = 50,
    min_value = 0,
    height = 4,
    overlay_previous = "yes",
    show_data_range = FALSE
  )

  # Create one object from HiC, arcs and bigwig
  tracks <- h5 + arcs + bw

  # Plot the tracks
  plot_gtracks(tracks, chr = "X", start = 25 * 10^5, end = 31 * 10^5)
  # Plot HiC, TADS and bigwig tracks
  plot_gtracks(h5 + tads + bw, chr = "X", start = 25 * 10^5, end = 31 * 10^5)

  ## End(Not run)

```

---

 track\_hlines

*Generate a track with horizontal lines*


---

### Description

track\_hlines() creates a genome\_track with horizontal lines that can be overlaid on the previous track or, by default, track the lines in separate track.

### Usage

```

track_hlines(
  y_values,
  title = NULL,
  height = 0.5,
  overlay_previous = NULL,
  orientation = NULL,
  line_width = 0.5,
  line_style = "solid",
  color = "black",
  alpha = 1,
  max_value = NULL,
  min_value = NULL,
  show_data_range = TRUE
)

```

**Arguments**

y_values	String for y-values where horizontal lines should be plotted separated by comma.
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".
orientation	String. Default is NULL. Other option is "inverted".
line_width	Numeric value for line width.
line_style	String with options of either "solid", "dashed", "dotted", and "dashdot".
color	String. Hex color or string color. Default is "#1f78b4".
alpha	Numeric variable between 0 and 1 to indicate level of transparency. Default is 1.
max_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
min_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
show_data_range	Boolean. Default is TRUE.

**Details**

y\_values argument specify locations on the genome where where horizontal lines should be plotted separated by comma, like "50, 90"

**Value**

genome\_track

**Author(s)**

Omar Elashkar

**Examples**

```
bw_dir <- system.file("extdata", "bigwig2_X_2.5e6_3.5e6.bw",
  package = "rGenomeTracks"
)
mean_bw <- track_bigwig(
  file = bw_dir, color = "gray",
  type = "point:1", summary_method = "mean", number_of_bins = 300, max_value = 200, min_value = -5
)
min_bw <- track_bigwig(
  file = bw_dir, color = "blue", type = "line:1", summary_method = "min", number_of_bins = 300,
  overlay_previous = "share-y", show_data_range = FALSE,
  max_value = 200, min_value = -5
)
max_bw <- track_bigwig(
  file = bw_dir, color = "red", type = "line:1", summary_method = "max", number_of_bins = 300,
  overlay_previous = "share-y", show_data_range = FALSE,
```

```

    max_value = 200, min_value = -5
  )
  hlines <- track_hlines(
    y_values = "10, 150",
    overlay_previous = "share-y",
    color = "blue", line_style = "dotted"
  )
  ## Not run:
  plot_gtracks(mean_bw + min_bw + max_bw + hlines, chr = "X", start = 27 * 10^5, end = 31 * 10^5)

  ## End(Not run)

```

---

 track\_links

*Generate links track*


---

## Description

Generate links track from arc file.

## Usage

```

track_links(
  file,
  title = NULL,
  height = 2,
  overlay_previous = "no",
  orientation = NULL,
  links_type = "arcs",
  line_width = NULL,
  line_style = "solid",
  color = "blue",
  alpha = 0.8,
  max_value = NULL,
  min_value = NULL,
  ylim = NULL,
  show_data_range = FALSE,
  compact_arcs_level = 0,
  use_middle = FALSE
)

```

## Arguments

file	String. The location of the track file
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".

orientation	String. Default is NULL. Other option is "inverted".
links_type	String value with options "arcs" (default) or "triangles" or "loops".
line_width	Numeric value for line width.
line_style	String with options of either "solid", "dashed", "dotted", and "dashdot".
color	String. Hex color or string color. Default is "#1f78b4".
alpha	Numeric variable between 0 and 1 to indicate level of transparency. Default is 1.
max_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
min_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
ylim	Numeric value above 0 to set arcs' height cutoff. Default is NULL
show_data_range	Boolean. Default is TRUE.
compact_arcs_level	Numeric value of either 0, 1 or 2 to indicate level of arcs' compactness by distance it travels.
use_middle	Boolean. Default is FALSE.

### Details

Level of compactness relative to arcs' length can be manipulated using the argument `compact_arcs_level` where:

- `compact_arcs_level = 0`, The default where the height is proportional to distance
- `compact_arcs_level = 1`, the height is proportional to the square root of the distance
- `compact_arcs_level = 2`, the height is the same for all distances

`ylim` argument sets the cutoff for arcs' height. This could be handy if you have small arc overridden by larger arc.

### Value

`genome_track`

### Note

`ylim` argument is incompatible with `compact_arcs_level = 2`

### Author(s)

Omar Elashkar

**Examples**

```

tads_dir <- system.file("extdata", "tad_classification.bed",
  package = "rGenomeTracks"
)
genes_dir <- system.file("extdata", "dm3_genes.bed.gz",
  package = "rGenomeTracks"
)
links_dir <- system.file("extdata", "test.arcs",
  package = "rGenomeTracks"
)
tads <- track_domains(tads_dir, color = "#cccccc", border_color = "red")
links_overlay <- track_links(links_dir,
  color = "red",
  line_width = 3, links_type = "loop",
  overlay_previous = "share-y"
)
links <- track_links(links_dir,
  color = "blue",
  line_width = 3, height = 3
)
genes <- track_bed(genes_dir,
  height = 7, style = "flybase",
  fontsize = 10
)
vlines <- track_vlines(genes_dir)
## Not run:
plot_gtracks(tads + links_overlay + links + genes + vlines, chr = "X", start = 30 * 10^5, end = 35 * 10^5)

## End(Not run)

```

---

track_narrow_peak	<i>Generate narrow peaks track</i>
-------------------	------------------------------------

---

**Description**

Create genome\_track object from narrow peak bed format.

**Usage**

```

track_narrow_peak(
  file,
  title = NULL,
  height = 3,
  overlay_previous = "no",
  orientation = NULL,
  line_width = 1,
  color = "#FF000080",
  max_value = NULL,
  show_data_range = TRUE,

```

```

    show_labels = TRUE,
    use_summit = TRUE,
    width_adjust = 1.5,
    type = "peak"
)

```

### Arguments

file	String. The location of the track file
title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".
orientation	String. Default is NULL. Other option is "inverted".
line_width	Numeric value for line width.
color	String. Hex color or string color. Default is "#1f78b4".
max_value	Numeric. Default is NULL. The max value cut-off for the numeric column.
show_data_range	Boolean. Default is TRUE.
show_labels	Boolean. If TRUE, display labels on plotting which include peak tag, p-val and q-val.
use_summit	Boolean. If TRUE, peak summit data will be plotted.
width_adjust	Numeric value above 0 to adjust peaks' width. Default is 1.5.
type	String with options either "peak" or "box".

### Details

narrowPeak file is bed file (4+3), where the 5th column is peak name, 6th column in p-value and 7th column in q-value. You might increase height it increased font size. narrowPeak format is very common with analysis pipelines involving MACS2. narrowPeak format provides the information of the peak summit. use\_summit argument is used to determine if this information should be used. By default this information is used (use\_summit = TRUE) although some peaks may look crooked. type argument specify if the plot will be:

- "box" which will plot a rectangle of the peak width
- or "peak" which will plot the shape of the peak, whose height is the narrowPeak file signal value (usually peak coverage)

### Value

genome\_track

### Author(s)

Omar Elashkar

**Examples**

```

np_bed_dir <- system.file("extdata", "test2.narrowPeak", package = "rGenomeTracks")

tracks <-
  track_scalebar() +
  track_narrow_peak(np_bed_dir,
    title = "peak type with summit",
    height = 3,
    type = "peak",
    color = "green"
  ) +

  track_spacer(height = 2) +
  track_narrow_peak(np_bed_dir,
    title = "peak type without summit",
    height = 3,
    type = "peak",
    color = "green",
    use_summit = FALSE
  ) +
  track_spacer(height = 2) +
  track_narrow_peak(np_bed_dir,
    title = "Box type with summit",
    height = 3,
    type = "box",
    color = "blue"
  ) +
  track_spacer(height = 2) +
  track_narrow_peak(np_bed_dir,
    title = "Box type without summit",
    height = 3,
    type = "box",
    color = "blue",
    use_summit = FALSE
  ) +
  track_x_axis()
## Not run:
plot_gtracks(tracks, chr = "X", start = 276 * 10^4, end = 280 * 10^4, trackLabelFraction = 0.2)

## End(Not run)

```

---

track\_scalebar

*Generate scalebar track*


---

**Description**

scalebar track is a track with a stretch that highlights specific distance on the genomic coordinates



**Usage**

```

track_scalebar(
  title = NULL,
  height = 2,
  overlay_previous = "no",
  where = "left",
  fontsize = 12,
  line_width = 0.5,
  color = "black",
  alpha = 1,
  x_center = NULL,
  size = NULL,
  scalebar_start_position = NULL,
  scalebar_end_position = NULL
)

```

**Arguments**

title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".
where	"left" (default), "right", "top" or "bottom".
fontsize	Numeric value to font size of tracks's text.
line_width	0.5 (default) or any float above 0.
color	String. Hex color or string color. Default is "#1f78b4".
alpha	Numeric variable between 0 and 1 to indicate level of transparency. Default is 1.
x_center	Numeric value above 0. Default is NULL.
size	Numeric value above 0. Default is NULL.
scalebar_start_position	Numeric value above 0. Default is NULL.
scalebar_end_position	Numeric value above 0. Default is NULL.

**Value**

genome\_track

**Note**

fontsize argument can be overridden by the same argument in plot\_gtracks()

**Author(s)**

Omar Elashkar

## Examples

```
np_bed_dir <- system.file("extdata", "test2.narrowPeak", package = "rGenomeTracks")

tracks <-
  track_scalebar(
    scalebar_start_position = 2785 * 10^3,
    scalebar_end_position = 2799 * 10^3
  ) +
  track_narrow_peak(np_bed_dir,
    title = "peak type with summit",
    height = 3,
    type = "peak",
    color = "green"
  ) + track_x_axis()
## Not run:
plot_gtracks(tracks, chr = "X", start = 276 * 10^4, end = 280 * 10^4, trackLabelFraction = 0.2)

## End(Not run)
```

---

track\_spacer

*Generate spacing track*

---

## Description

Create spacing track with custom height.

## Usage

```
track_spacer(title = NULL, height = 2, overlay_previous = "no")
```

## Arguments

title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".

## Value

None

## Author(s)

Omar Elashkar

**Examples**

```

bed12_dir <- system.file("extdata", "dm3_genes.bed.gz",
  package = "rGenomeTracks"
)
bed4_dir <- system.file("extdata", "dm3_genes.bed4.gz",
  package = "rGenomeTracks"
)
bed6_dir <- system.file("extdata", "dm3_genes.bed6.gz",
  package = "rGenomeTracks"
)

# Create bed track using bed4 file
bed4 <- track_bed(
  file = bed4_dir, height = 3, title = "bed4", color = "cyan", ,
  border_color = "#9ACD32", line_width = 1.5
)

# Create bed track using bed6 file
bed6 <- track_bed(
  file = bed6_dir, height = 3, title = "bed4", fontsize = 8, color = "red",
  border_color = "yellow", arrowhead_included = TRUE
)

# Create bed track using bed12 file
bed12 <- track_bed(
  file = bed12_dir, height = 3, title = "bed12", style = "UCSC",
  arrow_interval = 10, fontsize = 10
)

# Create a spacer track
space <- track_spacer(height = 1)
## Not run:
# Plotting the tracks
plot_gtracks(bed4 + space + bed6 + space + bed12 + space,
  chr = "X", start = 300 * 10^4, end = 330 * 10^4, verbose = TRUE
)

## End(Not run)

```

---

track\_vlines

*Overlay vertical lines from a bed file*


---

**Description**

track\_vlines() overlay vertical lines over the whole plot. The only parameter to be passed is a bed file.

**Usage**

```
track_vlines(file)
```

**Arguments**

file                   String. The location of the track file

**Value**

genome\_track

**Author(s)**

Omar Elashkar

**Examples**

```
tads_dir <- system.file("extdata", "tad_classification.bed",
  package = "rGenomeTracks"
)
genes_dir <- system.file("extdata", "dm3_genes.bed.gz",
  package = "rGenomeTracks"
)
links_dir <- system.file("extdata", "test.arcs",
  package = "rGenomeTracks"
)
tads <- track_domains(tads_dir, color = "#cccccc", border_color = "red")
links_overlay <- track_links(links_dir,
  color = "red",
  line_width = 3, links_type = "loop",
  overlay_previous = "share-y"
)
links <- track_links(links_dir,
  color = "blue",
  line_width = 3, height = 3
)
genes <- track_bed(genes_dir,
  height = 7, style = "flybase",
  fontsize = 10
)
vlines <- track_vlines(genes_dir)
## Not run:
plot_gtracks(tads + links_overlay + links + genes + vlines, chr = "X", start = 30 * 10^5, end = 35 * 10^5)

## End(Not run)
```

---

track\_x\_axis

*Specify x\_axis option for genome\_track.*

---

**Description**

This track will specify the options for x-axis for location, height, font size and wheather to overlay previous track.

**Usage**

```
track_x_axis(
  title = NULL,
  height = 2,
  overlay_previous = "no",
  where = "bottom",
  fontsize = 15
)
```

**Arguments**

title	String. If specified, the title of the track to be displayed.
height	Numeric. The height of the plotted track in cm. Default is 2. See notes.
overlay_previous	String. Options are "no" (default) or "yes" or "share-y".
where	String. Either "bottom" (default) or "top"
fontsize	Numeric value to font size of tracks's text.

**Value**

genome\_track

**Note**

fontsize argument can be overridden by the same argument in plot\_gtracks()

**Author(s)**

Omar Elashkar

**Examples**

```
tads_dir <- system.file("extdata", "tad_classification.bed",
  package = "rGenomeTracks"
)
tads <- track_domains(
  file = tads_dir, border_color = "black",
  color = "#11FF34", height = 5
)
tads_i <- track_domains(
  file = tads_dir, border_color = "red",
  color = "#cccccc", height = 3, orientation = "inverted"
)
tracks <- track_x_axis(where = "top") +
  tads + tads_i
## Not run:
plot_gtracks(tracks, chr = "X", start = 30 * 10^5, end = 35 * 10^5)

## End(Not run)
```

# Index

- \* **epilogos\_json**
  - track\_epilogos, 20
- \* **install\_pyGenomeTracks**
  - plot\_gtracks, 5
- \* **plot\_gtracks**
  - install\_pyGenomeTracks, 5
- \* **track\_epilogos**
  - epilogos\_json, 3

+, genome\_track, genome\_track-method, 2

epilogos\_json, 3

genome\_track (plot\_gtracks), 5

install\_pyGenomeTracks, 5

plot\_gtracks, 5

plot\_gtracks, (plot\_gtracks), 5

plot\_gtracks, genome\_track-method  
(plot\_gtracks), 5

track\_bed, 8

track\_bedgraph, 11

track\_bedgraph\_matrix, 14

track\_bigwig, 15

track\_domains, 18

track\_epilogos, 20

track\_gtf, 21

track\_hic\_matrix, 24

track\_hlines, 26

track\_links, 28

track\_narrow\_peak, 30

track\_scalebar, 32

track\_spacer, 34

track\_vlines, 35

track\_x\_axis, 36