

Package ‘scatterHatch’

December 8, 2022

Title Creates hatched patterns for scatterplots

Version 1.4.0

Description The objective of this package is to efficiently create scatterplots where groups can be distinguished by color and texture. Visualizations in computational biology tend to have many groups making it difficult to distinguish between groups solely on color. Thus, this package is useful for increasing the accessibility of scatterplot visualizations to those with visual impairments such as color blindness.

License MIT + file LICENSE

BugReports <https://github.com/FertigLab/scatterHatch/issues>

Encoding UTF-8

LazyData false

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.1

VignetteBuilder knitr

Suggests knitr, rmarkdown, testthat

Imports grid, ggplot2, plyr, spatstat.geom, stats, grDevices

Depends R (>= 4.1)

biocViews Visualization, SingleCell, CellBiology, Software, Spatial

URL <https://github.com/FertigLab/scatterHatch>

git_url <https://git.bioconductor.org/packages/scatterHatch>

git_branch RELEASE_3_16

git_last_commit dc90e5d

git_last_commit_date 2022-11-01

Date/Publication 2022-12-08

Author Atul Deshpande [aut, cre] (<<https://orcid.org/0000-0001-5144-6924>>)

Maintainer Atul Deshpande <adeshpande@jhu.edu>

R topics documented:

pdacData	2
scatterHatch	3
Index	5

pdacData	<i>Tissue-CyCIF data of Pancreatic Ductal Adenocarcinoma (PDAC)</i>
----------	---

Description

Single-cell resolution of 4 cellular compartments in a human Pancreatic Ductal Adenocarcinoma sample that spans across three distinct tissues: the pancreas, small intestine, and tumor. Contains cartesian coordinates of each cell along with the frame it was identified from in t-CyCIF imaging.

Usage

```
data(pdacData)
```

Format

A data frame with 158159 rows and 3 variables:

frame 10x frame from t-CyCIF imaging. Used to identify tissue type of cell.

Xt Cartesian x-coordinate of cell across entire tissue sample (across all frames).

Yt Cartesian y-coordinate of cell across entire tissue sample (across all frames)

Source

Shortened version of t-CyCIF single-cell data of Pancreatic Ductal Adenocarcinoma (PDAC) resection specimen from *Lin et. al* with only the cartesian coordinates and frames each cell is in present.

Entire dataset can be downloaded from http://lincs.hms.harvard.edu/wordpress/wp-content/uploads/2017/05/rawdata_Figure78_PDAC.zip

References

Lin et al. (2018) eLife 2018;7:e31657 ([eLife](#))

scatterHatch	<i>Creates a scatterplot with hatched patterns.</i>
--------------	---

Description

This function creates a scatterplot with hatched patterns by using `geom_segment()`. Also creates the legend to represent each hatched group. The aesthetics defining each pattern, like the `lineType` and `lineColor` are all passed to `geom_segment()`.

Usage

```
scatterHatch(  
  data,  
  x,  
  y,  
  color_by,  
  legendTitle = "",  
  pointSize = 1,  
  pointAlpha = 0.5,  
  gridSize = NULL,  
  sparsePoints = NULL,  
  patternList = NULL,  
  colorPalette = NULL  
)
```

Arguments

<code>data</code>	Dataset to be used
<code>x</code>	Column name of x-coordinates
<code>y</code>	Column name of y-coordinates
<code>color_by</code>	Column name of factor that defines groupings
<code>legendTitle</code>	Title of the legend
<code>pointSize</code>	Point size for the scatterplot
<code>pointAlpha</code>	Transparency of points in the scatterplot
<code>gridSize</code>	Controls the precision of the hatched pattern. Larger values correspond to greater precision. Default follows an exponential decay function based on point size.
<code>sparsePoints</code>	Logical Vector denoting points annotated as sparse. If <code>NULL</code> , default sparsity detector will be used to annotate sparse points.
<code>patternList</code>	Aesthetics to be passed for each pattern (must be a list where each element has a named pattern)
<code>colorPalette</code>	Colors to be used for each group. Default is color-blind friendly.

Value

`ggplot2` object of scatterplot with hatched patterns for each group.

Examples

```
data(pdacData)  
scatterHatch(pdacData, "Xt", "Yt", "frame")
```

Index

pdacData, [2](#)

scatterHatch, [3](#)