

Package ‘SVM2CRMdata’

May 15, 2025

Type Package

Title An example dataset for use with the SVM2CRM package

Version 1.40.0

Date 2013-11-21

Author Guidantonio Malagoli Tagliazucchi

Maintainer Guidantonio Malagoli Tagliazucchi

<guidantonio.malagolitagliazucchi@unimore.it>

Description An example dataset for use with the SVM2CRM package.

License LGPL (>= 2)

Depends R(>= 3.2.0)

biocViews ExperimentData, ChIPSeq, HistoneModification, Preprocessing,
DataImport

ZipData no

LazyLoad yes

NeedsCompilation no

git_url <https://git.bioconductor.org/packages/SVM2CRMdata>

git_branch RELEASE_3_21

git_last_commit 38a5ebd

git_last_commit_date 2025-04-15

Repository Bioconductor 3.21

Date/Publication 2025-05-15

Contents

CD4-H2AK5ac.sort	2
CD4-H2AK9ac.sort	3
CD4-H3K23ac.sort	3
CD4-H3K27ac.sort	4
CD4_matrixInputSVMbin100window1000	4

GSM393946.distal.p300fromTSS	5
H3K27me3.sort	6
H3K4me1.sort	6
H3K4me2.sort	7
H3K4me3.sort	7
p300.distal.fromTSS	8
random.region.hg18.nop300	9
SVM2CRMdata	9
train_negative	10
train_positive	10
Index	12

CD4-H2AK5ac.sort *Histone modification ChIP-seq data in CD4*

Description

Histone modification ChIP-seq data in CD4.

Usage

"CD4-H2AK5ac.sort.txt"

Format

A bed file

Source

created with a custom script

References

Wang Z, Zang C, Rosenfeld JA, Schonnes DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. *Nat Genet.* 2008 Jul;40(7):897-903.

CD4-H2AK9ac.sort *Histone modification ChIP-seq data in CD4*

Description

Histone modification ChIP-seq data in CD4.

Usage

"CD4-H2AK9ac.sort.txt"

Format

A bed file

Source

created with a custom script

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. *Nat Genet.* 2008 Jul;40(7):897-903.

CD4-H3K23ac.sort *Histone modification ChIP-seq data in CD4*

Description

Histone modification ChIP-seq data in CD4.

Usage

"CD4-H3K23ac.sort.txt"

Format

A bed file

Source

created with a custom script

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. *Nat Genet.* 2008 Jul;40(7):897-903.

CD4-H3K27ac.sort

Histone modification ChIP-seq data in CD4

Description

Histone modification ChIP-seq data in CD4.

Usage

```
"CD4-H3K27ac.sort.txt"
```

Format

A bed file

Source

created with a custom script

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. *Nat Genet.* 2008 Jul;40(7):897-903.

CD4_matrixInputSVMbin100window1000

Histone modification map from CD4

Description

The first step of the analysis with SVM2CRM is the preprocessing of the data. Basically, SVM2CRM allow to import bed files in the working directory using `cisREfindbed`. This function import bed files, and then performed codify the signals of each histone marks considering the windows size defined by the user. Specially this function require diverse parameters. A vector with the list of bed files that the user want use. The `bin.size` and the `windows size` that respectively represent the size of bin used to normalized the data (e.g. 100bp) and windows size that the use want use to describe the signal of each histone marks (e.g. 1000bp). Finally, the user can set a function to smooth the signal of the histone marks inside da particular windows (e.g. median). During this step `cisREfindbed` generate a `data.frame` that contains on the column the histone marks, and on the rows the corresponding signals genome-wide.

Usage

```
data(CD4_matrixInputSVbin100window1000)
```

Format

A data.frame where in the rows there are the genomic regions while in the columns the signals of histone modifications

Source

see Wang Z et al., 2008

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. Nat Genet. 2008 Jul;40(7):897-903.

GSM393946.distal.p300fromTSS

A bed file of p300 genomic regions

Description

A bed file of p300 genomic regions.

Usage

```
"GSM393946.distal.p300fromTSS.txt"
```

Format

The output of getSignal

Source

see Wang Z et al., 2008

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. Nat Genet. 2008 Jul;40(7):897-903.

H3K27me3.sort

Histone modification ChIP-seq data in CD4

Description

Histone modification ChIP-seq data in CD4.

Usage

```
"H3K27me3.sort.txt"
```

Format

A bed file

Source

created with a custom script

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. *Nat Genet.* 2008 Jul;40(7):897-903.

H3K4me1.sort

Histone modification ChIP-seq data in CD4

Description

Histone modification ChIP-seq data in CD4.

Usage

```
"H3K4me1.sort.txt"
```

Format

A bed file

Source

created with a custom script

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. Nat Genet. 2008 Jul;40(7):897-903.

H3K4me2.sort

Histone modification ChIP-seq data in CD4

Description

Histone modification ChIP-seq data in CD4.

Usage

"H3K4me2.sort.txt"

Format

A bed file

Source

created with a custom script

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. Nat Genet. 2008 Jul;40(7):897-903.

H3K4me3.sort

Histone modification ChIP-seq data in CD4

Description

Histone modification ChIP-seq data in CD4.

Usage

"H3K4me3.sort.txt"

Format

A bed file

Source

created with a custom script

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. *Nat Genet.* 2008 Jul;40(7):897-903.

p300.distal.fromTSS *P300 binding sites from CD4*

Description

This file contain the genomic regions with the p300 binding sites that have a distance of 1000kb from TSSs.

Usage

"p300.distal.fromTSS.txt"

Format

A bed file format with chromosome, start, end

Source

see Wang Z et al., 2008

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. *Nat Genet.* 2008 Jul;40(7):897-903.

random.region.hg18.nop300

A bed file with the coordinates of random regions in Hg18

Description

A bed file with the coordinates of random regions in Hg18, created using a custom script and bedtools (Quinlan AR., et al 2010).

Usage

```
"random.region.hg18.nop300.txt"
```

Format

A bed file format with chromosome, start, end

Source

created with a custom script

References

Quinlan AR, Hall IM. BEDTools: a flexible suite of utilities for comparing genomic features. Bioinformatics. 2010 Mar 15;26(6):841-2.

SVM2CRMdata

An example dataset for the SVM2CRM package

Description

This dataset contain raw ChIPseq data of H2AK9ac, H3K23ac, H3K27ac, H3K27me3, H3K4me1, H3K4me3 in CD4+ T-cells. Data were downloaded from: Wang Z et al., 2008

Author(s)

Guidantonio Malagoli Tagliacruzchi <guidantonio.malagolitagliacruzchi@unimore.it>

Examples

```
dataDir <- system.file("data", package="SVM2CRMdata")
setwd(dataDir)
dir()
```

train_negative	<i>Random genomic regions of ChIP-seq without enhancers</i>
----------------	---

Description

This file contain the output of getSignal using a little number of histone marks and database of random regions without enhancers.

Usage

```
data("train_negative")
```

Format

The output of getSignal

Source

see Wang Z et al., 2008

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. *Nat Genet.* 2008 Jul;40(7):897-903.

train_positive	<i>ChIP-seq signal in correspondence of enhancers</i>
----------------	---

Description

This file contain the output of getSignal using a little number of histone marks and database of enhancers.

Usage

```
data("train_positive")
```

Format

The output of getSignal

Source

see Wang Z et al., 2008

References

Wang Z, Zang C, Rosenfeld JA, Schones DE, Barski A, Cuddapah S, Cui K, Roh TY, Peng W, Zhang MQ, Zhao K. Combinatorial patterns of histone acetylations and methylations in the human genome. *Nat Genet.* 2008 Jul;40(7):897-903.

Index

* datasetCD4

CD4_matrixInputSVMbin100window1000,
4

* datasets

CD4-H2AK5ac.sort, 2
CD4-H2AK9ac.sort, 3
CD4-H3K23ac.sort, 3
CD4-H3K27ac.sort, 4
H3K27me3.sort, 6
H3K4me1.sort, 6
H3K4me2.sort, 7
H3K4me3.sort, 7
p300.distal.fromTSS, 8
random.region.hg18.nop300, 9

CD4-H2AK5ac.sort, 2
CD4-H2AK9ac.sort, 3
CD4-H3K23ac.sort, 3
CD4-H3K27ac.sort, 4
CD4_matrixInputSVMbin100window1000, 4

GSM393946.distal.p300fromTSS, 5

H3K27me3.sort, 6
H3K4me1.sort, 6
H3K4me2.sort, 7
H3K4me3.sort, 7

p300.distal.fromTSS, 8

random.region.hg18.nop300, 9

SVM2CRMdata, 9

train_negative, 10
train_positive, 10