

# Package ‘cancerdata’

July 15, 2018

**Type** Package  
**Version** 1.18.0  
**Date** 2011-10-26  
**Title** Development and validation of diagnostic tests from high-dimensional molecular data: Datasets  
**Author** Jan Budczies, Daniel Kosztyla  
**Maintainer** Daniel Kosztyla <danielkossi@hotmail.com>  
**Description** Dataset for the R package cancerclass  
**Depends** R (>= 2.10.1), Biobase  
**License** GPL (>= 2)  
**biocViews** CancerData, MicroarrayData  
**git\_url** <https://git.bioconductor.org/packages/cancerdata>  
**git\_branch** RELEASE\_3\_7  
**git\_last\_commit** e089bf1  
**git\_last\_commit\_date** 2018-04-30  
**Date/Publication** 2018-07-15

## R topics documented:

|                              |          |
|------------------------------|----------|
| cancerdata-package . . . . . | 1        |
| VEER . . . . .               | 2        |
| VIJVER . . . . .             | 3        |
| YOUNG . . . . .              | 3        |
| <b>Index</b>                 | <b>5</b> |

---

|                    |  |
|--------------------|--|
| cancerdata-package | <i>Development and validation of diagnostic tests from high-dimensional molecular data: Datasets</i> |
|--------------------|--|

---

## Description

This package contains dataset for the R package cancerclass.

## Details

Package: cancerdata  
 Type: Package  
 Version: 1.1.0  
 Date: 2010-10-26  
 License: GPL (>=2)

### Author(s)

Jan Budczies <jan.budczies@charite.de>, Daniel Kosztyla <danielkossi@hotmail.com>

### References

[1] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-492.

### See Also

[VEER1](#)

### Examples

```
### see: help(VEER1);
```

---

VEER

*Breast cancer gene expression data (van't Veer)*

---

### Description

Gene expression data from the breast cancer microarray study of van't Veer et al. [1]. The data set VEER includes gene expression values of 24481 genes in 78 tumor samples. The data set VEER1 is a filtered version [2] of VEER including gene expression values of 4948 genes in 78 tumor samples).

### Usage

```
data(VEER)
data(VEER1)
```

### Value

Data and annotations are organized in a ExpressionSet of the package Biobase.

|       |               |
|-------|---------------|
| VEER  | ExpressionSet |
| VEER1 | ExpressionSet |

### References

[1] van 't Veer LJ et al. (2002), *Gene expression profiling predicts clinical outcome of breast cancer*, Nature 415:530-536.  
 [2] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-492.

**Examples**

```
### see: help(GOLUB);
```

---

|        |  |
|--------|--|
| VIJVER | <i>Breast cancer gene expression data (Vijver)</i> |
|--------|--|

---

**Description**

Gene expression data from the breast cancer microarray study of Vijver et al. [1]. The data set VIJVER includes expression values of 24481 genes in 295 tumor samples. The data set VIJVER1 is a filtered version of VIJVER [2] including expression values of 4948 genes in 295 tumor samples.

**Usage**

```
data(VIJVER)
data(VIJVER1)
```

**Value**

Data and annotations are organized in a ExpressionSet of the package Biobase.

|         |               |
|---------|---------------|
| VIJVER  | ExpressionSet |
| VIJVER1 | ExpressionSet |

**References**

- [1] van de Vijver MJ, He YD, van't Veer LJ, et al. (2002): *A gene-expression signature as a predictor of survival in breast cancer*. N Engl J Med, 347:1999-2009.
- [2] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-493.

**Examples**

```
### see: help(GOLUB);
```

---

|       |  |
|-------|--|
| YOUNG | <i>Breast cancer gene expression data (van't Veer, young patients)</i> |
|-------|--|

---

**Description**

Gene expression data from the breast cancer microarray study of van't Veer et al. [1]. The data set VEER includes gene expression values of 24481 genes in 19 tumor samples. The data set VEER1 is a filtered version [2] of VEER including gene expression values of 4948 genes in 19 tumor samples).

**Usage**

```
data(YOUNG)
data(YOUNG1)
```

**Value**

Data and annotations are organized in a ExtresenSet of the package Biobase.

YOUNG            ExpressionSet

YOUNG1          ExpressionSet

**References**

[1] van 't Veer LJ et al (2002), *Gene expression profiling predicts clinical outcome of breast cancer*, Nature 415:530-56.

[2] Michiels S, Koscielny S, Hill C (2005), *Prediction of cancer outcome with microarrays: a multiple random validation strategy*, Lancet 365:488-492.

**Examples**

```
### see: help(GOLUB);
```

# Index

## \*Topic **datasets**

VEER, [2](#)

VIJVER, [3](#)

YOUNG, [3](#)

## \*Topic **package**

cancerdata-package, [1](#)

cancerdata (cancerdata-package), [1](#)

cancerdata-package, [1](#)

VEER, [2](#)

VEER1, [2](#)

VEER1 (VEER), [2](#)

VIJVER, [3](#)

VIJVER1 (VIJVER), [3](#)

YOUNG, [3](#)

YOUNG1 (YOUNG), [3](#)