

# Package ‘cypress’

May 14, 2024

**Type** Package

**Title** Cell-Type-Specific Power Assessment

**Version** 1.0.0

**Date** 2024-04-23

**License** GPL-2 | GPL-3

**Depends** R(>= 4.4.0)

**Imports** stats, abind, sirt, MASS, TOAST, tibble, parallel,  
preprocessCore, SummarizedExperiment, TCA, PROPER,  
methods, dplyr, utils, RColorBrewer, graphics, edgeR,  
BiocParallel, checkmate, mvtnorm, DESeq2, rlang, e1071

**Suggests** knitr, rmarkdown, MatrixGenerics, htmltools, RUnit,  
BiocGenerics, BiocManager, BiocStyle, Biobase

**Collate** AllClasses.R AllGenerics.R CIBERSORT.R csRNA\_seq\_sim.R  
cypress\_design.R cypress\_wrapper.R cypressEmbedded.R metrics.R  
cypress-methods.R PlotTDR.R DE\_arg.R TOAST\_implement.R user.R  
util\_datasim.R util\_EST.R PlotFDC.R PlotPower.R

**biocViews** Software, GeneExpression, DataImport, RNASeq, Sequencing

**Description** CYPRESS is a cell-type-specific power tool. This package aims to perform power analysis for the cell-type-specific data. It calculates FDR, FDC, and power, under various study design parameters, including but not limited to sample size, and effect size. It takes the input of a SummarizeExperimental(SE) object with observed mixture data (feature by sample matrix), and the cell-type mixture proportions (sample by cell-type matrix). It can solve the cell-type mixture proportions from the reference free panel from TOAST and conduct tests to identify cell-type-specific differential expression (csDE) genes.

**Encoding** UTF-8

**LazyData** FALSE

**VignetteBuilder** knitr

**URL** <https://github.com/renlyly/cypress>

**BugReports** <https://github.com/renlyly/cypress/issues>

**git\_url** <https://git.bioconductor.org/packages/cypress>  
**git\_branch** RELEASE\_3\_19  
**git\_last\_commit** c9876d1  
**git\_last\_commit\_date** 2024-04-30  
**Repository** Bioconductor 3.19  
**Date/Publication** 2024-05-14  
**Author** Shilin Yu [aut, cre] (<<https://orcid.org/0000-0002-5494-1960>>),  
 Guanqun Meng [aut],  
 Wen Tang [aut]  
**Maintainer** Shilin Yu <sy597@georgetown.edu>

## Contents

cypress-package . . . . .	2
asd_nopropPower . . . . .	3
asd_noprop_param . . . . .	4
ASD_prop . . . . .	5
cypress-class . . . . .	5
cypress-methods . . . . .	7
GSE60424Power . . . . .	7
GSE60424_param . . . . .	8
ibd_propPower . . . . .	9
ibd_prop_param . . . . .	10
plotFDC . . . . .	11
plotPower . . . . .	12
plotTDR . . . . .	13
quickPower . . . . .	14
simFromData . . . . .	15
simFromParam . . . . .	17
<b>Index</b>	<b>19</b>

---

cypress-package	<i>cypress: cell-type-specific power assessment</i>
-----------------	---

---

## Description

The **cypress** package is specifically designed to perform comprehensive cell-type-specific power assessment for differential expression using RNA-sequencing experiments. It accepts real Bulk RNAseq data as input for parameter estimation and simulation. The tool provides flexibility by allowing users to customize sample sizes, number of cell types, and log<sub>2</sub> fold change values. Additionally, it computes statistical power, true discovery rate (TDR), and false discovery cost (FDC) under different scenarios as results.

**Details**

cypress is the first statistical tool to evaluate the power in cell-type-specific Differentially Expressed (csDE) genes detection experiments from a prospective way by letting researchers be flexible in tuning sample sizes, effect sizes, csDE genes percentage, total number of genetic features, type I error control, etc.

**Value**

cypress offers 3 functions for simulation and power evaluation: `simFromData()`, `simFromParam()` and `quickPower()`. If users have their own bulk RNA-seq count data, they can use the `simFromData()` function, otherwise, they can use `simFromParam()` estimating parameters from 3 existing studies to perform power evaluation on customized the simulation settings. If users prefer to quickly examine the power evaluation results using the built-in datasets, they can use the `quickPower()` function. The output of these 3 functions is a S4 object with a list of power measurements under various experimental settings, such as Statistical Power, TDR, and FDC.

Once users have obtained an S4 object with a list of power measurements using either `simFromData()`, `simFromParam()` or `quickPower()`, they can use the following functions to generate basic line plots: `plotPower()`, `plotTDR()` and `plotFDC()`.

**Author(s)**

Shilin Yu <sy597@georgetown.edu> Guanqun Meng <gxm324@case.edu> Wen Tang <wxt175@case.edu>

---

asd\_nopropPower

*Power calculation results From ASD data without cell type proportion*

---

**Description**

pre-calculated power evaluation results from ASD datasets. The obtained results can be used to create plots from plot functions.

**Usage**

```
data('quickPowerASD')
```

**Format**

A S4 object.

`ct_TDR_bio_smry` A data frame related to cell type specific target TDR.

`TDR_bio_smry` A data frame related to target TDR.

`ct_PWR_bio_smry` A data frame related to cell type specific target power.

`PWR_bio_smry` A data frame related to target power.

`PWR_strata_bio_smry` A data frame related to target power by gene expression stratification.

`PWR_strata_ct_bio_smry` A data frame related to cell type specific target power by gene expression stratification.

`ct_FDC_bio_smry` A data frame related to cell type specific target FDC.

`FDC_bio_smry` A data frame related to target FDC.

**Value**

One S4 object.

**Examples**

```
data('quickPowerASD')
```

---

asd_noprop_param	<i>Parameter estimate results from ASD data without cell type proportion</i>
------------------	--

---

**Description**

An S4 object that stores parameter estimates associated with the IBD dataset. This object contains a variety of numerical vectors and matrices representing different statistical parameters used in the simulation.

**Usage**

```
data('quickParaASD')
```

**Format**

Parameter estimate results from ASD for simFromParam function

health\_lm\_mean A numeric vector of the log mean parameter estimates for healthy samples.

health\_lm\_mean\_d A matrix containing the variance-covariance estimates for the healthy sample means.

lod\_m A numeric vector of log-dispersion parameter estimates.

lod\_d A numeric matrix includes the variance-covariance estimates for the dispersion parameters.

health\_alpha A numeric vector for the alpha parameter estimates associated with healthy samples.

health\_alpha A numeric vector for the alpha parameter estimates associated with case samples.

**Value**

One S4 object.

**Examples**

```
data('quickParaASD')
```

---

`ASD_prop`*SimFromData example raw input data*

---

**Description**

ASD\_prop contains a SummarizedExperiment object containing the following elements:

`counts` A gene expression value dataset From ASD, in the form of raw read counts, 29674 genes by 48 samples, with 24 cases and 24 controls

`colData` Sample meta-data. The first column is the group status (i.e. case/ctrl), the second column is the subject ID. The remaining are the cell type proportions of all samples.

**Usage**

```
data(ASD_prop_se)
```

**Format**

SE object.

**Value**

One SE object.

**Examples**

```
data(ASD_prop_se)
```

---

`cypress-class`*Classes for cypress Package*

---

**Description**

The `cypress_out` and `est_out` classes are custom S4 classes in the **cypress** package. both classes are designed as a comprehensive container for various types of analysis results.

**Value**

Class for cypress.

**cypress\_out**

**Description:** The `cypress_out` class is a S4 class in the **cypress** package. This class is customized to better present results and use for `cypress` plot functions.

**Slots:**

`ct_TDR_bio_smry` Cell type specific target TDR  
`TDR_bio_smry` Target TDR  
`ct_PWR_bio_smry` Cell type specific target power  
`PWR_bio_smry` Target power  
`PWR_strata_bio_smry` Target power by gene expression stratification  
`PWR_strata_ct_bio_smry` Cell type specific target power by gene expression stratification  
`ct_FDC_bio_smry` Cell type specific target FDC  
`FDC_bio_smry` Target FDC.

**est\_out**

**Description:** The `est_out` class is designed to output the parameter estimated results, providing a structured representation of results.

**Slots:**

`health_alpha` Control group proportion simulation parameter.  
`case_alpha` Case group proportion simulation parameter.  
`health_lmean_m` Mean of genetic distribution mean for each cell.  
`health_lmean_d` Var/cov of genetic distribution mean among cell types  
`lod_m` Mean of genetic distribution dispersion for each cell.  
`lod_d` Var/cov of genetic distribution dispersion among cell types.  
`sample_CT_prop` Matrix of sample Cell type proportions.  
`genename` Gene Name.  
`samplename` Sample Name.  
`CTname` Cell type names.  
`dimensions_Z_hat_ary` dimensions for the Z hat array.

**Author(s)**

Shilin Yu <sy597@georgetown.edu>

**Examples**

```
data(quickParaGSE60424)
```

---

cypress-methods	<i>Get a slot from cypress output</i>
-----------------	---------------------------------------

---

**Description**

Accessor function for getting or replace slots. Show methods for cypress object.

**Usage**

```
getcypress(object, name)
setcypress(object, name, value)
```

**Arguments**

object	object from cypress.
name	name of the slot in cypress object.
value	value of the slot in cypress object.

**Value**

Methods for cypress.

**Examples**

```
data(quickPowerIBD)

getcypress(ibd_propPower, "ct_TDR_bio_smry")
```

---

GSE60424Power	<i>Power calculation results from GSE60424 data</i>
---------------	---

---

**Description**

pre-calculated power evaluation results from GSE60424 datasets. The patients were drawn from subjects with a range of immune-related diseases. The obtained results can be used to create plots from plot functions.

**Usage**

```
data('quickPowerGSE60424')
```

**Format**

A S4 object.

ct\_TDR\_bio\_smry A data frame related to cell type specific target TDR.

TDR\_bio\_smry A data frame related to target TDR.

ct\_PWR\_bio\_smry A data frame related to cell type specific target power.

PWR\_bio\_smry A data frame related to target power.

PWR\_strata\_bio\_smry A data frame related to target power by gene expression stratification.

PWR\_strata\_ct\_bio\_smry A data frame related to cell type specific target power by gene expression stratification.

ct\_FDC\_bio\_smry A data frame related to cell type specific target FDC.

FDC\_bio\_smry A data frame related to target FDC.

**Value**

One S4 object.

**Examples**

```
data('quickPowerGSE60424')
```

---

GSE60424\_param

*Parameter estimate results from GSE60424*

---

**Description**

An S4 object that stores parameter estimates associated with the GSE60424 dataset. This object contains a variety of numerical vectors and matrices representing different statistical parameters used in the simulation. The patients were drawn from subjects with a range of immune-related diseases.

**Usage**

```
data('quickParaGSE60424')
```

**Format**

Parameter estimate results from GSE60424 for simFromParam function

health\_lm\_mean A numeric vector of the log mean parameter estimates for healthy samples.

health\_lm\_mean\_d A matrix containing the variance-covariance estimates for the healthy sample means.

lod\_m A numeric vector of log-dispersion parameter estimates.

lod\_d A numeric matrix includes the variance-covariance estimates for the dispersion parameters.

health\_alpha A numeric vector for the alpha parameter estimates associated with healthy samples.

health\_alpha A numeric vector for the alpha parameter estimates associated with case samples.



**Value**

One S4 object.

**Examples**

```
data('quickParaGSE60424')
```

---

ibd\_propPower

*Power calculation results from IBD data with cell type proportion*

---

**Description**

pre-calculated power evaluation results from IBD datasets. The obtained results can be used to create plots from plot functions.

**Usage**

```
data('quickPowerIBD')
```

**Format**

A S4 object.

ct\_TDR\_bio\_smry A data frame related to cell type specific target TDR.

TDR\_bio\_smry A data frame related to target TDR.

ct\_PWR\_bio\_smry A data frame related to cell type specific target power.

PWR\_bio\_smry A data frame related to target power.

PWR\_strata\_bio\_smry A data frame related to target power by gene expression stratification.

PWR\_strata\_ct\_bio\_smry A data frame related to cell type specific target power by gene expression stratification.

ct\_FDC\_bio\_smry A data frame related to cell type specific target FDC.

FDC\_bio\_smry A data frame related to target FDC.

**Value**

One S4 object.

**Examples**

```
data('quickPowerIBD')
```

---

ibd_prop_param	<i>Parameter estimate results from IBD data with cell type proportion</i>
----------------	---

---

**Description**

An S4 object that stores parameter estimates associated with the IBD dataset. This object contains a variety of numerical vectors and matrices representing different statistical parameters used in the simulation.

**Usage**

```
data('quickParaIBD')
```

**Format**

Parameter estimate results from IBD for the simFromParam function

health\_lm\_mean A numeric vector of the log mean parameter estimates for healthy samples.

health\_lm\_mean\_d A matrix containing the variance-covariance estimates for the healthy sample means.

lod\_m A numeric vector of log-dispersion parameter estimates.

lod\_d A numeric matrix includes the variance-covariance estimates for the dispersion parameters.

health\_alpha A numeric vector for the alpha parameter estimates associated with healthy samples.

health\_alpha A numeric vector for the alpha parameter estimates associated with case samples.

**Value**

One S4 object.

**Examples**

```
data('quickParaIBD')
```

---

plotFDC

*plotFDC: Generate FDC results figure*

---

## Description

Plot false discovery cost results. This function plots false discovery cost results in a 2x1 panel. The illustration of each plot from left to right:

1: False discovery cost(FDC) by effect size, each line represents cell type. Sample size to be fixed at 10 if `sample_size=10`.

2: False discovery cost(FDC) by top effect size, each line represents sample size. FDC was the average value across cell types.

## Arguments

`simulation_results`

A list of results produced by power evaluation functions.

`sample_size`

A numerical value indicating which sample size to be fixed. For example, 10 means when plotting the relationship between FDC and effect size, we fixed the scenario of sample size at 10. Default is 10.

## Value

This function does not return a value. It generates a two-panel plot visualizing the false discovery cost (FDC) results. The first panel shows the FDC by effect size for each cell type at a fixed sample size (default is 10). The second panel illustrates the FDC by the top effect sizes, with each line representing a different sample size, averaged across cell types.

## Author(s)

Wen Tang <wxt175@case.edu> Shilin Yu <sy597@georgetown.edu>

## Examples

```
data(quickPowerGSE60424)
### Plot power results
plotFDC(GSE60424Power, sample_size=10)
```

---

`plotPower`*plotPower: Generate statistical power results figure*

---

**Description**

This function plots all statistical power measurements in a 2x3 panel. The illustration of each plot from left to right and from up to bottom is as follows:

1: Statistical power by effect size, each line represents sample size. Statistical power was the average value across cell types.

2: Statistical power by effect size, each line represents cell type. Sample size is fixed at 10 if `sample_size=10`.

3: Statistical power by sample size, each line represents cell type. Effect size is fixed at 1 if `effect.size=1`.

4: Statistical power by strata, each line represents cell type. Sample size is fixed at 10 and effect size is fixed at 1 if `sample_size=10` and `effect.size=1`.

5: Statistical power by strata, each line represents sample size. Statistical power was the average value across cell types and effect size is fixed at 1 if `effect.size=1`.

6: Statistical power by strata, each line represents effect size. Statistical power was the average value across cell types and sample size is fixed at 10 if `sample_size=10`.

**Arguments**

<code>simulation_results</code>	A list of results produced by power evaluation functions.
<code>effect.size</code>	A numerical value indicating which effect size is to be fixed. For example, 1 means when plotting the relationship between power and strata, we fixed the scenario of log fold change at 1. The default is 1.
<code>sample_size</code>	A numerical value indicating which sample size to be fixed. For example, 10 means when plotting the relationship between power and strata, we fixed the scenario of sample size at 10. The default is 10.

**Value**

This function generates a 2x3 panel plot visualizing various statistical power measurements, but does not return a programmable value. Each panel displays power metrics under different conditions such as effect size, sample size, and stratification, with lines representing either sample size, cell type, or effect size.

**Author(s)**

Wen Tang <wxt175@case.edu> Shilin Yu <sy597@georgetown.edu>

**Examples**

```
data(quickPowerGSE60424)
### Plot power results
plotPower(GSE60424Power, effect.size=1, sample_size=10)
```

plotTDR

*plotTDR: Generate TDR results figure***Description**

This function plots all true discovery rate measurements in a 2x2 panel. The illustration of each plot is as follows:

- 1: True discovery rate(TDR) by top-rank genes, each line represents cell type. Sample size to be fixed at 10 and effect size to be fixed at 1 if sample\_size=10 and effect.size=1.
- 2: True discovery rate(TDR) by top rank genes, each line represents effect size. TDR was the average value across cell types and sample size is fixed at 10 if sample\_size=10.
- 3: True discovery rate(TDR) by top rank genes, each line represents sample size. TDR was the average value across cell types and effect size is fixed at 1 if effect.size=1.
- 4: True discovery rate(TDR) by effect size, each line represents sample size. TDR was calculated under the scenario of top rank gene equals 350.

**Arguments**

simulation_results	A list of results produced by power evaluation functions.
effect.size	A numerical value indicating which effect size is to be fixed. For example, 1 means when plotting the relationship between TDR and top rank genes for cell types or sample size, we fixed the scenario of log2 fold change at 1. The default is 1.
sample_size	A numerical value indicating which sample size to be fixed. For example, 10 means when plotting the relationship between TDR and top rank genes for cell types or effect size, we fixed the scenario of sample size at 10. The default is 10.

**Value**

This function creates a 2x2 panel plot showcasing various true discovery rate (TDR) measurements but does not return any values for further programmatic use. Each panel displays TDR analyses based on top rank genes, with lines representing different cell types, effect sizes, or sample sizes under specific conditions.

**Author(s)**

Wen Tang <wxt175@case.edu> Shilin Yu <sy597@georgetown.edu>

**Examples**

```
data(quickPowerGSE60424)
### Plot power results
plotTDR(GSE60424Power, effect.size=1, sample_size=10)
```

---

quickPower

---

*Obtain pre-calculated results from three available datasets*


---

**Description**

This function quickly outputs pre-calculated power evaluation results from three datasets: (IAD, IBD, and ASD). The obtained results can be used to create plots from plot functions.

**Usage**

```
quickPower(data = "IAD")
```

**Arguments**

**data** A character string specifying the dataset to be retrieved. Options are 'IAD', 'IBD', and 'ASD'.

**Details**

- IAD: Whole transcriptome signatures of 6 immune cell subsets. The patients were drawn from subjects with a range of immune-related diseases.
- IBD: Inflammatory Bowel Disease
- ASD: Autism Spectrum Disorder.

**Value**

**ct\_TDR\_bio\_smry** A data frame related to cell type specific target TDR.

**TDR\_bio\_smry** A data frame related to target TDR.

**ct\_PWR\_bio\_smry** A data frame related to cell type specific target power.

**PWR\_bio\_smry** A data frame related to target power.

**PWR\_strata\_bio\_smry** A data frame related to target power by gene expression stratification.

**PWR\_strata\_ct\_bio\_smry** A data frame related to cell type specific target power by gene expression stratification.

**ct\_FDC\_bio\_smry** A data frame related to cell type specific target FDC.

**FDC\_bio\_smry** A data frame related to target FDC.

**Author(s)**

Shilin Yu <sy597@georgetown.edu> Guanqun Meng <gxm324@case.edu>

**Examples**

```
# library(cypress)
Quick_power <- quickPower(data = "IAD")
```

---

simFromData	<i>Power calculation results on input data</i>
-------------	--

---

**Description**

This function conducts simulations with various user-defined study design parameters, Users will need to provide SE object bulk data for parameter estimation purposes.

**Usage**

```
simFromData(INPUTdata = NULL, CT_index = NULL, CT_unk = FALSE,
            n_sim = 3, n_gene = 30000, DE_pct = 0.05,
            ss_group_set = c(10, 20, 50, 100),
            lfc_set = c(0, 0.5, 1, 1.5, 2),
            lfc_target = 0.5, fdr_thred = 0.1,
            DEmethod = "TOAST",BPPARAM=bpparam())
```

**Arguments**

INPUTdata	The input SE (SummarizedExperiment) object should contain a count matrix, study design, and an optional cell type proportion matrix. The study design should have a column named 'disease', where the control by 1 and the case is indicated by 2. If provided, the cell type proportion matrix should sum to 1 for each sample. The cell type proportion matrix is optional, the CT_unk should be True if the user did not provide this matrix
CT_index	Column index for cell types proportion matrix in Coldata, the input can be a single number (>3) when the CT_unk is T.
CT_unk	Logical flag indicating whether unknown cell types are present. Defaults to FALSE.
n_sim	Total number of iterations users wish to conduct. Default to 3
n_gene	Total number of genetic features users wish to conduct. Default to 30000. Must be greater than or equal to 1000.
DE_pct	Percentage of DEG on each cell type. Default to 0.05.
ss_group_set	Sample sizes per group users wish to simulate. The length should be less than or equal to 5. Default to 10,20,50.
lfc_set	Effect sizes users wish to simulate. The length should be less than or equal to 5. Default to 0,0.5,1,1.5.

lfc_target	Target effect size, should be greater than or equal to 0. The absolute LFC lower than this values will be treated as None-DEGs. Default to 0.5
fdr_thred	Adjusted p value threshold, should not below 0 or exceed 1. Default to 0.1
DEmethod	Differential expression (DE) methods available include 'TOAST', 'DESeq2', and 'CeDAR'. The default method is 'TOAST'
BPPARAM	An instance of BiocParallelParam class, e.g. MulticoreParam, SnowParam, SerialParam, to facilitate parallel computing. If using Unix, MulticoreParam is recommended. Customized options within BiocParallelParam class is allowed. If not specified, the default back-end is retrieve.

### Details

One SummarizedExperiment object containing the following elements:

counts A gene expression value dataset

colData Sample meta-data. The first column is the group status (i.e. case/ctrl) named as 'disease', and the second column is the subject ID. The remaining are the cell type proportions of all samples. The user could also input the Column index for cell types proportion matrix in Coldata. Example: CT\_index= 3:8

### Value

ct_TDR_bio_smry	A data frame related to cell type specific target TDR.
TDR_bio_smry	A data frame related to target TDR.
ct_PWR_bio_smry	A data frame related to cell type specific target power.
PWR_bio_smry	A data frame related to target power.
PWR_strata_bio_smry	A data frame related to target power by gene expression stratification.
PWR_strata_ct_bio_smry	A data frame related to cell type specific target power by gene expression stratification.
ct_FDC_bio_smry	A data frame related to cell type specific target FDC.
FDC_bio_smry	A data frame related to target FDC.

### Author(s)

Shilin Yu <sy597@georgetown.edu> Guanqun Meng <gxm324@case.edu>

### Examples

```
data(ASD_prop_se)
result <- simFromData(INPUTdata = ASD_prop, CT_index = (seq_len(6) + 2),
CT_unk = FALSE, n_sim = 2, n_gene = 1000, DE_pct = 0.05,
ss_group_set = c(8,10), lfc_set = c(1, 1.5))
```



---

simFromParam *Power calculation results on pre-calculated parameters*

---

### Description

This function conducts simulations with various user-defined study design parameters, including but not limited to sample size, and log fold change.)

### Usage

```
simFromParam(n_sim = 3, n_gene = 30000, DE_pct = 0.05,
             ss_group_set = c(10, 20, 50, 100),
             lfc_set = c(0, 0.5, 1, 1.5, 2),
             sim_param = "IAD",
             lfc_target = 0.5, fdr_thred = 0.1,
             DEmethod = "TOAST", BPPARAM=bpparam())
```

### Arguments

n_sim	Total number of iterations users wish to conduct. Default to 3
n_gene	Total number of genetic features users wish to conduct. Default to 30000. Must be greater than or equal to 1000.
DE_pct	Percentage of DEG on each cell type. Default to 0.05.
ss_group_set	Sample sizes per group users wish to simulate. The length should be less than or equal to 5. Default to 10,20,50.
lfc_set	effect sizes users wish to simulate. The length should be less than or equal to 5. Default to 0,0.5,1,1.5.
sim_param	Users specify which embedded simulation parameters they wish to use. By default set to 'GSE60424_param', which is a cell line specific data. Other options include 'IBD' data, and 'ASD' data
lfc_target	Target effect size, should be greater than or equal to 0. The absolute LFC lower than this value will be treated as None-DEGs. Default to 0.5
fdr_thred	Adjusted p value threshold, should not be below 0 or exceed 1. default to 0.1
DEmethod	Differential expression (DE) methods available include 'TOAST', 'DESeq2', and 'CeDAR'. The default method is 'TOAST'
BPPARAM	An instance of BiocParallelParam class, e.g. MulticoreParam, SnowParam, SerialParam, to facilitate parallel computing. If using Unix, MulticoreParam is recommended. Customized options within BiocParallelParam class is allowed. If not specified, the default back-end is retrieve.

### Details

- GSE60424: Whole transcriptome signatures of 6 immune cell subsets. The patients were drawn from subjects with a range of immune-related diseases.
- IBD: Inflammatory Bowel Disease
- ASD: Autism Spectrum Disorder.



# Index

## \* datasets

- asd\_noprop\_param, 4
- asd\_nopropPower, 3
- ASD\_prop, 5
- GSE60424\_param, 8
- GSE60424Power, 7
- ibd\_prop\_param, 10
- ibd\_propPower, 9

## \* package

- cypress-package, 2

- AllClasses (cypress-class), 5
- asd\_noprop\_param, 4
- asd\_nopropPower, 3
- asd\_param (asd\_noprop\_param), 4
- ASD\_prop, 5
- ASD\_prop\_se (ASD\_prop), 5
- asdPower (asd\_nopropPower), 3
- cypress (cypress-package), 2
- cypress-class, 5
- cypress-methods, 7
- cypress-package, 2
- cypress\_out-class (cypress-class), 5

- est\_out-class (cypress-class), 5

- getcypress (cypress-methods), 7
- getcypress, cypress\_out-method (cypress-methods), 7
- getcypress, design\_in-method (cypress-methods), 7
- getcypress, est\_out-method (cypress-methods), 7
- GSE60424\_param, 8
- GSE60424Power, 7

- ibd\_param (ibd\_prop\_param), 10
- ibd\_prop\_param, 10
- ibd\_propPower, 9
- ibdPower (ibd\_propPower), 9

- plotFDC, 11
- plotPower, 12
- plotTDR, 13

- quickParaASD (asd\_noprop\_param), 4
- quickParaGSE60424 (GSE60424\_param), 8
- quickParaIBD (ibd\_prop\_param), 10
- quickPower, 14
- quickPowerASD (asd\_nopropPower), 3
- quickPowerGSE60424 (GSE60424Power), 7
- quickPowerIBD (ibd\_propPower), 9

- setcypress (cypress-methods), 7
- setcypress, cypress\_out-method (cypress-methods), 7
- setcypress, design\_in-method (cypress-methods), 7
- setcypress, est\_out-method (cypress-methods), 7
- show, cypress\_out-method (cypress-methods), 7
- show, est\_out-method (cypress-methods), 7
- simFromData, 15
- simFromParam, 17