

Package ‘dinoR’

May 15, 2024

Title Differential NOMe-seq analysis

Version 1.0.0

Description dinoR tests for significant differences in NOMe-seq footprints between two conditions, using genomic regions of interest (ROI) centered around a landmark, for example a transcription factor (TF) motif. This package takes NOMe-seq data (GCH methylation/protection) in the form of a Ranged Summarized Experiment as input. dinoR can be used to group sequencing fragments into 3 or 5 categories representing characteristic footprints (TF bound, nucleosome bound, open chromatin), plot the percentage of fragments in each category in a heatmap, or averaged across different ROI groups, for example, containing a common TF motif. It is designed to compare footprints between two sample groups, using edgeR's quasi-likelihood methods on the total fragment counts per ROI, sample, and footprint category.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.1

Suggests knitr, rmarkdown, testthat (>= 3.0.0)

Config/testthat/edition 3

VignetteBuilder knitr

Imports BiocGenerics, circlize, ComplexHeatmap, cowplot, dplyr, edgeR, GenomicRanges, ggplot2, Matrix, methods, rlang, stats, stringr, tibble, tidyr, tidyselect

Depends R (>= 4.3.0), SummarizedExperiment

LazyData false

biocViews NucleosomePositioning, Epigenetics, MethylSeq, DifferentialMethylation, Coverage, Transcription, Sequencing, Software

URL <https://github.com/xxxmichixxx/dinoR>

BugReports <https://github.com/xxxmichixxx/dinoR/issues>

git_url <https://git.bioconductor.org/packages/dinoR>

git_branch RELEASE_3_19

git_last_commit cb8acee

git_last_commit_date 2024-04-30

Repository Bioconductor 3.19

Date/Publication 2024-05-15

Author Michaela Schwaiger [aut, cre] (<<https://orcid.org/0000-0002-4522-7810>>)

Maintainer Michaela Schwaiger <michaela.schwaiger@fmi.ch>

Contents

dinoR-package	2
compareFootprints	3
createExampleData	4
diNOMeTest	5
footprintCalc	6
footprintPerc	7
footprintQuant	9
fpPercHeatmap	10
metaPlots	11
NomeData	12

Index	13
--------------	-----------

dinoR-package	<i>dinoR</i>
---------------	--------------

Description

dinoR tests for significant differences in NOME-seq footprints between two conditions, using genomic regions of interest (ROI) centered around a landmark, for example a transcription factor (TF) motif. This package takes NOME-seq data (GCH methylation/protection) in the form of a Ranged Summarized Experiment as input. dinoR can be used to group sequencing fragments into 3 or 5 categories representing characteristic footprints (TF bound, nucleosome bound, open chromatin), plot the percentage of fragments in each category in a heatmap, or averaged across different ROI groups, for example, containing a common TF motif. It is designed to compare footprints between two sample groups, using edgeR's quasi-likelihood methods on the total fragment counts per ROI, sample, and footprint category.

Author(s)

Michaela Schwaiger

See Also

Useful links:

- <https://github.com/xxxmichixxx/dinoR>
- Report bugs at <https://github.com/xxxmichixxx/dinoR/issues>

compareFootprints *compareFootprints*

Description

Compare each footprint pattern in WT and KO samples (percentages and diNOMeTest results).

Usage

```
compareFootprints(  
  footprint_percentages,  
  res,  
  WTsamples = c("WT_1", "WT_2"),  
  KOsamples = c("KO_1", "KO_2"),  
  plotcols,  
  facetROIgroup = FALSE,  
  plot = TRUE  
)
```

Arguments

footprint_percentages	A tibble where each column corresponds to a sample-footprint percentage and each row to a ROI, with the rows clustered by similarity.
res	A tibble with the results of differential fragment count testing for each ROI-footprint combination.
WTsamples	The control sample names.
KOsamples	The treatment sample names.
plotcols	A character vector of colors to be used for distinguishing the ROI groups (has to be the same length as there are ROI groups).
facetROIgroup	If TRUE, split the plots for each pattern by ROI group.
plot	If TRUE, will output a plot.

Details

Plots the percentages of reads in each ROI in WT versus KO samples (mean of two replicates) in each footprint pattern. The color indicates the ROI group and the shape the results of the diNOMe-Test.

Value

A scatter plot for each footprint pattern comparing WT and KO percentages and significance test results.

Examples

```
NomeData <- createExampleData()
NomeData <- footprintCalc(NomeData)
NomeData <- footprintQuant(NomeData)
res <- diNOMeTest(NomeData,
  WTsamples = c("WT_1", "WT_2"),
  KOsamples = c("KO_1", "KO_2")
)
footprint_percentages <- footprintPerc(NomeData)
compareFootprints(footprint_percentages, res,
  plotcols = "black", plot = TRUE)
```

<code>createExampleData</code>	<i>createExampleData</i>
--------------------------------	--------------------------

Description

Creates an RSE object with mock NOME-seq data.

Usage

```
createExampleData(
  samples = c("WT_1", "WT_2", "KO_1", "KO_2"),
  group = c("WT", "WT", "KO", "KO"),
  nROI = 4,
  randomMeth = TRUE
)
```

Arguments

<code>samples</code>	The sample names.
<code>group</code>	The sample group names.
<code>nROI</code>	The number of ROIs that should be constructed.
<code>randomMeth</code>	Logical indicating whether the methylation/protection values should be randomly generated.

Details

Creates an RSE object with mock NOME-seq data.

Value

RSE object with mock data.

Examples

```
createExampleData()
```

diNOMeTest

diNOMeTest

Description

Tests for differences in fragment counts for each NOME footprint pattern compared to total fragment counts in two conditions.

Usage

```
diNOMeTest(
  footprint_counts,
  WTsamples = c("WT_1", "WT_2"),
  KOsamples = c("KO_1", "KO_2"),
  minreads = 1,
  meanreads = 1,
  prior.count = 3,
  FDR = 0.05,
  FC = 2,
  combineNucCounts = FALSE
)
```

Arguments

footprint_counts	A Summarized Experiment containing the sample names (colData), ROI names (rowData), and number of fragments in each NOME footprint pattern category (assays). For example the output of the (footprintQuant) function.
WTsamples	The control sample names as they appear in (colData(footprint_counts)\$samples).
KOsamples	The treatment sample names as they appear in (colData(footprint_counts)\$samples).
minreads	The minimum number of fragments to which a footprint could be assigned a ROI must have in all samples. All other ROIs are filtered out before the differential NOME analysis.
meanreads	The minimum number of fragments to which a footprint could be assigned a ROI must on average across all samples. All other ROIs are filtered out before the differential NOME analysis.
prior.count	The pseudocount used for (edgeR::glmQLFit).

FDR	The FDR cutoff for a ROI - footprint combination to be called regulated in the output.
FC	The fold change cutoff for a ROI - footprint combination to be called regulated in the output.
combineNucCounts	If TRUE, the upNuc, downNuc, and Nuc fragment counts will be combined into the Nuc category.

Details

Uses edgeR's quasi-likelihood methods to conveniently test for differential proportions of each one of 5 (or 3, if nucleosome footprints are combined) distinct footprints between at least two control and at least two treatment samples.

Value

A tibble with the results of differential fragment count testing for each ROI-footprint combination.

Examples

```
NomeData <- createExampleData()
NomeData <- footprintCalc(NomeData)
footprint_counts <- footprintQuant(NomeData)
diNOMeTest(footprint_counts,
  WTsamples = c("WT_1", "WT_2"),
  KOsamples = c("KO_1", "KO_2")
)
```

footprintCalc

footprintCalc

Description

Assign a footprint type to each fragment based on GCH protection values in pre-defined windows.

Usage

```
footprintCalc(
  NomeData,
  window_1 = c(-50, -25),
  window_2 = c(-8, 8),
  window_3 = c(25, 50)
)
```

Arguments

NomeData	A Ranged Summarized Experiment (RSE) with an entry for each ROI. The (rowData) should contain information about each ROI, including a ROIgroup. The (assays) should contain at least (nFragmentsAnalyzed) and (reads). (nFragmentsAnalyzed) describes the number of fragments that were analyzed for each sample/ROI combination. (reads) contains a Gpos object for each sample/ROI combination, with a position for each base in the ROI and two metadata columns (protection and methylation). protection is a sparse logical matrix where TRUE stands for Cs protected from methylation, and methylation is a sparse logical matrix where TRUE stands for methylated Cs.
window_1	Integer vector with two elements representing start and end positions of the first window relative to the ROI center.
window_2	Integer vector with two elements representing start and end positions of the second window relative to the ROI center.
window_3	Integer vector with two elements representing start and end positions of the third window relative to the ROI center.

Details

Selects 3 windows (default is -50:-25, -8:8, 25:50) around the center of the provided region of interest (ROI) and calculates the average GCH methylation protection for a given fragment across all GCHs in each window. If it is above 0.5 the window is deemed protected, below 0.5, unprotected. Depending on the protection pattern in all windows, a read is put into one of 5 footprint categories: tf bound (0 - 1 - 0), open chromatin (0 - 0 - 0), downstream positioned nucleosome (1 - 1 - 0), other nucleosome (1 - 1 - 1, 1 - 0 - 0, 0 - 0 - 1, 1 - 0 - 1), and upstream positioned nucleosome (0 - 1 - 1).

Value

The Ranged Summarized Experiment with an assay "footprints" added, which contains a footprint type assigned to each fragment.

Examples

```
NomeData <- createExampleData()
footprintCalc(NomeData)
```

footprintPerc

footprintPerc

Description

Calculates the percentage of all fragments in a ROI-sample combination corresponding to each footprint pattern.

Usage

```
footprintPerc(
  footprint_counts,
  minreads = 1,
  meanreads = 1,
  ROIgroup = "motif",
  combineNucCounts = FALSE
)
```

Arguments

footprint_counts	A Summarized Experiment containing the sample names (colData), ROI names (rowData), and number of fragments in each NOME footprint pattern category as assays. For example the output of the (footprintQuant) function.
minreads	The minimum number of fragments to which a footprint could be assigned a ROI must have in all samples. All other ROIs are removed.
meanreads	The minimum number of fragments to which a footprint could be assigned a ROI must have on average across all samples. All other ROIs are removed.
ROIgroup	Column name of a metadata column in the (rowData) of the RSE, describing a group each ROI belongs to, for example, different transcription factor motifs at the center of the ROI.
combineNucCounts	If TRUE, the upNuc, downNuc, and Nuc fragment counts will be combined into the Nuc category.

Details

Calculates the percentage of all fragments in a ROI-sample combination in each footprint pattern. Then turns the table into wide format, where each column corresponds to a sample-footprint percentage and each row to a ROI and clusters the rows by similarity.

Value

A tibble where each column corresponds to a sample-footprint percentage and each row to a ROI.

Examples

```
NomeData <- createExampleData()
NomeData <- footprintCalc(NomeData)
footprint_counts <- footprintQuant(NomeData)
footprintPerc(footprint_counts)
```

footprintQuant	<i>footprintQuant</i>
----------------	-----------------------

Description

Quantify the footprint types.

Usage

```
footprintQuant(NomeData)
```

Arguments

NomeData	A Ranged Summarized Experiment (RSE) with an entry for each ROI. The (rowData) should contain information about each ROI, including a ROIgroup. The (assays) should contain at least (nFragmentsAnalyzed) and (reads). (nFragmentsAnalyzed) describes the number of fragments that were analyzed for each sample/ROI combination. (reads) contains a Gpos object for each sample/ROI combination, with a position for each base in the ROI and two metadata columns (protection and methylation). protection is a sparse logical matrix where TRUE stands for Cs protected from methylation, and methylation is a sparse logical matrix where TRUE stands for methylated Cs. In addition, there must be an assay called "footprints", which contains the assigned footprint ("tf", "open", "upNuc", "Nuc", "downNuc") for each fragment (generated using the footprintCalc function).
----------	---

Details

Count the number of fragments corresponding to a footprint type for each sample-ROI combination.

Value

The Ranged Summarized Experiment with an assay added for each footprint type, containing the number of fragments that contain that footprint. An assay with the total number of pattern-able fragments ("all") is also added. tf = transcription factor footprint open = open chromatin footprint upNuc = upstream nucleosome footprint downNuc = downstream nucleosome footprint Nuc = other nucleosome footprints

Examples

```
NomeData <- createExampleData()
NomeData <- footprintCalc(NomeData)
footprintQuant(NomeData)
```

fpPercHeatmap	<i>fpPercHeatmap</i>
---------------	----------------------

Description

Draws heatmaps of the percentages of all fragments in a ROI-sample combination in each footprint pattern.

Usage

```
fpPercHeatmap(
  footprint_percentages,
  breaks = rep(list(c(0, 50, 100)), 5),
  plotcols = c("#236467", "#AA9B39", "#822B56", "#822B26", "#822B99")
)
```

Arguments

footprint_percentages	A tibble where each column corresponds to a sample-footprint percentage and each row to a ROI, with the rows clustered by similarity.
breaks	A list of vectors indicating numeric breaks used in (ColorRamp2) to define the heatmap color gradient, with one element per pattern (usually 5, or 3 if the nucleosome patterns have been combined).
plotcols	A character vector of 5 colors to be used for the heatmaps of the 5 footprint patterns ("tf", "open", "upNuc", "Nuc", "downNuc"), or 3 colors if the nucleosome patterns have been combined.

Details

Draws heatmaps of the percentages of all fragments in a ROI-sample combination in each footprint pattern supplied (for example: "tf", "open", "upNuc", "Nuc", "downNuc"). The rows of the heatmaps are split by ROI group.

Value

Heatmaps of the percentages of all fragments in a ROI-sample combination in each footprint pattern.

Examples

```
NomeData <- createExampleData()
NomeData <- footprintCalc(NomeData)
NomeData <- footprintQuant(NomeData)
footprint_percentages <- footprintPerc(NomeData)
fpPercHeatmap(footprint_percentages)
```

 metaPlots

metaPlots

Description

Plot the summarized GCH methylation protections across selected ROIs.

Usage

```
metaPlots(NomeData, nr = 2, nROI = 2, ROIgroup = "motif", span = 0.05)
```

Arguments

NomeData	A Ranged Summarized Experiment (RSE) with an entry for each ROI. The (rowData) should contain information about each ROI, including a ROIgroup. The (assays) should contain at least (nFragmentsAnalyzed) and (reads). (nFragmentsAnalyzed) describes the number of fragments that were analyzed for each sample/ROI combination. (reads) contains a Gpos object for each sample/ROI combination, with a position for each base in the ROI and two metadata columns (protection and methylation). protection is a sparse logical matrix where TRUE stands for Cs protected from methylation, and methylation is a sparse logical matrix where TRUE stands for methylated Cs.
nr	Integer used as a cutoff to filter sample ROI combinations that have less than (nr) fragments analyzed (nFragmentsAnalyzed column).
nROI	The number of ROIs that need to have a GpC methylation measurement at a given position for this position to be included in the plot.
ROIgroup	Column name of a metadata column in the rowData of the RSE, describing a group each ROI belongs to, for example, different transcription factor motifs at the center of the ROI.
span	The (span) option to be used for the (loess) function (to draw a line through the datapoints).

Details

Summarizes the GCH methylation protections across selected ROIs.

Value

A tibble with the methylation protection profiles summarized across all ROIs in a certain group.

Examples

```
NomeData <- createExampleData()
metaPlots(NomeData)
```

NomeData

NOMeseq data for WT and AdnpKO mouse ES cells

Description

WT and AdnpKO mouse ES cells were subjected to guided NOME-seq. 1500 regions were targeted using guideRNAs and Cas9, and bisulfite sequenced in 300bp paired-end mode. Reads were mapped to the genome using `biscuit`. Then we used `UMI-tools` to remove duplicated UMIs. The GCH protection was determined using the `fetch-NOME` package, using the 1500 ROIs as input regions. The ROIs were all 600bp long, and centered around a transcription factor motif. The resulting tibble was converted into a `RangedSummarizedExperiment` using the `NOMEConverter` package. To reduce file size, data were filtered to only those ROIs containing 20-180 fragments.

Usage

```
data(NomeData)
```

Format

NomeData:

A `RangedSummarizedExperiment` with 219 ROIs and 4 samples:

colData sample names

rowData ROI names with the format: TFmotif_chromosome_start_end and motif type

assays nFragmentsAnalyzed: number of fragments that were analyzed for GCH methylation protection, reads: a `Gpos` element for every sample-ROI combination

GPos_GCH_DataMatrix `GPos` elements with 'protection' metadata column containing a sparse logical matrix indicating if a GCH was protected from methylation and a 'methylation' column containing a sparse logical matrix indicating if a GCH was methylated. The `GPos` has data for every position from 300bp upstream to 300bp downstream around a CTCF motif center.

Value

A `RangedSummarizedExperiment` with 219 ROIs and 4 samples

Source

generated by Lucas Kaaij

Index

* **datasets**

NomeData, [12](#)

* **internal**

dinoR-package, [2](#)

compareFootprints, [3](#)

createExampleData, [4](#)

diNOMeTest, [5](#)

dinoR (dinoR-package), [2](#)

dinoR-package, [2](#)

footprintCalc, [6](#)

footprintPerc, [7](#)

footprintQuant, [9](#)

fpPercHeatmap, [10](#)

metaPlots, [11](#)

NomeData, [12](#)