

Package ‘GeomxTools’

January 26, 2022

Title NanoString GeoMx Tools

Description Tools for NanoString Technologies GeoMx Technology. Package provides functions for reading in DCC and PKC files based on an ExpressionSet derived object. Normalization and QC functions are also included.

Version 2.1.0

Encoding UTF-8

Depends R (>= 3.6), Biobase, NanoStringNCTools, S4Vectors

Imports BiocGenerics, rjson, readxl, EnvStats, reshape2, methods, utils, stats, data.table, outliers, lmerTest, dplyr

Suggests rmarkdown, knitr, testthat (>= 3.0.0), parallel, ggiraph

License MIT

Collate DccMetadata.R NanoStringGeoMxSet-class.R
NanoStringGeoMxSet-validity.R NanoStringGeoMxSet-accessors.R
NanoStringGeoMxSet-qc.R NanoStringGeoMxSet-autoplot.R
NanoStringGeoMxSet-aggregate.R NanoStringGeoMxSet-signatures.R
NanoStringGeoMxSet-normalize.R NanoStringGeoMxSet-de.R
readDccFile.R readPKCFile.R readNanoStringGeoMxSet.R
writeNanoStringGeoMxSet.R utils.R

biocViews GeneExpression, Transcription, CellBasedAssays, DataImport, Transcriptomics, Proteomics, mRNA Microarray, Proprietary Platforms, RNASeq, Sequencing, Experimental Design, Normalization

VignetteEngine knitr::rmarkdown

VignetteBuilder knitr

RoxygenNote 7.1.1

Config/testthat/edition 3

git_url <https://git.bioconductor.org/packages/GeomxTools>

git_branch master

git_last_commit f786ad8

git_last_commit_date 2021-10-26

Date/Publication 2022-01-26

Author Nicole Ortogero [cre, aut],
Zhi Yang [aut]

Maintainer Nicole Ortogero <nortogero@nanosttring.com>

R topics documented:

aggregateCounts	2
checkQCFlags	3
checkQCFlags,NanoStringGeoMxSet-method	4
countsShiftedByOne	4
logtBase	5
mixedModelDE	6
NanoStringGeoMxSet-class	7
ngeoMean	9
ngeoSD	10
normalize,NanoStringGeoMxSet-method	10
readDccFile	11
readNanoStringGeoMxSet	12
readPKCFile	14
setBackgroundQCFlags	15
setBioProbeQCFlags	15
setGeoMxQCFlags	16
setQCFlags,NanoStringGeoMxSet-method	17
setSegmentQCFlags	18
setSeqQCFlags	18
shiftCountsOne	19
summarizeNegatives	20
writeNanoStringGeoMxSet	21
Index	23

aggregateCounts	<i>Aggregate probe counts to target level for feature data</i>
-----------------	--

Description

Aggregate probe counts to target level for feature data

Usage

```
aggregateCounts(object, FUN = ngeoMean)
```

Arguments

object	name of the NanoStringGeoMxSet object to aggregate
FUN	function to use for count aggregation

Value

a NanoStringGeoMxSet object with targets as features

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package="GeomxTools")
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
targetGeoMxSet <- aggregateCounts(demoData)
```

checkQCFlags	<i>Check QC Flags in the GeoMxSet and removes the probe or sample from the object</i>
--------------	---

Description

Check QC Flags in the GeoMxSet and removes the probe or sample from the object

Usage

```
checkQCFlags(object, ...)
```

Arguments

object	name of the NanoStringGeoMxSet object to check the QC Flags
...	for other arguments

Value

a NanoStringGeoMxSet object probes and samples failing QC removed

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package = "GeomxTools"
                      )
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
QCobject <- checkQCFlags(demoData)
```

checkQCFlags, NanoStringGeoMxSet-method
checkQCFlags

Description

checkQCFlags

Usage

```
## S4 method for signature 'NanoStringGeoMxSet'
checkQCFlags(object, removeLowLocalOutliers = FALSE, ...)
```

Arguments

object name of the NanoStringGeoMxSet object to check the QC Flags
removeLowLocalOutliers
 logical, if TRUE it sets outlier counts to zero, default is FALSE,
... optional arguments

Value

NanoStringGeoMxSet

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
  package = "GeomxTools"
)
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
QCobject <- checkQCFlags(demoData)
```

countsShiftedByOne *Accessor to check if "exprs" assDataElement was shifted by one*

Description

Accessor to check if "exprs" assDataElement was shifted by one

Usage

```
countsShiftedByOne(object)
```

Arguments

object name of the NanoStringGeoMxSet object

Value

boolean indicating if counts in default matrix were shifted by one

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",  
                      package="GeomxTools")  
demoData <- readRDS(file.path(datadir, "/demoData.rds"))  
countsShiftedByOne(demoData)
```

logtBase

Get take the log of a numeric vector

Description

Get take the log of a numeric vector

Usage

```
logtBase(x, thresh = 0.5, base = 2)
```

Arguments

x	numeric vector
thresh	minimum numeric value greater than 0 to have in vector
base	numeric value indicating base to log with

Value

numeric vector with logged values

Examples

```
logtBase(c(0, 1, 2, 2), thresh=0.1, base=10)
```

 mixedModelDE

Run a mixed model on GeoMxSet

Description

Run a mixed model on GeoMxSet

Usage

```
mixedModelDE(
  object,
  elt = "exprs",
  modelFormula = NULL,
  groupVar = "group",
  nCores = 1,
  multiCore = TRUE,
  pAdjust = "BY",
  pairwise = TRUE
)
```

Arguments

<code>object</code>	name of the object class to perform QC on 1. NanoStringGeoMxSet, use the NanoStringGeoMxSet class
<code>elt</code>	assayDataElement of the geoMxSet object to run the DE on
<code>modelFormula</code>	formula used in DE, if null, the design(object) is used
<code>groupVar</code>	= "group", sample annotation to group the data for comparing means
<code>nCores</code>	= 1, number of cores to use, set to 1 if running in serial mode
<code>multiCore</code>	= TRUE, set to TRUE to use multiCore, FALSE to run in cluster mode
<code>pAdjust</code>	= "BY" method for p-value adjustment
<code>pairwise</code>	boolean to calculate least-square means pairwise differences

Value

mixed model output list

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data", package = "GeomxTools")
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
target_demoData <- aggregateCounts(demoData)
target_demoData <- normalize(target_demoData, norm_method="quant")
target_demoData <- target_demoData[1:100, ]
pData(target_demoData)[["slide"]] <-
  factor(pData(target_demoData)[["slide name"]])
protocolData(target_demoData)[["pool_rep"]] <-
```

```

    factor(protocolData(target_demoData)[["pool_rep"]])
mixedOutmc <- mixedModelDE(target_demoData,
    elt = "exprs_norm",
    modelFormula = ~ pool_rep + (1 | slide),
    groupVar = "pool_rep",
    nCores = 12,
    multiCore = TRUE,
    pAdjust = NULL
)

```

NanoStringGeoMxSet-class

Class to Contain NanoString Spatial Expression Level Assays

Description

The NanoStringGeoMxSet class extends the [ExpressionSet](#) class for NanoString GeoMx Digital Count Conversion (DCC) data.

Usage

```

NanoStringGeoMxSet(assayData,
    phenoData=Biobase::annotatedDataFrameFrom(assayData, byrow=FALSE),
    featureData=Biobase::annotatedDataFrameFrom(assayData, byrow=TRUE),
    experimentData=Biobase::MIAME(),
    annotation=character(),
    protocolData=Biobase::annotatedDataFrameFrom(assayData, byrow=FALSE),
    dimLabels=c("TargetName", "SampleID"),
    signatures=SignatureSet(),
    design=NULL,
    featureType="Probe",
    ...)

```

Arguments

assayData	A matrix or environment containing the DCCs.
phenoData	An AnnotatedDataFrame containing the phenotypic data of areas of interest.
featureData	An AnnotatedDataFrame containing target information; target name, accession number, functional groups, etc.
experimentData	An optional MIAME instance with meta-data about the experiment.
annotation	A character string for the PKC file(s).
protocolData	An AnnotatedDataFrame containing meta-data about the protocol and sequencing; columns could include "FileVersion", "SoftwareVersion", "Date", "Plate_ID", "Well", "SeqSetId", "trimGaloreOpts", "flash20pts", "umiExtractOpts", "boxtie20pts", "Raw", "Trimmed", "Stitched", "Aligned", "umiQ30", "rtsQ30".

dimLabels	A character vector of length 2 that provides the column names to use as labels for the features and samples respectively in the autoplot method.
signatures	An optional SignatureSet object containing signature definitions.
design	An optional one-sided formula representing the experimental design based on columns from phenoData
featureType	A character string indicating if features are on "Probe" or "Target" level
...	Additional arguments for ExpressionSet .

Value

An S4 class containing data from a NanoString GeoMx experiment

Accessing

In addition to the standard [ExpressionSet](#) accessor methods, NanoStringGeoMxSet objects have the following:

sData(object): extracts the data.frame containing the sample data, cbind(pData(object), pData(protocolData(object))).

svarLabels(object): extracts the sample data column names, c(varLabels(object), varLabels(protocolData(object))).

dimLabels(object): extracts the column names to use as labels for the features and samples.

dimLabels(object) <- value: replaces the dimLabels of the object.

featureType(object): extracts the featureType of the object.

featureType(object) <- value: replaces the featureType of the object.

signatures(object): extracts the [SignatureSet](#) of the object.

signatures(object) <- value: replaces the [SignatureSet](#) of the object.

signatureScores(object, elt="exprs"): extracts the matrix of computed signature scores.

design(object): extracts the one-sided formula representing the experimental design based on columns from [phenoData](#).

design(object) <- value: replaces the one-sided formula representing the experimental design based on columns from [phenoData](#).

signatureGroups(object): extract the groups of [SignatureSet](#).

signatureGroups(object) <- value : replaces the groups of [SignatureSet](#).

Author(s)

Zhi Yang & Nicole Ortogero

See Also

[readNanoStringGeoMxSet](#), [ExpressionSet](#)

Examples

```

# Create NanoStringGeoMxSet from data files
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package="GeomxTools")
dccFiles <- dir(datadir, pattern=".dcc$", full.names=TRUE)
pkc <- unzip(zipfile = file.path(datadir, "/pkcs.zip"))
sampleAnnotationFile <- file.path(datadir, "annotations.xlsx")

dccFileColumn <- "Sample_ID"

dccSet <- readNanoStringGeoMxSet(dccFiles=dccFiles,
                                pkcFiles=pkc,
                                phenoDataFile=sampleAnnotationFile,
                                phenoDataSheet="CW005",
                                phenoDataDccColName=dccFileColumn,
                                protocolDataColNames=c("aoi", "cell_line",
                                                       "roi_rep", "pool_rep",
                                                       "slide_rep"),
                                experimentDataColNames="panel",
                                phenoDataColPrefix="")

# Accessing sample data and column names
head(sData(dccSet))
svarLabels(dccSet)
featureType(dccSet)

# Accessing number of samples and features
dim(dccSet)

```

ngeoMean

Get the geometric mean of a vector

Description

Get the geometric mean of a vector

Usage

```
ngeoMean(x, thresh = 0.5)
```

Arguments

x	numeric vector
thresh	minimum numeric value greater than 0 to have in vector

Value

numeric geometric mean of vector

Examples

```
ngeoMean(c(0, 1, 2, 2), thresh=0.1)
```

ngeoSD	<i>Get the geometric standard deviation of a vector</i>
--------	---

Description

Get the geometric standard deviation of a vector

Usage

```
ngeoSD(x, thresh = 0.5)
```

Arguments

x	numeric vector
thresh	minimum numeric value greater than 0 to have in vector

Value

numeric geometric standard deviation of vector

Examples

```
ngeoSD(c(0, 1, 2, 2), thresh=0.1)
```

normalize,NanoStringGeoMxSet-method	<i>normalize</i>
-------------------------------------	------------------

Description

normalize GeoMxSet using different normalization methods

Usage

```
## S4 method for signature 'NanoStringGeoMxSet'
normalize(
  object,
  norm_method = c("quant", "neg", "hk", "subtractBackground"),
  data_type = c("RNA", "protein"),
  fromElt = "exprs",
  toElt = "exprs_norm",
  housekeepers = HOUSEKEEPERS,
  ...
)
```

Arguments

object	name of the object class to perform normalization on
norm_method	the normalization method to be applied on the object
data_type	the data type of the object. Values maybe RNA, protein.
fromElt	name of the assayDataElement to normalize
toElt	name of the assayDataElement to store normalized values
housekeepers	optional vector of housekeeper target names
...	optional arguments

Value

a NanoStringGeoMxSet object with normalized counts and normalized factors

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
  package = "GeomxTools"
)
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
norm_object <- normalize(demoData)
```

readDccFile

Read DCC File

Description

Read a NanoString GeoMx Digital Count Conversion (DCC) file.

Usage

```
readDccFile(file)
```

Arguments

file	A character string containing the path to the DCC file.
------	---

Value

A list object with two elements:

"Header" a data.frame object containing the protocol and sequencing information.

"Code_Summary" a data.frame object containing the target probe counts.

Author(s)

Zhi Yang & Nicole Ortogero

See Also

[readNanoStringGeoMxSet](#)

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package="GeomxTools")
dccFiles <- dir(datadir, pattern=".dcc$", full.names=TRUE)
dccData <- sapply(dccFiles, readDccFile, simplify = FALSE)
```

```
readNanoStringGeoMxSet
```

Read 'NanoStringGeoMxSet'

Description

Create an instance of class [NanoStringGeoMxSet](#) by reading data from NanoString GeoMx Digital Count Conversion (DCC) data.

Usage

```
readNanoStringGeoMxSet(dccFiles, pkcFiles, phenoDataFile,
                       phenoDataSheet, phenoDataDccColName = "Sample_ID",
                       phenoDataColPrefix = "", protocolDataColNames = NULL,
                       experimentDataColNames = NULL, ...)
```

Arguments

dccFiles	A character vector containing the paths to the DCC files.
pkcFiles	An optional character string representing the path to the corresponding PKC file.
phenoDataFile	An optional character string representing the path to the corresponding phenotypic excel data file.
phenoDataSheet	An optional character string representing the excel sheet name containing the phenotypic data.
phenoDataDccColName	Character string identifying unique sample identifier column in phenoDataFile.
phenoDataColPrefix	An optional prefix to add to the phenoData column names to distinguish them from the names of assayData matrices, featureData columns, and protocolData columns.
protocolDataColNames	Character list of column names from phenoDataFile containing data about the experimental protocol or sequencing data.
experimentDataColNames	Character list of column names from phenoDataFile containing data about the experiment's meta-data.
...	Optional parameters to pass to readxl::read_xlsx function for annotation read in

Value

An instance of the [NanoStringGeoMxSet](#) class.

Author(s)

Zhi Yang & Nicole Ortogero

See Also

[NanoStringGeoMxSet](#)

Examples

```
# Data file paths
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package="GeomxTools")
dccFiles <- dir(datadir, pattern=".dcc$", full.names=TRUE)
pkc <- unzip(zipfile = file.path(datadir, "/pkcs.zip"))
sampleAnnotationFile <- file.path(datadir, "annotations.xlsx")

dccFileColumn <- "Sample_ID"

dccSet <- readNanoStringGeoMxSet(dccFiles=dccFiles,
                                pkcFiles=pkc,
                                phenoDataFile=sampleAnnotationFile,
                                phenoDataSheet="CW005",
                                phenoDataDccColName=dccFileColumn,
                                protocolDataColNames=c("aoi", "cell_line",
                                                       "roi_rep", "pool_rep",
                                                       "slide_rep"),
                                experimentDataColNames="panel",
                                phenoDataColPrefix="")

# All data
dccSet <- readNanoStringGeoMxSet(dccFiles, pkcFile = pkc,
                                phenoDataFile = sampleAnnotationFile,
                                phenoDataSheet="CW005")

varLabels(dccSet)

# All data with phenoData prefix
dccSetPhenoPrefix <- readNanoStringGeoMxSet(dccFiles,
                                             pkcFile = pkc,
                                             phenoDataFile = sampleAnnotationFile,
                                             phenoDataSheet="CW005",
                                             phenoDataColPrefix = "PHENO_")

varLabels(dccSetPhenoPrefix)
```

readPKCFile	<i>Read PKC File</i>
-------------	----------------------

Description

Read a NanoString Probe Kit Configuration (PKC) file.

Usage

```
readPKCFile(file)
```

Arguments

file	A character string containing the path to the PKC file.
------	---

Value

An instance of the [DataFrame](#) class containing columns:

"RTS_ID"	unique probe ID
"TargetName"	target or gene name
"Module"	PKC name
"Negative"	negative probe
...	additional columns

Author(s)

Zhi Yang & Nicole Ortogero

See Also

[readNanoStringGeoMxSet](#)

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",  
                      package="GeomxTools")  
pkc <- unzip(zipfile = file.path(datadir, "/pkcs.zip"))  
PKCData <- readPKCFile(pkc)
```

setBackgroundQCFlags *Add background QC flags to NanoStringGeoMxSet object protocol data*

Description

Add background QC flags to NanoStringGeoMxSet object protocol data

Usage

```
setBackgroundQCFlags(object, qcCutoffs = DEFAULTS)
```

Arguments

object	name of the NanoStringGeoMxSet object to perform QC on
qcCutoffs	a list of qc cutoffs to use <ol style="list-style-type: none"> 1. minNegativeCount, numeric to flag segments with less than this number of counts 2. maxNTCCount, numeric to flag segments with more than this number of NTC counts

Value

NanoStringGeoMxSet object with QCFlags data frame appended to protocolData

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
  package="GeomxTools")
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
setBackgroundQCFlags(demoData,
  qcCutoffs=list(minNegativeCount=10,
    maxNTCCount=60))
```

setBioProbeQCFlags *Add probe QC flags to NanoStringGeoMxSet object feature data*

Description

Add probe QC flags to NanoStringGeoMxSet object feature data

Usage

```
setBioProbeQCFlags(object, qcCutoffs = DEFAULTS, removeLocalOutliers = TRUE)
```

Arguments

object	name of the NanoStringGeoMxSet object to perform QC on
qcCutoffs	a list of qc cutoffs to use <ol style="list-style-type: none"> 1. minProbeRatio, numeric between 0 and 1 to flag probes that have (geomean probe in all segments) / (geomean probes within target) less than or equal to this ratio 2. percentFailGrubbs, numeric to flag probes that fail Grubb's test in greater than or equal this percent of segments
removeLocalOutliers	boolean to determine if local outliers should be excluded from exprs matrix

Value

NanoStringGeoMxSet object with QCFlags data frame appended to protocolData

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package="GeomxTools")
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
demoData <- shiftCountsOne(demoData, elt="exprs", useDALogic=TRUE)
setBioProbeQCFlags(demoData,
                   qcCutoffs=list(minProbeRatio=0.1,
                                   percentFailGrubbs=20),
                   removeLocalOutliers=TRUE)
```

setGeoMxQCFlags	<i>Add GeoMx segment QC flags to NanoStringGeoMxSet object protocol data</i>
-----------------	--

Description

Add GeoMx segment QC flags to NanoStringGeoMxSet object protocol data

Usage

```
setGeoMxQCFlags(object, qcCutoffs = DEFAULTS)
```

Arguments

object	name of the NanoStringGeoMxSet object to perform QC on
qcCutoffs	a list of qc cutoffs to use <ol style="list-style-type: none"> 1. minNuclei, numeric to flag segments with less than this number of nuclei 2. minArea, numeric to flag segments with less than this μm^2 area

Value

NanoStringGeoMxSet object with QCFlags data frame appended to protocolData

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package="GeomxTools")
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
setGeoMxQCFlags(demoData,
               qcCutoffs=list(minNuclei=16000,
                             minArea=20))
```

setQCFlags,NanoStringGeoMxSet-method

Add QC flags to feature and protocol data simultaneously

Description

Add QC flags to feature and protocol data simultaneously

Usage

```
## S4 method for signature 'NanoStringGeoMxSet'
setQCFlags(object, qcCutoffs = DEFAULTS, ...)
```

Arguments

object	name of the object class to perform QC on
	1. NanoStringGeoMxSet, use the NanoStringGeoMxSet class
qcCutoffs	list of cutoffs and thresholds to use for QC
...	optional parameters to pass

Value

the object that QC was performed on

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package="GeomxTools")
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
setQCFlags(demoData)
```

setSegmentQCFlags *Add segment QC flags to protocol data*

Description

Add segment QC flags to protocol data

Usage

```
setSegmentQCFlags(object, qcCutoffs = DEFAULTS)
```

Arguments

object name of the object class to perform QC on
 1. NanoStringGeoMxSet, use the NanoStringGeoMxSet class

qcCutoffs list of cutoffs and thresholds to use for QC

Value

NanoStringGeoMxSet object with QCFlags data frame appended to protocolData

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                       package="GeomxTools")
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
setSegmentQCFlags(demoData,
                  qcCutoffs=list(minSegmentReads=1000,
                                percentAligned=80,
                                percentSaturation=50,
                                minNegativeCount=10,
                                maxNTCCount=60,
                                minNuclei=16000,
                                minArea=20))
```

setSeqQCFlags *Add sequencing QC flags to NanoStringGeoMxSet object protocol data*

Description

Add sequencing QC flags to NanoStringGeoMxSet object protocol data

Usage

```
setSeqQCFlags(object, qcCutoffs = DEFAULTS)
```

Arguments

object	name of the NanoStringGeoMxSet object to perform QC on
qcCutoffs	a list of qc cutoffs to use <ol style="list-style-type: none"> 1. minSegmentReads, numeric to flag segments with less than this number of reads 2. percentAligned, numeric to flag segments with less than this percent of aligned reads 3. percentSaturation, numeric to flag segments with less than this percent of sequencing saturation

Value

NanoStringGeoMxSet object with QCFlags data frame appended to protocolData

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package="GeomxTools")
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
setSeqQCFlags(demoData,
              qcCutoffs=list(minSegmentReads=1000,
                             percentAligned=80,
                             percentSaturation=50))
```

shiftCountsOne	<i>Add one to all counts in an expression matrix</i>
----------------	--

Description

Add one to all counts in an expression matrix

Usage

```
shiftCountsOne(object, elt = "exprs", useDALogic = FALSE)
```

Arguments

object	name of the NanoStringGeoMxSet object
elt	expression matrix element in assayDataElement to shift all counts by
useDALogic	boolean to use the same logic in DA (impute 0s to 1s) or set to FALSE to shift all counts by 1

Value

object of NanoStringGeoMxSet class

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package="GeomxTools")
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
shiftCountsOne(demoData)
```

summarizeNegatives	<i>Calculate negative probe summary stats</i>
--------------------	---

Description

Calculate negative probe summary stats

Usage

```
summarizeNegatives(object, functionList = c())
```

Arguments

object	name of the NanoStringGeoMxSet object to summarize
functionList	optional list of additional functions to calculate negative probe stats, list element names should correspond to expected stat column header

Value

a NanoStringGeoMxSet object with negative probe summary stats appended to sample data

Examples

```
datadir <- system.file("extdata", "DSP_NGS_Example_Data",
                      package="GeomxTools")
demoData <- readRDS(file.path(datadir, "/demoData.rds"))
demoData <-
  summarizeNegatives(demoData,
                    functionList=c(mean=mean, min=min, max=max))
```

```
writeNanoStringGeoMxSet  
  write 'NanoStringGeoMxSet'
```

Description

Take an instance of class [NanoStringGeoMxSet](#) and write NanoString GeoMx Digital Count Conversion (DCC) data.

Usage

```
writeNanoStringGeoMxSet(x, dir = getwd())
```

Arguments

x	A NanoStringGeoMxSet object.
dir	A directory path to save all the DCC files.

Author(s)

Zhi Yang & Nicole Ortogero

See Also

[NanoStringGeoMxSet](#)

Examples

```
# Data file paths  
datadir <- system.file("extdata", "DSP_NGS_Example_Data",  
  package="GeomxTools")  
dccFiles <- dir(datadir, pattern=".dcc$", full.names=TRUE)  
pkc <- unzip(zipfile = file.path(datadir, "/pkcs.zip"))  
sampleAnnotationFile <- file.path(datadir, "annotations.xlsx")  
  
dccFileColumn <- "Sample_ID"  
  
dccSet <- readNanoStringGeoMxSet(dccFiles=dccFiles,  
  pkcFiles=pkc,  
  phenoDataFile=sampleAnnotationFile,  
  phenoDataSheet="CW005",  
  phenoDataDccColName=dccFileColumn,  
  protocolDataColNames=c("aoi", "cell_line",  
    "roi_rep", "pool_rep",  
    "slide_rep"),  
  experimentDataColNames="panel",  
  phenoDataColPrefix="")  
  
# All data
```

```
writeNanoStringGeoMxSet(dccSet)
```

Index

- * **NanoStringGeoMxSet**
 - readNanoStringGeoMxSet, 12
 - writeNanoStringGeoMxSet, 21
 - * **classes**
 - NanoStringGeoMxSet-class, 7
 - * **file**
 - readDccFile, 11
 - readNanoStringGeoMxSet, 12
 - readPKCFile, 14
 - writeNanoStringGeoMxSet, 21
 - * **manip**
 - readDccFile, 11
 - readNanoStringGeoMxSet, 12
 - readPKCFile, 14
 - writeNanoStringGeoMxSet, 21
 - * **methods**
 - NanoStringGeoMxSet-class, 7
- aggregateCounts, 2
- AnnotatedDataFrame, 7
- checkQCFlags, 3
- checkQCFlags, NanoStringGeoMxSet-method, 4
- class:NanoStringGeoMxSet (NanoStringGeoMxSet-class), 7
- coerce, ExpressionSet, NanoStringGeoMxSet-method (NanoStringGeoMxSet-class), 7
- countsShiftedByOne, 4
- DataFrame, 14
- design, NanoStringGeoMxSet-method (NanoStringGeoMxSet-class), 7
- design<- , NanoStringGeoMxSet, ANY-method (NanoStringGeoMxSet-class), 7
- design<- , NanoStringGeoMxSet, formula-method (NanoStringGeoMxSet-class), 7
- design<- , NanoStringGeoMxSet, NULL-method (NanoStringGeoMxSet-class), 7
- dimLabels, NanoStringGeoMxSet-method (NanoStringGeoMxSet-class), 7
- dimLabels<- , NanoStringGeoMxSet, character-method (NanoStringGeoMxSet-class), 7
- ExpressionSet, 7, 8
- featureType (NanoStringGeoMxSet-class), 7
- featureType, NanoStringGeoMxSet-method (NanoStringGeoMxSet-class), 7
- featureType<- (NanoStringGeoMxSet-class), 7
- featureType<- , NanoStringGeoMxSet, character-method (NanoStringGeoMxSet-class), 7
- logtBase, 5
- MIAME, 7
- mixedModelDE, 6
- NanoStringGeoMxSet, 12, 13, 21
- NanoStringGeoMxSet (NanoStringGeoMxSet-class), 7
- NanoStringGeoMxSet, environment-method (NanoStringGeoMxSet-class), 7
- NanoStringGeoMxSet, ExpressionSet-method (NanoStringGeoMxSet-class), 7
- NanoStringGeoMxSet, matrix-method (NanoStringGeoMxSet-class), 7
- NanoStringGeoMxSet, missing-method (NanoStringGeoMxSet-class), 7
- NanoStringGeoMxSet, NanoStringGeoMxSet-method (NanoStringGeoMxSet-class), 7
- NanoStringGeoMxSet-class, 7
- ngeoMean, 9
- ngeoSD, 10
- normalize, NanoStringGeoMxSet-method, 10
- phenoData, 8

readDccFile, 11
readNanoStringGeoMxSet, 8, 12, 12, 14
readPKCFile, 14

sData (NanoStringGeoMxSet-class), 7
sData, NanoStringGeoMxSet-method
 (NanoStringGeoMxSet-class), 7
setBackgroundQCFlags, 15
setBioProbeQCFlags, 15
setGeoMxQCFlags, 16
setQCFlags, NanoStringGeoMxSet-method,
 17
setSegmentQCFlags, 18
setSeqQCFlags, 18
shiftCountsOne, 19
show, NanoStringGeoMxSet-method
 (NanoStringGeoMxSet-class), 7
signatureGroups
 (NanoStringGeoMxSet-class), 7
signatureGroups, NanoStringGeoMxSet-method
 (NanoStringGeoMxSet-class), 7
signatures (NanoStringGeoMxSet-class), 7
signatures, NanoStringGeoMxSet-method
 (NanoStringGeoMxSet-class), 7
signatures<-
 (NanoStringGeoMxSet-class), 7
signatures<-, NanoStringGeoMxSet, SignatureSet-method
 (NanoStringGeoMxSet-class), 7
signatureScores
 (NanoStringGeoMxSet-class), 7
signatureScores, NanoStringGeoMxSet-method
 (NanoStringGeoMxSet-class), 7
SignatureSet, 8
summarizeNegatives, 20
svarLabels (NanoStringGeoMxSet-class), 7
svarLabels, NanoStringGeoMxSet-method
 (NanoStringGeoMxSet-class), 7

writeNanoStringGeoMxSet, 21