

# Package ‘phenoTest’

May 16, 2025

**Type** Package

**Title** Tools to test association between gene expression and phenotype in a way that is efficient, structured, fast and scalable. We also provide tools to do GSEA (Gene set enrichment analysis) and copy number variation.

**Version** 1.57.0

**Date** 2013-05-29

**Author** Evarist Planet

**Maintainer** Evarist Planet <evarist.planet@epfl.ch>

**Description** Tools to test correlation between gene expression and phenotype in a way that is efficient, structured, fast and scalable. GSEA is also provided.

**License** GPL (>=2)

**Depends** R (>= 3.6.0), Biobase, methods, annotate, Heatplus, BMA, ggplot2, Hmisc

**Imports** survival, limma, gplots, Category, AnnotationDbi, hopach, biomaRt, GSEABase, genefilter, xtable, annotate, mgcv, hgu133a.db, ellipse

**Suggests** GSEABase, GO.db

**Enhances** parallel, org.Ce.eg.db, org.Mm.eg.db, org.Rn.eg.db, org.Hs.eg.db, org.Dm.eg.db

**LazyLoad** yes

**biocViews** Microarray, DifferentialExpression, MultipleComparison, Clustering, Classification

**git\_url** <https://git.bioconductor.org/packages/phenoTest>

**git\_branch** devel

**git\_last\_commit** d859acb

**git\_last\_commit\_date** 2025-04-15

**Repository** Bioconductor 3.22

**Date/Publication** 2025-05-15

## Contents

phenoTest-package	3
barplotSignatures	3
barplotSignatures-methods	5
barplotSignifSignatures-methods	5
ClusterPhenoTest	6
epheno	7
epheno-class	8
epheno2html	9
eset	10
eset.genelevel	11
eset2genelevel	13
export2CSV	14
export2CSV-methods	14
ExpressionPhenoTest	14
findCopyNumber	16
genesInArea	18
get gseaSignatures' elements	19
getEsPositions	20
getters for the epheno object	21
getVars2test	21
getVars2test-methods	22
gsea	22
gsea.selGsets	24
gsea2html	25
gseaData-class	26
gseaSignatures	27
gseaSignatures-class	29
gseaSignatures-methods	29
gseaSignaturesSign-class	30
gseaSignaturesVar-class	31
gseaSignificance	32
gseaSignificanceSign-class	33
gseaSignificanceVar-class	34
heatmapPhenoTest	35
heatmapPhenoTest-methods	36
pAdjust	37
pAdjust-methods	38
pca	38
plot.gseaData	39
plot.gseaSignatures	40
show-methods	41
smoothCoxph	42
summary.gseaData	42
summary.gseaSignificance	43
write.html	44

---

phenoTest-package      *Test correlation between gene expression and phenotype.*

---

### Description

Test correlation between gene expression and phenotype.

### Details

Package: phenoTest  
 Type: Package  
 Version: 1.0  
 Date: 2010-04-28  
 License: What license is it under?  
 LazyLoad: yes

### Author(s)

Evarist Planet Maintainer: Evarist Planet <evarist.planet@irbbarcelona.org>

---

barplotSignatures      *Summary plots for gene signature vs phenotype association*

---

### Description

Summarizes the univariate relationships between genes in one or more signatures and several phenotype variables, as summarized in epheno objects (which can be created with the ExpressionPhenoTest function).

By default barplotSignifSignatures performs a binomial test (`binom.test` from package `stats`) for each signature to see if the number of up up regulated and down regulated genes is different enough to be statistically different. When a reference gene set is provided we test if the proportions of up and down regulated genes of each gene set is different from the proportions in the reference gene set. This has been done with a chi-square test. When a reference gene set is provided and parameter `testUpDown` is TRUE (by default its FALSE) the number of genes corresponding to up and down regulated are compared with those of the reference gene set separately.

### Usage

```
barplotSignatures(x, signatures, referenceSignature, alpha=.05,
  p.adjust.method='none', ylab, cex.text=1, ...)
barplotSignifSignatures(x, signatures, referenceSignature, testUpDown=FALSE,
  simulate.p.value = FALSE, B = 10^4, p.adjust.method='none', alpha=.05,
  ylab, ylim=ylim, cex.text=1, ...)
```

**Arguments**

<code>x</code>	epheno object, as returned by <code>ExpressionPhenoTest</code> .
<code>signatures</code>	List with each element corresponding to a signature. The gene names in each signature must match those in <code>epheno</code> .
<code>referenceSignature</code>	If specified, the average fold change in each signature is compared to the average fold change in the signature <code>referenceSignature</code> .
<code>testUpDown</code>	If set to <code>TRUE</code> , bars corresponding to up and down-regulated genes are compared with those of <code>referenceSignature</code> separately. This argument is ignored if <code>referenceSignature</code> is not specified.
<code>cex.text</code>	Character expansion for the text indicating the P-values. Ignored if <code>referenceSignature</code> is missing.
<code>alpha</code>	Confidence levels for barplot error bars.
<code>p.adjust.method</code>	P-value adjustment method, passed on to <code>p.adjust</code> .
<code>simulate.p.value</code>	A logical indicating whether chi-square p-values should be computed by Monte Carlo simulation (passed on to <code>chisq.test</code> ).
<code>B</code>	Integer specifying the number of replicates in the Monte Carlo simulation (passed on to <code>chisq.test</code> ).
<code>ylab</code>	y-axis labels
<code>ylim</code>	y-axis limits
<code>...</code>	Other arguments to be passed on to <code>boxplot</code> .

**Value**

When a single signature is provided as input, a single plot assessing the association of that signature with all phenotype variables is created. If several signatures are provided, one separate plot is created for each phenotype variable.

**Author(s)**

Evarist Planet

**Examples**

```
#create epheno
data(epheno)

#construct two signatures
sign1 <- sample(featureNames(epheno))[1:20]
sign2 <- sample(featureNames(epheno))[1:15]
mySignature <- list(sign1,sign2)
names(mySignature) <- c('My first signature','My preferred signature')

#plot
barplotSignifSignatures(epheno[, 'Relapse'],mySignature,alpha=0.05)
```

---

barplotSignatures-methods

*Methods for Function barplotSignatures in Package 'phenoTest'*

---

### **Description**

Methods for function barplotSignatures in Package 'phenoTest'. For more information read the function's manual.

### **Methods**

signature(x = "epheo", signatures = "character") Method for an epheo object and one signature stored in an object of class character.

signature(x = "epheo", signatures = "GeneSetCollection") Method for an epheo object and several signatures stored in an object of class GeneSetCollection.

signature(x = "epheo", signatures = "GeneSet") Method for an epheo object and one signature stored in an object of class GeneSet.

signature(x = "epheo", signatures = "list") Method for an epheo object and several signatures stored in an object of class list.

---

barplotSignifSignatures-methods

*Methods for Function barplotSignifSignatures in Package 'phenoTest'*

---

### **Description**

Methods for function barplotSignifSignatures in Package 'phenoTest'. For more information read the function's manual.

### **Methods**

signature(x = "epheo", signatures = "character") Method for an epheo object and one signature stored in an object of class character.

signature(x = "epheo", signatures = "list") Method for an epheo object and several signatures stored in an object of class list.

signature(x = "epheo", signatures = "GeneSet") Method for an epheo object and one signature stored in an object of class GeneSet.

signature(x = "epheo", signatures = "GeneSetCollection") Method for an epheo object and several signatures stored in an object of class GeneSetCollection.

---

ClusterPhenoTest      *Test association of clusters with phenotype.*

---

### Description

Test the associations between clusters that each sample belongs to (based on gene expression) and each phenotype.

### Usage

```
ClusterPhenoTest(x, cluster, vars2test, B=10^4, p.adjust.method='none')
```

### Arguments

x	ExpressionSet with phenotype information stored in pData(x).
cluster	variable of class character or factor telling at which cluster each sample belongs to.
vars2test	list with components 'continuous', 'categorical', 'ordinal' and 'survival' indicating which phenotype variables should be tested. 'continuous', 'categorical' and 'ordinal' must be character vectors, 'survival' a matrix with columns named 'time' and 'event'. The names must match names in names(pData(x)).
B	An integer specifying the number of replicates used in the chi-square Monte Carlo test (passed on to chisq.test).
p.adjust.method	Method for P-value adjustment, passed on to p.adjust.

### Details

Test association between the provided clusters and each phenotype.

For variables in vars2test\$continuous and vars2test\$ordinal a Kruskal-Wallis Rank Sum test is used; for vars2test\$categorical a chi-square test (with exact p-value if simulate.p.value is set to TRUE); for vars2test\$survival a Cox proportional hazards likelihood-ratio test.

### Author(s)

David Rossell

### Examples

```
#load data
data(eset)
eset

#construct vars2test
survival <- matrix(c("Relapse", "Months2Relapse"), ncol=2, byrow=TRUE)
colnames(survival) <- c('event', 'time')
#add positive to have more than one category
pData(eset)[1:20, 'lymph.node.status'] <- 'positive'
vars2test <- list(survival=survival, categorical='lymph.node.status')
vars2test
```

```
#first half of the samples will be one cluster and the rest the other cluster
cluster <- c(rep('Cluster1', floor(ncol(eset)/2)), rep('Cluster2', ncol(eset)-floor(ncol(eset)/2)))

#test association
ClusterPhenoTest(eset, cluster, vars2test=vars2test)
```

epheno

*epheno object.***Description**

Object obtained with ExpressionPhenoTest function.

**Usage**

```
data(epheno)
```

**Format**

The format is: Formal class 'epheno' [package "phenoTest"] with 8 slots ..@ p.adjust.method : chr "none" ..@ assayData :<environment: 0x1050d5a78> ..@ phenoData :Formal class 'Annotated-DataFrame' [package "Biobase"] with 4 slots .. ..@ varMetadata :'data.frame': 5 obs. of 1 variable: .. .. .. .\$ labelDescription: chr [1:5] NA NA NA NA ... .. .. ..@ data :'data.frame': 12 obs. of 5 variables: .. .. .. .. .\$ phenoName : Factor w/ 3 levels "lymph.node.status",...: 3 3 3 3 3 1 1 1 2 3 ... .. .. .. .\$ phenoClass: Factor w/ 3 levels "categorical",...: 2 2 2 2 2 1 1 1 3 2 ... .. .. .. .\$ phenoType : Factor w/ 3 levels "mean","pval",...: 1 1 1 3 3 1 1 3 3 2 ... .. .. .. .\$ meanLabel : Factor w/ 5 levels "[45.2,49.2)",...: 1 2 3 NA NA 4 5 NA NA NA ... .. .. .. .\$ survTime : Factor w/ 1 level "Months2Relapse": NA NA NA NA NA NA NA NA NA 1 NA ... .. .. ..@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. ..@ .\_\_classVersion\_\_:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. .. ..@ .Data:List of 1 .. .. .. .. .\$ : int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. .. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. .. .. .. .\$ labelDescription: chr(0) .. .. ..@ data :'data.frame': 1000 obs. of 0 variables .. .. ..@ dimLabels : chr [1:2] "featureNames" "featureColumns" .. ..@ .\_\_classVersion\_\_:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. .. ..@ .Data:List of 1 .. .. .. .. .\$ : int [1:3] 1 1 0 ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots .. .. ..@ name : chr "" .. .. ..@ lab : chr "" .. .. ..@ contact : chr "" .. .. ..@ title : chr "" .. .. ..@ abstract : chr "" .. .. ..@ url : chr "" .. .. ..@ pubMedIds : chr "" .. .. ..@ samples : list() .. .. ..@ hybridizations : list() .. .. ..@ normControls : list() .. .. ..@ preprocessing : list() .. .. ..@ other : list() .. .. ..@ .\_\_classVersion\_\_:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. .. ..@ .Data:List of 1 .. .. .. .. .\$ : int [1:3] 1 0 0 ..@ annotation : chr "hgu133a" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. .. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. .. .. .. .\$ labelDescription: chr(0) .. .. ..@ data :'data.frame': 12 obs. of 0 variables .. .. ..@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. .. ..@ .\_\_classVersion\_\_:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. .. ..@ .Data:List of 1 .. .. .. .. .\$ : int [1:3] 1 1 0 ..@ .\_\_classVersion\_\_:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. .. ..@ .Data:List of 4 .. .. .. .. .\$ : int [1:3] 2 12 0 .. .. .. .. .\$ : int [1:3] 2 10 0 .. .. .. .. .\$ : int [1:3] 1 3 0 .. .. .. .. .\$ : int [1:3] 1 0 0

**Examples**

```
data(epheno)
## maybe str(epheno) ; plot(epheno) ...
```

epheno-class

Class "epheno"

**Description**

Object obtained with the ExpressionPhenoTest function. Contains FC, HR and pvals from testing expression values of each gene against phenotypic variables.

**Objects from the Class**

Objects can be created by calls of the form `new("epheno", assayData, phenoData, featureData, exprs, ...)`.

**Slots**

`p.adjust.method`: Object of class "character" containing the multiple testing adjustment method used (if one was used).

`approach`: Object of class "character" containing 'frequentist' or 'bayesian' depending on the user's selection.

`assayData`: Object of class "AssayData" that is inherited from the ExpressionSet object used to create the epheno object.

`phenoData`: Object of class "AnnotatedDataFrame" that contains information about the variables stored in the experimentData slot such as their class (continuous, categorical, etc) or type (mean, summaryDif, pval, etc).

`featureData`: Object of class "AnnotatedDataFrame" that is inherited from the ExpressionSet object used to create the epheno object.

`experimentData`: Object of class "MIAME" that is inherited from the ExpressionSet object used to create the epheno object.

`annotation`: Object of class "character" that is inherited from the ExpressionSet object used to create the epheno object.

`protocolData`: Object of class "AnnotatedDataFrame" that is inherited from the ExpressionSet object used to create the epheno object.

`._classVersion_`: Object of class "Versions" that is inherited from the ExpressionSet object used to create the epheno object.

**Extends**

Class "[ExpressionSet](#)", directly. Class "[eSet](#)", by class "ExpressionSet", distance 2. Class "[VersionedBiobase](#)", by class "ExpressionSet", distance 3. Class "[Versioned](#)", by class "ExpressionSet", distance 4.

**Methods**

[ `signature(x = "epheno", i = "ANY", j = "ANY")`: inherited from the ExpressionSet class.

**dim** `signature(x = "epheno")`: inherited from the ExpressionSet class.

**export2CSV** `signature(x = "epheno")`: ...

**getFc** `signature(x = "epheno")`: getter for the fold changes.

**getHr** `signature(x = "epheno")`: getter for the hazard ratios.



**getMeans** signature(x = "epheno"): getter for the means.

**getSignif** signature(x = "epheno"): getter for the pvalues or posterior probabilities.

**getPvals** signature(x = "epheno"): getter for the pvalues.

**getPostProbs** signature(x = "epheno"): getter for the posterior probabilities.

**getSummaryDif** signature(x = "epheno"): getter that returns hazard ratios, fold changes and pvalues.

**gseaSignatures** signature(x = "epheno", signatures = "list"): Used to compute GSEA. Please read the gseaSignatures manual.

**logFchr** signature(x = "epheno"): getter for the log of fold changes and hazard ratios.

**p.adjust.method** signature(x = "epheno"): getter for the p value adjustment method that has been used.

**phenoClass** signature(x = "epheno"): Returns the class off all variables.

**phenoNames** signature(x = "epheno"): Returns the names of the tested phenotypes.

**show** signature(object = "epheno"): Shows a brief overview of the object.

### Author(s)

Evarist Planet

### Examples

```
showClass("epheno")
```

---

epheno2html

*Create html files and plots from an epheno object.*

---

### Description

Creates html files and plots using an epheno object, which stores the association between a list of variables and gene expression.

### Usage

```
epheno2html(x, epheno, outputdir, prefix = "", genelimit = 50, categories = 3, withPlots = TRUE, mc.cores)
```

### Arguments

x	An object of class ExpressionSet (used to generate the epheno object) containing expression levels in exprs(x), phenotype information in pData(x) and annotation in annotation(x).
epheno	an object produced by ExpressionPhenoTest. this object will contain univariate association between a list of phenotype variables and gene expression as well as p-values.
outputdir	where to place files.
prefix	will be used to add a text to the beginning of the files that will be created.
genelimit	maximum number of genes on the list.
categories	Number of categories used for continuous variables. It has to be the same as the one used for ExpressionPhenoTest.
withPlots	when FALSE no plots will be produced. Makes the process faster.
mc.cores	number of cores that will be used to run the process.

**Author(s)**

Evarist Planet

**Examples**

```
#Example on building homology tables for human.
#mart <- useMart("ensembl", "hsapiens_gene_ensembl")
#homol.symbol <- getLDS(attributes = c("entrezgene"),
#   mart = mart, attributesL = c("external_gene_id"),
#   martL = mart, filters = "entrezgene", values = entrezid)
#mart <- useMart("ensembl", "hsapiens_gene_ensembl")
#homol.genename <- getLDS(attributes = c("entrezgene"),
#   mart = mart, attributesL = c("description"), martL = mart,
#   filters = "entrezgene", values = entrezid)
```

eset

*Example data.***Description**

Example data of class ExpressionSet.

**Usage**

data(eset)

**Format**

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ assayData :<environment: 0x1050d9390> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. ..@ varMetadata :'data.frame': 7 obs. of 1 variable: .. .. ..\$ labelDescription: chr [1:7] NA NA NA NA ... .. ..@ data :'data.frame': 286 obs. of 7 variables: .. .. ..\$ PID : int [1:286] 3 5 6 7 8 9 11 14 15 17 ... .. ..\$ GEOaccession : Factor w/ 286 levels "GSM36777","GSM36778",...: 17 20 21 22 24 25 58 59 60 61 ... .. ..\$ lymph.node.status: chr [1:286] "negative" "negative" "negative" "negative" ... .. ..\$ Months2Relapse : int [1:286] 101 118 9 106 37 125 109 14 99 137 ... .. ..\$ Relapse : int [1:286] 0 0 1 0 1 0 1 0 0 1 0 0 ... .. ..\$ ER.Status : num [1:286] 0 1 0 0 0 1 1 0 1 1 ... .. ..\$ BrainRelapse : int [1:286] 0 0 0 0 0 0 0 0 0 0 ... .. ..@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. ..@ ..\_classVersion\_:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 1 .. .. ..\$ : int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. .. ..@ varMetadata :'data.frame': 16 obs. of 3 variables: .. .. ..\$ Column : chr [1:16] "ID" "GB\_ACC" "SPOT\_ID" "Species Scientific Name" ... .. ..\$ Description : Factor w/ 15 levels "", "A gene symbol, when one is available (from UniGene).",...: 3 5 15 13 12 1 11 1 10 14 ... .. ..\$ labelDescription: chr [1:16] NA NA NA NA ... .. ..@ data :'data.frame': 1000 obs. of 16 variables: .. .. ..\$ ID : Factor w/ 22284 levels "1007\_s\_at","1053\_at",...: 1 2 3 4 5 6 7 8 9 10 ... .. ..\$ GB\_ACC : Factor w/ 21129 levels "AF052179","AF061832",...: 93 30 95 97 25 24 96 99 28 20 ... .. ..\$ SPOT\_ID : chr [1:1000] NA NA NA NA ... .. ..\$ Species.Scientific.Name : Factor w/ 2 levels "Homo sapiens",...: 1 1 1 1 1 1 1 1 1 1 ... .. ..\$ Annotation.Date : Factor w/ 2 levels "Jul 11, 2007",...: 1 1 1 1 1 1 1 1 1 1 ... .. ..\$ Sequence.Type : Factor w/ 4 levels "Consensus sequence",...: 2 2 2 2 2 2 2 2 2 2 ... .. ..\$ Sequence.Source : Factor w/ 3 levels "Affymetrix Proprietary Database",...: 1 2 1 2 1 2 1 1 2 1 ... .. ..\$ Target.Description : Factor w/ 21363 levels "Consensus includes gb:AI656011 /FEA=EST

```

/DB_XREF=gi:4739990 /DB_XREF=est:tt42e08.x1 /CLONE=IMAGE:2243462 /UG=Hs.116875
KIAA0156" | __truncated__,...: 16 13 18 20 8 7 19 22 11 4 ... .. .. ..$ Representative.Public.ID :
Factor w/ 21197 levels "AF052179","AF061832",...: 93 30 95 97 25 24 96 99 28 20 ... .. .. ..$
Gene.Title : Factor w/ 14208 levels "ADP-ribosylation factor 1",...: 35 66 46 60 44 97 96 64 26 33
... .. .. ..$ Gene.Symbol : Factor w/ 13293 levels "ABCF1","ARF1",...: 20 59 40 53 33 96 94 58
15 18 ... .. .. ..$ ENTREZ_GENE_ID : chr [1:1000] "780" "5982" "3310" "7849" ... .. .. ..$
RefSeq.Transcript.ID : Factor w/ 13074 levels "NM_000409","NM_000661 /// NM_001024921",...:
37 45 41 52 1 50 49 82 47 4 ... .. .. ..$ Gene.Ontology.Biological.Process: Factor w/ 7245
levels "", "0000074 // regulation of progression through cell cycle // traceable author statement //
0006139 // nucleobase, nucleoside, nu" | __truncated__,...: 61 22 78 32 79 60 14 63 72 20 ... .. ..
..$ Gene.Ontology.Cellular.Component: Factor w/ 4148 levels "", "0000502 // proteasome complex
(sensu Eukaryota) // traceable author statement /// 0005634 // nucleus // inferred from electroni" |
__truncated__,...: 72 45 1 44 1 1 42 71 6 68 ... .. .. ..$ Gene.Ontology.Molecular.Function:
Factor w/ 7314 levels "", "0000049 // tRNA binding // non-traceable author statement /// 0000166 //
nucleotide binding // inferred from electronic annotat" | __truncated__,...: 23 26 27 40 81 18 39 71
74 69 ... .. .. @ dimLabels : chr [1:2] "featureNames" "featureColumns" .. .. .. @ __classVer-
sion__ : Formal class 'Versions' [package "Biobase"] with 1 slots .. .. .. @ .Data: List of 1 ..
.. .. .. @ $ : int [1:3] 1 1 0 .. @ experimentData : Formal class 'MIAME' [package "Biobase"]
with 13 slots .. .. @ name : chr "" .. .. @ lab : chr "" .. .. @ contact : chr "" .. .. @ title
: chr "" .. .. @ abstract : chr "" .. .. @ url : chr "" .. .. @ pubMedIds : chr "" .. .. @
samples : list() .. .. @ hybridizations : list() .. .. @ normControls : list() .. .. @ prepro-
cessing : list() .. .. @ other : list() .. .. @ __classVersion__ : Formal class 'Versions' [package
"Biobase"] with 1 slots .. .. .. @ .Data: List of 1 .. .. .. @ $ : int [1:3] 1 0 0 .. @ annotation
: chr "hgu133a" .. @ protocolData : Formal class 'AnnotatedDataFrame' [package "Biobase"] with
4 slots .. .. @ varMetadata : 'data.frame': 0 obs. of 1 variable: .. .. .. $ labelDescription: chr(0)
.. .. @ data : 'data.frame': 286 obs. of 0 variables .. .. @ dimLabels : chr [1:2] "sampleNames"
"sampleColumns" .. .. @ __classVersion__ : Formal class 'Versions' [package "Biobase"] with 1
slots .. .. .. @ .Data: List of 1 .. .. .. @ $ : int [1:3] 1 1 0 .. @ __classVersion__ : Formal class
'Versions' [package "Biobase"] with 1 slots .. .. @ .Data: List of 4 .. .. .. @ $ : int [1:3] 2 12 0 .. ..
.. $ : int [1:3] 2 10 0 .. .. .. @ $ : int [1:3] 1 3 0 .. .. .. @ $ : int [1:3] 1 0 0

```

**References**

Has been obtained from GEO (GSE2034). Only first 1000 probesets were stored (the rest has been removed).

**Examples**

```

data(eset)
## maybe str(eset) ; plot(eset) ...

```

---

eset.genelevel	<i>Example data.</i>
----------------	----------------------

---

**Description**

Example data of class ExpressionSet with one probeset per gene.

**Usage**

```

data(eset.genelevel)

```

## Format

The format is: Formal class 'ExpressionSet' [package "Biobase"] with 7 slots ..@ assayData :<environment: 0x1050d9390> ..@ phenoData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. ..@ varMetadata :'data.frame': 7 obs. of 1 variable: .. .. ..\$ labelDescription: chr [1:7] NA NA NA NA ... .. ..@ data :'data.frame': 286 obs. of 7 variables: .. .. ..\$ PID : int [1:286] 3 5 6 7 8 9 11 14 15 17 ... .. ..\$ GEOaccession : Factor w/ 286 levels "GSM36777","GSM36778",...: 17 20 21 22 24 25 58 59 60 61 ... .. ..\$ lymph.node.status: chr [1:286] "negative" "negative" "negative" "negative" ... .. ..\$ Months2Relapse : int [1:286] 101 118 9 106 37 125 109 14 99 137 ... .. ..\$ Relapse : int [1:286] 0 0 1 0 1 0 1 0 0 ... .. ..\$ ER.Status : num [1:286] 0 1 0 0 0 1 1 0 1 1 ... .. ..\$ BrainRelapse : int [1:286] 0 0 0 0 0 0 0 0 0 0 ... .. ..@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. ..@ .\_\_classVersion\_\_:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 1 .. .. ..\$ : int [1:3] 1 1 0 ..@ featureData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. .. ..@ varMetadata :'data.frame': 16 obs. of 3 variables: .. .. ..\$ Column : chr [1:16] "ID" "GB\_ACC" "SPOT\_ID" "Species Scientific Name" ... .. ..\$ Description : Factor w/ 15 levels "", "A gene symbol, when one is available (from UniGene).",...: 3 5 15 13 12 1 11 1 10 14 ... .. ..\$ labelDescription: chr [1:16] NA NA NA NA ... .. ..@ data :'data.frame': 1000 obs. of 16 variables: .. .. ..\$ ID : Factor w/ 22284 levels "1007\_s\_at","1053\_at",...: 1 2 3 4 5 6 7 8 9 10 ... .. ..\$ GB\_ACC : Factor w/ 21129 levels "AF052179","AF061832",...: 93 30 95 97 25 24 96 99 28 20 ... .. ..\$ SPOT\_ID : chr [1:1000] NA NA NA NA ... .. ..\$ Species.Scientific.Name : Factor w/ 2 levels "Homo sapiens",...: 1 1 1 1 1 1 1 1 1 1 ... .. ..\$ Annotation.Date : Factor w/ 2 levels "Jul 11, 2007",...: 1 1 1 1 1 1 1 1 1 1 ... .. ..\$ Sequence.Type : Factor w/ 4 levels "Consensus sequence",...: 2 2 2 2 2 2 2 2 2 ... .. ..\$ Sequence.Source : Factor w/ 3 levels "Affymetrix Proprietary Database",...: 1 2 1 2 1 2 1 1 2 1 ... .. ..\$ Target.Description : Factor w/ 21363 levels "Consensus includes gb:AI656011 /FEA=EST /DB\_XREF=gi:4739990 /DB\_XREF=est:tt42e08.x1 /CLONE=IMAGE:2243462 /UG=Hs.116875 KIAA0156"| \_\_truncated\_\_,...: 16 13 18 20 8 7 19 22 11 4 ... .. ..\$ Representative.Public.ID : Factor w/ 21197 levels "AF052179","AF061832",...: 93 30 95 97 25 24 96 99 28 20 ... .. ..\$ Gene.Title : Factor w/ 14208 levels "ADP-ribosylation factor 1",...: 35 66 46 60 44 97 96 64 26 33 ... .. ..\$ Gene.Symbol : Factor w/ 13293 levels "ABCF1","ARF1",...: 20 59 40 53 33 96 94 58 15 18 ... .. ..\$ ENTREZ\_GENE\_ID : chr [1:1000] "780" "5982" "3310" "7849" ... .. ..\$ RefSeq.Transcript.ID : Factor w/ 13074 levels "NM\_000409","NM\_000661 /// NM\_001024921",...: 37 45 41 52 1 50 49 82 47 4 ... .. ..\$ Gene.Ontology.Biological.Process: Factor w/ 7245 levels "", "0000074 // regulation of progression through cell cycle // traceable author statement /// 0006139 // nucleobase, nucleoside, nu"| \_\_truncated\_\_,...: 61 22 78 32 79 60 14 63 72 20 ... .. ..\$ Gene.Ontology.Cellular.Component: Factor w/ 4148 levels "", "0000502 // proteasome complex (sensu Eukaryota) // traceable author statement /// 0005634 // nucleus // inferred from electroni"| \_\_truncated\_\_,...: 72 45 1 44 1 1 42 71 6 68 ... .. ..\$ Gene.Ontology.Molecular.Function: Factor w/ 7314 levels "", "0000049 // tRNA binding // non-traceable author statement /// 0000166 // nucleotide binding // inferred from electronic annotat"| \_\_truncated\_\_,...: 23 26 27 40 81 18 39 71 74 69 ... .. ..@ dimLabels : chr [1:2] "featureNames" "featureColumns" .. .. ..@ .\_\_classVersion\_\_:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 1 .. .. ..\$ : int [1:3] 1 1 0 ..@ experimentData :Formal class 'MIAME' [package "Biobase"] with 13 slots .. .. ..@ name : chr "" .. .. ..@ lab : chr "" .. .. ..@ contact : chr "" .. .. ..@ title : chr "" .. .. ..@ abstract : chr "" .. .. ..@ url : chr "" .. .. ..@ pubMedIds : chr "" .. .. ..@ samples : list() .. .. ..@ hybridizations : list() .. .. ..@ normControls : list() .. .. ..@ preprocessing : list() .. .. ..@ other : list() .. .. ..@ .\_\_classVersion\_\_:Formal class 'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 1 .. .. ..\$ : int [1:3] 1 0 0 ..@ annotation : chr "hgu133a" ..@ protocolData :Formal class 'AnnotatedDataFrame' [package "Biobase"] with 4 slots .. .. ..@ varMetadata :'data.frame': 0 obs. of 1 variable: .. .. ..\$ labelDescription: chr(0) .. .. ..@ data :'data.frame': 286 obs. of 0 variables .. .. ..@ dimLabels : chr [1:2] "sampleNames" "sampleColumns" .. .. ..@ .\_\_classVersion\_\_:Formal class 'Versions' [package "Biobase"] with 1

```
slots .. .. ..@ .Data:List of 1 .. .. .. .$ : int [1:3] 1 1 0 ..@ .__classVersion__:Formal class
'Versions' [package "Biobase"] with 1 slots .. .. ..@ .Data:List of 4 .. .. .. .$ : int [1:3] 2 12 0 .. .. ..
.$ : int [1:3] 2 10 0 .. .. .. .$ : int [1:3] 1 3 0 .. .. .. .$ : int [1:3] 1 0 0
```

## References

Has been obtained from GEO (GSE2034). Only first 1000 probesets were stored (the rest has been removed). After that the expressionSet was filtered to keep only one probeset per gene. We used the nsFilter function from package genefilter to accomplish this task.

## Examples

```
data(eset.genelevel)
## maybe str(eset.genelevel) ; plot(eset.genelevel) ...
```

---

```
eset2genelevel          Filter ExpressionSet to keep one probeset per gene.
```

---

## Description

Only one probeset per gene will be kept and entrezid will be used as gene identifier. nsFilter from package genefilter is used to select the probeset. The selected probeset is the one with higher interquartile range.

## Usage

```
eset2genelevel(x)
```

## Arguments

x                    an object of class ExpressionSet.

## Author(s)

Evarist Planet

## See Also

genefilter::nsFilter

## Examples

```
#data(eset)
#library(hgu133a.db)
#x <- eset2genelevel(eset)
#x
#head(featureNames(x))
```

---

export2CSV	<i>Export object to comma-separated text file.</i>
------------	--

---

**Description**

Saves object as comma-separated text file (CSV), using `write.csv`.

**Usage**

```
export2CSV(x, file, row.names=FALSE, ...)
```

**Arguments**

<code>x</code>	object to be exported. Currently methods for objects of class <code>epheno</code> (produced with <code>ExpressionPhenoTest</code> function) are implemented.
<code>file</code>	Name of the file where the results are to be saved
<code>row.names</code>	Passed on to <code>write.csv</code>
<code>...</code>	Other arguments to be passed on to <code>write.csv</code>

---

export2CSV-methods	<i>Methods for Function export2CSV in Package 'phenoTest'</i>
--------------------	---

---

**Description**

Methods for function `export2CSV` in Package `'phenoTest'`

**Methods**

`signature(x = "epheno")` Exports summary differences (fold changes, hazard ratios), p-values and gene annotation (when available) to a CSV (comma separated value) file

---

ExpressionPhenoTest	<i>Tests univariate association between a list of phenotype variables and gene expression.</i>
---------------------	--

---

**Description**

Tests univariate association between a list of phenotype variables and gene expression.

**Usage**

```
ExpressionPhenoTest(x, vars2test, adjustVars,
  p.adjust.method='BH', continuousCategories=3, mc.cores, approach='frequentist')
```

**Arguments**

<code>x</code>	ExpressionSet containing expression levels in <code>exprs(x)</code> and phenotype information in <code>pData(x)</code> .
<code>vars2test</code>	list with components 'continuous', 'categorical', 'ordinal' and 'survival' indicating which phenotype variables should be tested. 'continuous', 'categorical' and 'ordinal' must be character vectors, 'survival' a matrix with columns named 'time' and 'event'. The names must match names in <code>names(pData(x))</code> .
<code>adjustVars</code>	variables that will be used as adjustment variables when fitting linear models and/or cox models. This variables have to exist in <code>colnames(pData(x))</code> .
<code>p.adjust.method</code>	method for p-value adjustment, passed on to <code>p.adjust</code> . Valid values are <code>c("holm", "hochberg", "hommel", "bonferroni", "BH", "BY", "fdr", "none")</code> .
<code>continuousCategories</code>	number of categories used for continuous variables.
<code>mc.cores</code>	the number of cores to use, i.e. how many processes will be spawned (at most).
<code>approach</code>	this can be either 'frequentist' or 'bayesian'. With frequentist pvalues will be computed. With 'bayesian' posterior probabilities will be computed.

**Details**

If approach is 'frequentist': -The effect of both continuous, categorical and ordinal phenotype variables on gene expression levels are tested via `lmFit`. -For ordinal variables a single coefficient is used to test its effect on gene expression (trend test), which is then used to obtain a P-value (means for each category are reported in the output). -Gene expression effects on survival are tested via Cox proportional hazards model, as implemented in function 'coxph'.

If approach is bayesian posterior probabilities are computed comparing the BIC of a model with the variable of interest as explanatory variable against the BIC of the same model without the variable of interest as explanatory variable.

**Value**

The output is an `epheno` object, which basically extends an `ExpressionSet` object. The means, fold changes, standardized hazard ratios and pvalues are stored in the `experimentData` slot which is accessible with the `exprs` method. Information about the kind of information of each variable can be found in the `phenoData` slot which is accessible with the `pData` method.

There are several methods that can be used to access the information stored in an `epheno` object. For more information please type one of the following: `getFc(x)`, `getHr(x)`, `getMeans(x)`, `getSignif`, `getPvals(x)`, `getPostProbs`, `getSummaryDif(x)`, `logFchR(x)`, `p.adjust.method(x)`, `phenoClass(x)`, `phenoNames(x)`.

**Author(s)**

David Rossell

**References**

Kass R.E. and Wasserman L. A Reference Bayesian Test for Nested Hypotheses and its Relationship to the Schwarz Criterion. *Journal of the American Statistical Association*, 90, pp. 928-934.

**Examples**

```
#load eset
data(eset)
eset

#prepare vars2test
survival <- matrix(c("Relapse", "Months2Relapse"), ncol=2, byrow=TRUE)
colnames(survival) <- c('event', 'time')
vars2test <- list(survival=survival)

#run ExpressionPhenoTest
epheno <- ExpressionPhenoTest(eset, vars2test, p.adjust.method='none')
epheno
```

---

findCopyNumber	<i>Find copy number regions using expression data in a similar way ACE does.</i>
----------------	--

---

**Description**

Given enrichment scores between two groups of samples and the chromosomal positions of those enrichment scores this function finds areas where the enrichment is bigger/lower than expected if the positions were assigned at random. Plots of the regions and positions of the enriched regions are provided.

**Usage**

```
findCopyNumber(x, minGenes = 15, B = 100, p.adjust.method = "BH",
pvalcutoff = 0.05, exprScorecutoff = NA, mc.cores = 1, useAllPerm = F,
genome = "hg19", chrLengths, sampleGenome = TRUE, useOneChr = FALSE,
useIntegrate = TRUE, plot=TRUE, minGenesPerChr=100)
```

**Arguments**

x	An object of class data.frame with gene or probe identifiers as row names and the following columns: es (the enrichment score), chr (the chromosome where the gene or probe belong to) and pos (position in the chromosome in megabases). It can be obtained (from an epheno object) with the function getEsPositions.
minGenes	Minimum number of genes in a row that have to be enriched to mark the region as enriched. Has to be bigger than 2.
B	Number of permutations that will be computed to calculate pvalues. If useAllPerm is FALSE this value has to be bigger than 100. If useAllPerm is TRUE the computations are much more expensive, therefore it is not recommended to use a B bigger than 100.
p.adjust.method	P value adjustment method to be used. p.adjust.methods provides a list of available methods.
pvalcutoff	All genes with an adjusted p value lower than this parameter will be considered enriched.



<code>exprScorecutoff</code>	Genes with a smoothed score that is not bigger (lower if the given number is negative) than the specified value will not be considered significant.
<code>mc.cores</code>	Number of cores to be used in the computation. If <code>mc.cores</code> is bigger than 1 the multicore library has to be loaded.
<code>useAllPerm</code>	<p>If FALSE for each gene only permutations of genes that are in an area with similar density (similar number of genes close to them) are used to compute pvalues. If TRUE all permutations are used for each gene.</p> <p>We recommend to use the option FALSE after having observed that the enrichment can depend on the number of genes that are in the area.</p> <p>We recommend to use the option TRUE if the positions of the enrichment score are equidistant. Take into account that this option is much slower and needs less permutations, therefore a smaller B is preferred.</p> <p>See details for more info.</p>
<code>genome</code>	Genome that will be used to draw cytobands.
<code>chrLengths</code>	An object of class <code>numeric</code> containing chromosome names as names. This names have to be the same as the ones used in <code>x\$chr</code> If missing the last position is used.
<code>sampleGenome</code>	If positions are sampled over the hole genome (across chromosomes) or within each chromosome. This is TRUE by default.
<code>useOneChr</code>	Use only one chromosome to build the distribution under the null hypothesis that genes/probes are not enriched. By default this is FALSE. The chromosome that is used is chosen as follows: after removing small chromosomes we select the one closest to the median quadratic distance to 0. Setting this parameter to TRUE decreases processing time.
<code>useIntegrate</code>	If we want to use <code>integrate</code> or <code>pnorm</code> to compute pvalues. The first does not assume any distribution for the distribution under the null hypothesis, the second assumes it is normally distributed.
<code>plot</code>	If FALSE the function will make no plots.
<code>minGenesPerChr</code>	Chromosomes with less than <code>minGenesPerChr</code> will be removed from the analysis.

## Details

Enrichment scores can be either log fold changes, log hazard ratios, log variability ratios or any other score.

Within each chromosome a smoothed score for each gene is obtained via generalized additive models, the smoothing parameter for each chromosome being chosen via cross-validation. The obtained smoothing parameter of each chromosome will be used in permutations.

We assessed statistical significance by permuting the positions thru the hole genome. If `useAllPerm` is FALSE for each gene the permutations of genes that are in an area with similar density (distance to tenth gene) are used to compute pvalues. We observed that genes with similar densities tend to have similar smoothed scores. If we set 1000 permutations ( $B=1000$ ) scores are permuted thru the hole genome 10 times ( $1000/100$ ). For each smoothed scored the permutations of the 100 smoothed scores with most similar density (distance to tenth gene) are used. Therefore each smoothed score will be compared to 1000 smoothed scores obtained from permutations.

If scores are at the same distance in the genome from each other (for instance when we have a score every fixed certain bases) the option `useAllPerm=TRUE` is recommended. In this case every smoothed score is compared to all smoothed scores obtained via permutations. In this case having

20,000 genes and setting the parameter  $B=10$  would mean that the scores are permuted 10 times times thru the whole genome, obtaining 200,000 permuted smoothed scores. Each observed smoothed score will be tested against the distribution of the 200,000 permuted smoothed scores.

Only regions with as many genes as told in `minGenes` being statistically significant (pvalue lower than parameter `pvalcutoff`) after adjusting pvalues with the method specified in `p.adjust.method` will be selected as enriched. If `exprScorecutoff` is different from NA, a gene to be statistically significant will need (additionally to the pvalue cutoff) to have a smoothed score bigger (lower if `exprScorecutoff` is negative) than the specified value.

### Value

Plots all chromosomes and marks the enriched regions. Also returns a `data.frame` containing the positions of the enriched regions. This output can be passed by to the `genesInArea` function to obtain the names of the genes that are in each region.

### Author(s)

Evarist Planet

### See Also

`getEsPositions`, `genesInArea`

### Examples

```
data(epheno)
phenoNames(epheno)
mypos <- getEsPositions(epheno, 'Relapse')
mypos$chr <- '1' #we set all probes to chr one for illustration purposes
#(we want a minimum number of probes per chromosome)
head(mypos)
set.seed(1)
regions <- findCopyNumber(mypos, B=10, plot=FALSE)
head(regions)
```

---

`genesInArea`

*Find genes that are in given areas.*

---

### Description

Combine the output of `getEsPositions` and `findCopyNumber` to see which genes are in the enriched areas.

Given areas of enrichment (obtained with `findCopyNumber`) and a set of genes or probes and their positions in the genome (obtained with `getEsPositions`) the function tells which genes fall in each area.

### Usage

```
genesInArea(x, regions)
```

**Arguments**

x	An object of class data.frame with gene or probe identifiers as row names and the following columns: es (the enrichment score), chr (the chromosome where the gene or probe belong to) and pos (position in the chromosome in megabases). It can be obtained with the function getEsPositions.
regions	This is usually the output of findCopyNumber function.

**Author(s)**

Evarist Planet

**See Also**

getEsPositions, findCopyNumber

**Examples**

```
data(epheno)
phenoNames(epheno)
mypos <- getEsPositions(epheno, 'Relapse')
head(mypos)
#regions <- findCopyNumber(mypos)
#head(regions)
#genes <- genesInArea(mypos, regions)
#head(genes)
```

---

 get gseaSignatures' elements

*Subtract element's of a gseaSignaturesSign or gseaSignaturesVar object (obtained using the gseaSignatures function).*

---

**Description**

getEs returns ES (enrichment scores) getEsSim returns simulated ES (needed to compute pvals), getNes returns NES (normalized enrichment scores) and getFcHr returns the fold changes or hazard used to compute the ES, simulated ES and NES.

**Usage**

```
getEs(x)
getEsSim(x)
getNes(x)
getFcHr(x)
```

**Arguments**

x	an gseaSignaturesSign or gseaSignaturesVar object. Those objects are obtained using the gseaSignatures function.
---	--

**Author(s)**

Evarist Planet

---

getEsPositions	<i>Obtain chromosome positions for each gene.</i>
----------------	---

---

### Description

Given an object of class epheno obtain the gene positions on the genome.

### Usage

```
getEsPositions(epheno, phenoName, organism = "human", logEs = T, center = FALSE)
```

### Arguments

epheno	An object of class epheno usually obtained with ExpressionPhenoTest
phenoName	The phenotype that we want to use. Has to be in phenoNames(epheno)
organism	Has to be 'human' or 'mouse'. The default is 'human'.
logEs	If the values have to be log scaled.
center	If the values have to be genome centered. If TRUE the genome average will be subtracted to every value.

### Details

The output will usually be passed to findCopyNumber.

### Value

An object of class data.frame will be returned containing 3 variables: es (enichment score for fold change or hazard ratio), chr (chromosome), pos (position in Mb). epheno's featureNames will be used as row names.

### Author(s)

Evarist Planet

### Examples

```
data(epheno)
phenoNames(epheno)
mypos <- getEsPositions(epheno, 'Relapse')
head(mypos)
```

---

 getters for the epheno object

*Getters for the epheno object:*


---

### Description

getFc gets the fold changes. getHr gets the hazard ratios. getMeans gets the means. getPvals gets the p values. getPostProbs get the posterior probabilities. getSignif gets the pvalues or the posterior probabilities depending on the approach (frequentist or bayesian) that was used when the epheno object was created. getSummaryDif gets fold changes and hazard ratios. logFcHr gets the fold changes and hazard ratios after log scaling. p.adjust.method gets the p value adjustment method that was used when creating the object. phenoClass returns a data.frame telling the class (ordinal, continuous, categorical or survival) of each phenotype. phenoNames gets the phenotype names. approach gets the approach that was used (either frequentist or bayesian).

### Usage

```

getFc(x)
getHr(x)
getMeans(x)
getSignif(x)
getPvals(x)
getPostProbs(x)
getSummaryDif(x)
logFcHr(x)
p.adjust.method(x)
phenoClass(x)
phenoNames(x)
approach(x)
  
```

### Arguments

x                    epheno object

### Author(s)

Evarist Planet

---

 getVars2test

*Get phenotypic variables that were tested.*


---

### Description

Returns an object containing the names of the variables that were tested when the epheno object was created. Will return an object of class list. Variables of the same type (categorical, survival, etc) will be in the same slot of the list. The slot names are the types of the variables.

### Author(s)

Evarist Planet

**Examples**

```
data(epheno)
getVars2test(epheno)
```

---

getVars2test-methods *Methods for Function getVars2test in Package 'phenoTest'*

---

**Description**

Methods for function `getVars2test` in Package `'phenoTest'`. For more information read the function's manual.

**Methods**

`signature(x = "epheno")` Method for an object of class `epheno`.

---

gsea *GSEA (Gene Set Enrichment Analysis).*

---

**Description**

Computes the enrichment scores and simulated enrichment scores for each variable and signature. An important parameter of the function is `logScale`. Its default value is `TRUE` which means that by default the provided scores (i.e. fold changes, hazard ratios) will be log scaled. Remember to change this parameter to `FALSE` if your scores are already log scaled. The `getEs`, `getEsSim`, `getFc`, `getHr` and `getFChr` methods can be used to access each subobject. For more information please visit the man pages of each method.

It also computes the NES (normalized enrichment score), p values and fdr (false discovery rate) for all variables and signatures. For an overview of the output use the `summary` method.

In case of providing gene sets which have more than 10 distinct lengths an approximation of the calculation of the enrichment score simulations (ESM) will be computed. The value of the ESM only depends on the length of the gene set. Therefore we compute the ESM over a grid of possible gene set lengths which are representative of the lengths of the provided gene sets. Then we fit a generalized additive model model with cubic splines to predict the NES value based on the length of every gene set. This provides a much faster approach that can be very useful when we need to run the software over a huge number of gene sets.

**Usage**

```
gsea(x,gsets,logScale=TRUE, absVals=FALSE, averageRepeats=FALSE, B=1000,
     mc.cores=1, test="perm",p.adjust.method="none",
     pval.comp.method="original",pval.smooth.tail=TRUE,minGenes=10,
     maxGenes=500,center=FALSE)
```

## Arguments

<code>x</code>	ePhenoTest, numeric or matrix object containing scores (hazard ratios or fold changes).
<code>gsets</code>	character or list object containing the names of the genes that belong to each signature.
<code>logScale</code>	if values should be log scaled.
<code>absVals</code>	if TRUE fold changes and hazard ratios that are negative will be turned into positive before starting the process. This is useful when genes can go in both directions.
<code>averageRepeats</code>	if <code>x</code> is of class numeric and has repeated names (several measures for some individual names) we can average the measures of the same names.
<code>B</code>	number of simulations to perform.
<code>mc.cores</code>	number of processors to use.
<code>test</code>	the test that will be used. 'perm' stands for the permutation based method, 'wilcox' stands for the wilcoxon test (this is the fastest one) and 'tperm' stands for permutation t test.
<code>p.adjust.method</code>	p adjustment method to be used. Common options are 'BH', 'BY', 'bonferroni' or 'none'. All available options and their explanations can be found on the <code>p.adjust</code> function manual.
<code>pval.comp.method</code>	the p value computation method. Has to be one of 'signed' or 'original'. The default one is 'original'. See details for more information.
<code>pval.smooth.tail</code>	if we want to estimate the tail of the distribution where the pvalues will be generated.
<code>minGenes</code>	gene sets with less than <code>minGenes</code> genes will be removed from the analysis.
<code>maxGenes</code>	gene sets with more than <code>maxGenes</code> genes will be removed from the analysis.
<code>center</code>	if we want to center scores (fold changes or hazard ratios). The following is will be done: $x = x - \text{mean}(x)$ .

## Details

The following preprocessing was done on the provided scores (i.e. fold changes, hazard ratios) to avoid errors during the enrichment score computation: -When having two scores with the same name its average was used. -Zeros were removed. -Scores without names (which can not be in any signature) removed. -Non complete cases (i.e. NAs, NaNs) were removed. ES score was calculated for each signature and variable (see references). If parameter `test` is 'perm' the signature was permuted and the ES score was recalculated (this happened `B` times for each variable, 1000 by default). If `test` is 'wilcox' a wilcoxon test in which we test the fact that the average value of the genes that do belong to our signature is different from the average value of the genes that do not belong to our signature will be performed. If `test` is 'tperm' a permutation t-test will be used. Take into account that the final plot will be different when 'wilcox' is used.

The simulated enrichment scores and the calculated one are used to find the p value.

P value calculation depends on the parameter `pval.comp.method`. The default value is 'original'. In 'original' we are simply computing the proportion of absolute simulated ES which are larger than the observed absolute ES. In 'signed' we are computing the proportion of simulated ES which are larger than the observed ES (in case of having positive enrichment score) and the proportion of simulated ES which are smaller than the observed ES (in case of having negative enrichment score).

**Author(s)**

Evarist Planet

**References**

Aravind Subramanian, (October 25, 2005) *Gene Set Enrichment Analysis*. [www.pnas.org/cgi/doi/10.1073/pnas.0506580102](http://www.pnas.org/cgi/doi/10.1073/pnas.0506580102)

C.A. Tsai and J.J. Chen. *Kernel estimation for adjusted p-values in multiple testing*. *Computational Statistics & Data Analysis* [http://econpapers.repec.org/article/eeecsdana/v\\_3a51\\_3ay\\_3a2007\\_3ai\\_3a8\\_3ap\\_3a3885-3897.htm](http://econpapers.repec.org/article/eeecsdana/v_3a51_3ay_3a2007_3ai_3a8_3ap_3a3885-3897.htm)

**See Also**

gsea.go

**Examples**

```
#load epheno object
data(epheno)
epheno

#we construct two signatures
sign1 <- sample(featureNames(epheno))[1:20]
sign2 <- sample(featureNames(epheno))[50:75]
mySignature <- list(sign1,sign2)
names(mySignature) <- c('My first signature','My preferred signature')

#run gsea functions
gseaData <- gsea(x=epheno,gsets=mySignature,B=100,mc.cores=1)
my.summary <- summary(gseaData)
my.summary
#plot(gseaData)
```

gsea.selGsets

*Subset an object of class gseaData.***Description**

`gsea.selGsets` to select a subgroup of gene sets from an object of class `gseaData`. `gsea.selVars` to select a subgroup of variables from an object of class `gseaData`.

**Usage**

```
gsea.selGsets(x, selGsets)
gsea.selVars(x, selVars)
```

**Arguments**

<code>x</code>	an object of class <code>gseaData</code> .
<code>selGsets</code>	names of the gene sets that we want to keep.
<code>selVars</code>	names of the variables that we want to keep.



**Value**

Returns an object of class `gseaData`.

**Author(s)**

Evarist Planet

---

`gsea2html`

*Export an object of class `gseaData` to an html file.*

---

**Description**

Exports `gseaData` objects to html files with plots and links to online databases.

**Usage**

```
gsea2html(gseaData, epheno, variable, title = "", path, file, digits = 3, plotEs = FALSE, limit=100)
```

**Arguments**

<code>gseaData</code>	an object of class <code>gseaData</code> .
<code>epheno</code>	the object of class <code>epheno</code> that was used to create <code>gseaData</code> .
<code>variable</code>	variable that we are interested in.
<code>title</code>	title that will be shown on top of the table.
<code>path</code>	directory where we want to store the html files.
<code>file</code>	filename.
<code>digits</code>	Number of decimal digits that will be shown on the table.
<code>plotEs</code>	if this is TRUE enrichment score plots will be plotted instead of normalized enrichment score plots.
<code>limit</code>	maximum number of gene sets that will be exported.

**Details**

This function produces a browseable version of the table that we can obtain with `summary(gseaData)`. We will obtain one plot per NES (or ES) and we will be able to see which genes belong to each gene set and the values they have in the `epheno` object.

**Author(s)**

Evarist Planet

**Examples**

```

#WITH PROBESET AS IDENTIFIER
data(eset)
data(epheno)

set.seed(777)
sign1 <- sample(featureNames(eset))[1:20]
sign2 <- sample(featureNames(eset))[1:50]
mySignature <- list(sign1,sign2)
names(mySignature) <- c('My first signature','Another signature')
mySignature

mygsea <- gsea(x=epheo[,1],gsets=mySignature,B=100,p.adjust='BH')
summary(mygsea)

#following line has been commented to prevent the creation of files
#gsea2html(gseaData=mygsea,epheo=epheo,variable=phenoNames(epheo)[1],title='My test',path='~/Desktop',fi

#WITH ENTREZID AS IDENTIFIER
data(eset.genelevel)
eset.genelevel

set.seed(777)
sign1 <- sample(featureNames(eset.genelevel))[1:20]
sign2 <- sample(featureNames(eset.genelevel))[1:50]
mySignature.genelevel <- list(sign1,sign2)
names(mySignature.genelevel) <- c('My first signature','Another signature')
mySignature.genelevel

epheo.genelevel <- ExpressionPhenoTest(eset.genelevel,vars2test=list(categorical='lymph.node.status'))
mygsea.genelevel <- gsea(x=epheo.genelevel,gsets=mySignature.genelevel,B=100,p.adjust='BH')
summary(mygsea.genelevel)

#following line has been commented to prevent the creation of files
#gsea2html(gseaData=mygsea.genelevel,epheo=epheo.genelevel,variable=phenoNames(epheo.genelevel),title='

```

---

gseaData-class

*Class "gseaData"*


---

**Description**

This class is an ES (enrichment score) and ES.sim (simulated enrichment score) container that will be used in the GSEA (Gene Set Enrichment Analysis) process. There is one container for every gene signature.

**Objects from the Class**

Objects can be created by calls of the form `new("gseaData", ...)`.

**Slots**

`.Data`: Object of class "list".

`gseaSignaturesSign`: Object of class "gseaSignaturesSign" or "gseaSignaturesVar".

`gseaSignificanceSign`: Object of class "gseaSignificanceSign" or "gseaSignificanceVar".

**Extends**

Class "[list](#)", from data part. Class "[vector](#)", by class "list", distance 2. Class "[AssayData](#)", by class "list", distance 2.

**Methods**

**getEs** signature(x = "gseaData"): Returns the enrichment scores.

**getEsSim** signature(x = "gseaData"): Returns the simulated enrichment scores (the ones obtained after permutations).

**getFcHr** signature(x = "gseaData"): Returns the fold change and/or the hazard ratio that were used to compute the enrichment scores.

**Author(s)**

Evarist Planet

**Examples**

```
showClass("gseaSignaturesSign")
```

---

gseaSignatures	<i>Compute ES (enrichment scores) and es.sim (simulated enrichment scores) for given phenotypic variable(s) and signature(s).</i>
----------------	---

---

**Description**

This function has been deprecated. You could better use `gsea` instead.

This function computes the first step in the process of obtaining a GSEA-like plot. It computes the enrichment scores and simulated enrichment scores for each variable and signature. The output will usually be used as input for the `gseaSignificance` function. An important parameter of the function is `logScale`. Its default value is `TRUE` which means that by default the provided scores (i.e. fold changes, hazard ratios) will be log scaled. Remember to change this parameter to `FALSE` if your scores are already log scaled. The `getEs`, `getEsSim`, `getFc`, `getHr` and `getFcHr` methods can be used to access each subobject. For more information please visit the man pages of each method.

**Usage**

```
gseaSignatures(x, gsets, logScale=TRUE, absVals=FALSE, averageRepeats=FALSE,
  B=1000, mc.cores=1, test='perm', minGenes=10, maxGenes=500, center=FALSE)
```

**Arguments**

x	ePhenoTest, numeric or matrix object containing hazard ratios or fold changes.
gsets	character or list object containing the names of the genes that belong to each signature.
logScale	if values should be log scaled.
absVals	if <code>TRUE</code> fold changes and hazard ratios that are negative will be turned into positive before starting the process. This is useful when genes can go in both directions.

averageRepeats	if x is of class numeric and has repeated names (several measures for some individual names) we can average the measures of the same names.
B	number of simulations to perform.
mc.cores	number of processors to use.
test	the test that will be used. 'perm' stands for the permutation based method, 'wilcox' stands for the wilcoxon test (this is the fastest one) and 'tperm' stands for permutation t test.
minGenes	gene sets with less than minGenes genes will be removed from the analysis.
maxGenes	gene sets with more than maxGenes genes will be removed from the analysis.
center	if we want to center scores (fold changes or hazard ratios). The following is will be done: $x = x - \text{mean}(x)$ .

### Details

The following preprocessing was done on the provided scores (i.e. fold changes, hazard ratios) to avoid errors during the enrichment score computation: -When having two scores with the same name its average was used. -Zeros were removed. -Scores without names (which can not be in any signature) removed. -Non complete cases (i.e. NAs, NaNs) were removed. ES score was calculated for each signature and variable (see references). If parameter test is 'perm' the signature was permuted and the ES score was recalculated (this happened B times for each variable, 1000 by default). If test is 'wilcox' a wilcoxon test in which we test the fact that the average value of the genes that do belong to our signature is different from the average value of the genes that do not belong to our signature will be performed. If test is 'tperm' a permutation t-test will be used. Take into account that the final plot will be different when 'wilcox' is used.

### Author(s)

Evarist Planet

### References

Aravind Subramanian, (October 25, 2005) *Gene Set Enrichment Analysis*. [www.pnas.org/cgi/doi/10.1073/pnas.0506580102](http://www.pnas.org/cgi/doi/10.1073/pnas.0506580102)

### Examples

```
#load epheno object
data(epheno)
epheno

#we construct two signatures
sign1 <- sample(featureNames(epheno))[1:20]
sign2 <- sample(featureNames(epheno))[50:75]
mySignature <- list(sign1,sign2)
names(mySignature) <- c('My first signature','My preferred signature')

#run gsea functions
#my.gseaSignatures <- gseaSignatures(x=epheno,signatures=mySignature,B=100,mc.cores=1)
#my.gseaSignificance <- gseaSignificance(my.gseaSignatures)
#my.summary <- summary(my.gseaSignificance)
#my.summary
#plot(my.gseaSignatures,my.gseaSignificance)
```

---

gseaSignatures-class    *Class "gseaSignatures" ES and EsSim container.*

---

### Description

This object contains de ES (enrichment scores) and simulated ES that will be used in the GSEA (Gene Set Enrichment Analysis) process.

### Objects from the Class

Objects can be created by calls of the form `new("gseaSignatures", ...)`.

### Slots

`.Data`: Object of class "list" .

`es`: Object of class "numeric" Contains the observed enrichment scores. The ones that were compted from the data without permuting anything.

`es.sim`: Object of class "numeric" Contains the enrichment score that were obtained after permutations.

`signature`: Object of class "numeric" The subset of genes we are interested in.

### Extends

Class "[list](#)", from data part. Class "[vector](#)", by class "list", distance 2. Class "[AssayData](#)", by class "list", distance 2.

### Methods

No methods defined with class "gseaSignatures" in the signature.

### Author(s)

Evarist Planet

### Examples

```
showClass("gseaSignatures")
```

---

gseaSignatures-methods

*Methods for Function gseaSignatures in Package 'phenoTest'*

---

### Description

Methods for function gseaSignatures in Package 'phenoTest'. For more information read the function's manual.

**Methods**

signature(x = "ANY", signatures = "character") Method for signature of class character.

signature(x = "ANY", signatures = "GeneSet") Method for signature of class character.

signature(x = "epheo", signatures = "list") Method for an epheo object and several signatures stored in an object of class list.

signature(x = "matrix", signatures = "GeneSetCollection") Method for an matrix object and several signatures stored in an object of class GeneSetCollection.

signature(x = "epheo", signatures = "GeneSetCollection") Method for an epheo object and several signatures stored in an object of class GeneSetCollection.

signature(x = "numeric", signatures = "GeneSetCollection") Method for an numeric object and several signatures stored in an object of class GeneSetCollection.

signature(x = "matrix", signatures = "list") Method for an matrix object and several signatures stored in an object of class list.

signature(x = "numeric", signatures = "list") Method for an numeric object and several signatures stored in an object of class list.

---

gseaSignaturesSign-class

*Class "gseaSignaturesSign"*

---

**Description**

This class is an ES (enrichment score) and ES.sim (simulated enrichment score) container that will be used in the GSEA (Gene Set Enrichment Analysis) process. There is one container for every gene signature.

**Objects from the Class**

Objects can be created by calls of the form `new("gseaSignaturesSign", ...)`.

**Slots**

**.Data:** Object of class "list".

**gseaSignatures:** Object of class "gseaSignatures" This is the object that will contain the ES and ES.sim.

**es.sim.gam:** Object of class "matrix" enrichment scores computed with the gam method.

**fc.hr:** Object of class "character" fold change or hazard ratio used to compute the enrichment scores.

**s:** Object of class "logical" The subset of genes we are interested in.

**test:** Object of class "character" The statistical test that will be used.

**Extends**

Class "**list**", from data part. Class "**vector**", by class "list", distance 2. Class "**AssayData**", by class "list", distance 2.

**Methods**

- getEs** signature(x = "gseaSignaturesSign"): Returns the enrichment scores.
- getEsSim** signature(x = "gseaSignaturesSign"): Returns the simulated enrichment scores (the ones obtained after permutations).
- getFcHr** signature(x = "gseaSignaturesSign"): Returns the fold change and/or the hazard ratio that were used to compute the enrichment scores.
- gseaSignificance** signature(x = "gseaSignaturesSign"): This is the next step in the process of performing GSEA. This function will test if the gene sets are enriched.

**Author(s)**

Evarist Planet

**Examples**

```
showClass("gseaSignaturesSign")
```

---

gseaSignaturesVar-class

*Class "gseaSignaturesVar"*

---

**Description**

This class is an ES (enrichment score) and ES.sim (simulated enrichment score) container that will be used in the GSEA (Gene Set Enrichment Analysis) process. There is one container for every phenotype. Every one of this containers (of class gseaSignaturesSign) is a container itself and has the enrichment scores of all signatures. GseaSignaturesVar contains one element per phenotype (phenotypic variable). Every one of this elements is of class gseaSignaturesSign and contains one element per signature.

**Objects from the Class**

Objects can be created by calls of the form `new("gseaSignaturesVar", ...)`.

**Slots**

**.Data:** Object of class "list".

**gseaSignatures:** Object of class "gseaSignaturesSign" This object contains the enrichment scores and other elements that will be used in the GSEA process.

**Extends**

Class "[list](#)", from data part. Class "[vector](#)", by class "list", distance 2. Class "[AssayData](#)", by class "list", distance 2.

**Methods**

**getEs** signature(x = "gseaSignaturesVar"): Returns the enrichment scores.

**getEsSim** signature(x = "gseaSignaturesVar"): Returns the simulated enrichment scores (the ones obtained after permutations).

**getFcHr** signature(x = "gseaSignaturesVar"): Returns the fold change and/or the hazard ratio that were used to compute the enrichment scores.

**gseaSignificance** signature(x = "gseaSignaturesVar"): This is the next step in the process of performing GSEA. This function will test if the gene sets are enriched.

**Author(s)**

Evarist Planet

**Examples**

```
showClass("gseaSignaturesVar")
```

---

gseaSignificance      *ES' (enrichment scores) significance.*

---

**Description**

This function has been deprecated. You could better use gsea instead.

This function performs the second step in the process of obtaining a GSEA-like plot. It computes the NES (normalized enrichment score), p values and fdr (false discovery rate) for all variables and signatures. A gseaSignaturesSign or gseaSignaturesVar object will be needed as input (these objects can be obtained with the gseaSignatures function). For an overview of the output use the summary method. The next step after using the gseaSignificance function would be using the plot method.

**Usage**

```
gseaSignificance(x,p.adjust.method='none',pval.comp.method='original',pval.smooth.tail=TRUE)
```

**Arguments**

x                    gseaSignaturesSign or gseaSignaturesVar object obtained with the gseaSignatures method. This object contains the enrichment scores ,the simulated enrichment scores and the fold changes or hazard ratios.

p.adjust.method    p adjustment method to be used. Common options are 'BH', 'BY', 'bonferroni' or 'none'. All available options and their explanations can be found on the p.adjust function manual.

pval.comp.method    the p value computation method. Has to be one of 'signed' or 'original'. The default one is 'original'. See details for more information.

pval.smooth.tail    if we want to estimate the tail of the distribution where the pvalues will be generated.



**Details**

The simulated enrichment scores and the calculated one are used to find the p value.

P value calculation depends on the parameter `pval.comp.method`. The default value is 'original'. In 'original' we are simply computing the proportion of absolute simulated ES which are larger than the observed absolute ES. In 'signed' we are computing the proportion of simulated ES which are larger than the observed ES (in case of having positive enrichment score) and the proportion of simulated ES which are smaller than the observed ES (in case of having negative enrichment score).

**Author(s)**

Evarist Planet

**References**

Aravind Subramanian, (October 25, 2005) *Gene Set Enrichment Analysis*. [www.pnas.org/cgi/doi/10.1073/pnas.0506580102](http://www.pnas.org/cgi/doi/10.1073/pnas.0506580102)

C.A. Tsai and J.J. Chen. *Kernel estimation for adjusted p-values in multiple testing*. *Computational Statistics & Data Analysis* [http://econpapers.repec.org/article/eeecsdana/v\\_3a51\\_3ay\\_3a2007\\_3ai\\_3a8\\_3ap\\_3a3885-3897.htm](http://econpapers.repec.org/article/eeecsdana/v_3a51_3ay_3a2007_3ai_3a8_3ap_3a3885-3897.htm)

**Examples**

```
#for examples see the help file of gseaSignatures: ?gseaSignatures
```

---

```
gseaSignificanceSign-class
      Class "gseaSignificanceSign"
```

---

**Description**

This object contains the results of the test of enrichment that was performed on each gene set. There is one container for every gene signature.

**Objects from the Class**

Objects can be created by calls of the form `new("gseaSignificanceSign", ...)`.

**Slots**

`.Data`: Object of class "list".

`gseaSignificance`: Object of class "matrix" Contains the statistics. Use the `summary` method to access this information.

`p.adjust.method`: Object of class "character" The p-value adjustment method that was used.

**Extends**

Class "`list`", from data part. Class "`vector`", by class "list", distance 2. Class "`AssayData`", by class "list", distance 2.

**Methods**

No methods defined with class "gseaSignificanceSign" in the signature.

**Author(s)**

Evarist Planet

**Examples**

```
showClass("gseaSignificanceSign")
```

---

gseaSignificanceVar-class

*Class "gseaSignificanceVar"*

---

**Description**

This object contains the results of the test of enrichment that was performed on each gene set and phenotype. There is one container for every phenotype. Every one of this containers (of class gseaSignificanceSign) is a container itself and has the results of the tests for all signatures. GseaSignificanceVar contains one element per phenotype (phenotypic variable). Every one of this elements is of class gseaSignificanceSign and contains one element per signature.

**Objects from the Class**

Objects can be created by calls of the form `new("gseaSignificanceVar", ...)`.

**Slots**

`.Data`: Object of class "list".

`gseaSignificance`: Object of class "gseaSignificanceSign" This object contains the results of the tests.

**Extends**

Class "[list](#)", from data part. Class "[vector](#)", by class "list", distance 2. Class "[AssayData](#)", by class "list", distance 2.

**Methods**

No methods defined with class "gseaSignificanceVar" in the signature.

**Author(s)**

Evarist Planet

**Examples**

```
showClass("gseaSignificanceVar")
```

---

heatmapPhenoTest      *Produce heatmap from phenotype data.*

---

### Description

Show the associations between clusters that each sample belongs to and each phenotype in a heatmap and/or a Kaplan-Meier plot.

### Usage

```
heatmapPhenoTest(x, signatures, vars2test, probes2genes = FALSE,
  filterVar, filteralpha = 0.05, distCol = "pearson", nClust = 2, distRow
  = "cor", p.adjust.method = "none", simulate.p.value = FALSE, B = 10^5,
  linkage = "average", equalize = FALSE, center = TRUE, col, survCol,
  heat.kaplan="both", ...)
```

### Arguments

x	ExpressionSet with phenotype information stored in pData(x).
signatures	Either character vector or list of character vectors with gene sets to be used to draw heatmaps (gene names should match those in featureNames(x)). A separate heatmap will be produced for each element in the list.
vars2test	list with components 'continuous', 'categorical', 'ordinal' and 'survival' indicating which phenotype variables should be tested. 'continuous', 'categorical' and 'ordinal' must be character vectors, 'survival' a matrix with columns named 'time' and 'event'. The names must match names in names(pData(x)).
probes2genes	If set to TRUE a single probe is selected for each gene. nsFilter is used to select the probe with highest inter-quartile range.
filterVar	If specified, only genes with significant differences in the variable filterVar will be displayed in the heatmap. Note that this option will not affect the sample clustering, as this is obtained using both significant and non-significant genes.
filteralpha	Significance level for the filtering based on filterVar.
distCol	Distance metric used to cluster columns (e.g. patients/samples). Can take any value accepted by dist. Pearson and Spearman correlations are also allowed. Write 'spearman' or 'pearson' to use them.
nClust	Number of desired clusters.
distRow	Distance metric used to cluster rows (e.g. genes). Can take any value accepted by distancematrix.
p.adjust.method	Method for P-value adjustment, passed on to p.adjust.
simulate.p.value	If set to FALSE the chi-square test p-values are computed using asymptotics, otherwise a simulation is used (see chisq.test for details).
B	An integer specifying the number of replicates used in the chi-square Monte Carlo test (passed on to chisq.test).
linkage	Linkage used for clustering. Must be either 'complete', 'average' or 'minimum'.
equalize	Should color codes be equalized between genes, i.e. all genes present the same range of colors. Passed on to heatmap_plus.

center	centering is done by subtracting the column means (omitting NAs).
col	Color scheme to be used for heatmap. Defaults to a green/red scheme designed to look nice for microarray data.
survCol	Colors for the Kaplan-Meier survival curves.
heat.kaplan	can be "heat" if we want to plot a heatmap, "kaplan" if we want to plot a kaplan-meier or "both" if we want both of them.
...	Other arguments for the survival plot, e.g. lty etc.

### Details

Makes two clusters of samples based on the expression levels of the genes from the given signature and plots a heatmap and/or a Kaplan-Meier showing the association between belonging to one cluster or the other and each phenotype.

For variables in `vars2test` continuous and `vars2test` ordinal a Kruskal-Wallis Rank Sum test is used; for `vars2test` categorical a chi-square test (with exact p-value if `simulate.p.value` is set to TRUE); for `vars2test` survival a Cox proportional hazards likelihood-ratio test.

### Author(s)

David Rossell

### Examples

```
#load data
data(eset)
eset

#construct vars2test
survival <- matrix(c("Relapse", "Months2Relapse"), ncol=2, byrow=TRUE)
colnames(survival) <- c('event', 'time')
vars2test <- list(survival=survival)
vars2test

#construct a signature
sign <- sample(featureNames(eset))[1:20]

#make plot
heatmapPhenoTest(eset, sign, vars2test=vars2test, heat.kaplan='heat')
heatmapPhenoTest(eset, sign, vars2test=vars2test, heat.kaplan='kaplan')
```

---

heatmapPhenoTest-methods

*Methods for Function heatmapPhenoTest in Package 'phenoTest'*

---

### Description

Methods for function `heatmapPhenoTest` in Package 'phenoTest'. For more information read the function's manual.

**Methods**

signature(x = "ExpressionSet", signatures = "character") Method for an ExpressionSet object and one signature stored in an object of class character.

signature(x = "ExpressionSet", signatures = "list") Method for an ExpressionSet object and several signatures stored in an object of class list.

signature(x = "ExpressionSet", signatures = "missing") Method for an ExpressionSet object and no signatures.

signature(x = "ExpressionSet", signatures = "GeneSet") Method for an ExpressionSet object and one signature stored in an object of class GeneSet.

signature(x = "ExpressionSet", signatures = "GeneSetCollection") Method for an ExpressionSet object and several signatures stored in an object of class GeneSetCollection.

---

pAdjust

*Adjust p values of an epheno object.*

---

**Description**

Adjusts the p values of an epheno object. The p.adjust function will be used. For more information read the p.adjust function's help.

**Usage**

```
pAdjust(x, method = "BH")
```

**Arguments**

x	an epheno object.
method	the correction method that will be used. See the p.adjust help for more info about the methods.

**Author(s)**

Evarist Planet

**Examples**

```
#load epheno object
data(epheno)
epheno

#Adjust pvalue
p.adjust.method(epheno)
epheno <- pAdjust(epheno,method='BH')
p.adjust.method(epheno)
```

---

pAdjust-methods      *Methods for Function pAdjust in Package 'phenoTest'*

---

### Description

Methods for function pAdjust in Package 'phenoTest'. This function adjusts the p-values of an epheno object. For more informe read the function's manual.

### Methods

signature(x = "epheno") Adjusts the pvalues of an epheno object.

### Author(s)

Evarist Planet

---

pca      *Principal components plot.*

---

### Description

Creates a Principal Components plot where we can show paired samples, and confidence intervals for the mean of every group of interest. We can also choose the component or components we want to plot.

### Usage

```
pca(x, group, group2, pair, names, ellipse = FALSE, main = "", components = c(1, 2))
```

### Arguments

x	An object of class ExpressionSet.
group	Variable in pData(x) that contains the groups of interest. Samples of the same group will be plotted with the same color.
group2	Variable in pData(x) that contains secondary groups of interest. Sample of the same secondary group of interest will be plotted with the same symbol.
pair	Variable in pData(x) that contains the information about the pairs of data. Those pairs will be joined by a line.
names	Variable in pData(x) that contains the information about the names of the samples.
ellipse	If we want to plot ellipses with the 95 percent confidence intervals for every group.
main	A title for the plot.
components	Which components we want to plot. By default the first principal component will be plotted on the x axis and the second principal component will be plotted on the y axis. More than two components may be specified. If so multiple plots will be produced.

**Author(s)**

Evarist Planet

**See Also**

prcomp.

**Examples**

```
data(eset)
pca(x=eset, group='Relapse', names='GEOaccession')
#pca(x=eset, group='Relapse', names='GEOaccession', components=1:3)
```

---

plot.gseaData	<i>GSEA-like Plot.</i>
---------------	------------------------

---

**Description**

Builds a GSEA plot using a gseaData object. gseaData object can be obtained with the gsea function.

**Usage**

```
plot.gseaData(x, selGsets, selVars, ...)
```

**Arguments**

x	this has to be of class gseaData
selGsets	object of class character containing the names of the gene sets that we want to plot.
selVars	object of class character containing the names of the variables that we want to plot.
...	Arguments to be passed to plot.

**Author(s)**

Evarist Planet

**References**

Aravind Subramanian, (October 25, 2005) *Gene Set Enrichment Analysis*. [www.pnas.org/cgi/doi/10.1073/pnas.0506580102](http://www.pnas.org/cgi/doi/10.1073/pnas.0506580102)

**Examples**

```
#for examples see the help file of gseaSignatures: ?gseaSignatures
```

---

plot.gseaSignatures    *GSEA-like Plot.*

---

### Description

Builds a GSEA plot using a gseaSignature object (one of gseaSignaturesSign or gseaSignaturesVar obtained with the gseaSignatures function) and a gseaSignificance object (one of gseaSignificanceSign or gseaSignificanceVar obtained with the gseaSignificance function).

### Usage

```
plot.gseaSignaturesSign(x, gseaSignificance, es.ylim, nes.ylim, es.nes="both", ...)
```

### Arguments

x	object of class gseaSignaturesSign or gseaSignaturesVar.
gseaSignificance	object of class gseaSignificanceSign or gseaSignificanceVar.
es.ylim	ylim values for the ES plot.
nes.ylim	ylim values for the NES plot.
es.nes	can be "es" if we want to plot enrichment score, "nes" if we want to plot normalised enrichment scores or "both" if we want to plot them both.
...	Arguments to be passed to plot.

### Author(s)

Evarist Planet

### References

Aravind Subramanian, (October 25, 2005) *Gene Set Enrichment Analysis*. [www.pnas.org/cgi/doi/10.1073/pnas.0506580102](http://www.pnas.org/cgi/doi/10.1073/pnas.0506580102)

### See Also

plot.gseaSignaturesSign, plot.gseaSignaturesVar

### Examples

```
#for examples see the help file of gseaSignatures: ?gseaSignatures
```



---

 show-methods

*Methods for Function show in Package 'methods'.*


---

## Description

Methods for function show in Package 'methods'.

## Methods

signature(object = "AnnotatedDataFrame") Will show an object of class AnnotatedDataFrame.  
 signature(object = "ANY") Will show an object of class ANY.  
 signature(object = "classRepresentation") Will show an object of class classRepresentation.  
 signature(object = "container") Will show an object of class container.  
 signature(object = "epheno") Will show an object of class epheno.  
 signature(object = "eSet") Will show an object of class eSet.  
 signature(object = "genericFunction") Will show an object of class genericFunction.  
 signature(object = "gseaSignaturesSign") Will show an object of class gseaSignaturesSign.  
 signature(object = "gseaSignaturesVar") Will show an object of class gseaSignaturesVar.  
 signature(object = "gseaSignificanceSign") Will show an object of class gseaSignificanceSign.  
 signature(object = "gseaSignificanceVar") Will show an object of class gseaSignificanceVar.  
 signature(object = "LargeDataObject") Will show an object of class LargeDataObject.  
 signature(object = "MethodDefinition") Will show an object of class MethodDefinition.  
 signature(object = "MethodSelectionReport") Will show an object of class MethodSelectionReport.  
 signature(object = "MethodWithNext") Will show an object of class MethodWithNext.  
 signature(object = "MIAME") Will show an object of class MIAME.  
 signature(object = "namedList") Will show an object of class namedList.  
 signature(object = "ObjectsWithPackage") Will show an object of class ObjectsWithPackage.  
 signature(object = "oldClass") Will show an object of class oldClass.  
 signature(object = "ScalarCharacter") Will show an object of class ScalarCharacter.  
 signature(object = "ScalarObject") Will show an object of class ScalarObject.  
 signature(object = "signature") Will show an object of class signature.  
 signature(object = "TestResults") Will show an object of class TestResults.  
 signature(object = "traceable") Will show an object of class traceable.  
 signature(object = "Versioned") Will show an object of class Versioned.  
 signature(object = "Versions") Will show an object of class Versions.  
 signature(object = "VersionsNull") Will show an object of class VersionsNull.

---

smoothCoxph	<i>Plots the Cox proportional hazard smoothed by gene expression level.</i>
-------------	---

---

**Description**

Builds a plot showing how hazard behaves over different levels of expression of a given gene. Confidence intervals are also provided.

**Usage**

```
smoothCoxph(time, event, x, xlim, ylim, xlab, ylab, logrisk=TRUE, ...)
```

**Arguments**

time	variable where time to survival is stored.
event	variable where survival event is stored.
x	numeric containing the expression levels of a given gene.
xlim	xlim for the plot.
ylim	ylim for the plot.
xlab	xlab for the plot.
ylab	ylab for the plot.
logrisk	logrisk if we want to compute risk or logrisk estimates. By default this is TRUE, which has a better behaviour under small sample sizes.
...	other arguments that will be passed to plot.

**Author(s)**

David Rossell.

**Examples**

```
#load eset
data(eset)

#make plot
smoothCoxph(pData(eset)$Months2Relapse, pData(eset)$Relapse, exprs(eset)[25,])
```

---

summary.gseaData	<i>Obtain a data.frame with the pvalues and fdr for all signatures and variables of a gseaData object.</i>
------------------	--

---

**Description**

Builds a data.frame object that can easily be written to a csv file containing the ES, NES, pval.ES, pval.NES and FDR.

**Usage**

```
summary.gseaData(object,...)
```

**Arguments**

```
object      object of class gseaData,  
...        Arguments to be passed to summary.
```

**Author(s)**

Evarist Planet

**References**

Aravind Subramanian, (October 25, 2005) *Gene Set Enrichment Analysis*. [www.pnas.org/cgi/doi/10.1073/pnas.0506580102](http://www.pnas.org/cgi/doi/10.1073/pnas.0506580102)

**See Also**

summary.gseaSignificanceSign, summary.gseaSignificanceVar

**Examples**

```
#for examples see the help file of gseaSignatures: ?gsea
```

---

```
summary.gseaSignificance
```

*Obtain a data.frame with the pvalues and fdr for all signatures and variables of a gseaSignificanceSign or gseaSignificanceVar object.*

---

**Description**

Builds a data.frame object that can easily be written to a csv file containing the ES, NES, pval.ES, pval.NES and FDR.

**Usage**

```
summary.gseaSignificanceSign(object,...)
```

**Arguments**

```
object      object of class gseaSignificanceSign or gseaSignificanceVar.  
...        Arguments to be passed to summary.
```

**Author(s)**

Evarist Planet

**References**

Aravind Subramanian, (October 25, 2005) *Gene Set Enrichment Analysis*. [www.pnas.org/cgi/doi/10.1073/pnas.0506580102](http://www.pnas.org/cgi/doi/10.1073/pnas.0506580102)

**Examples**

```
#for examples see the help file of gseaSignatures: ?gseaSignatures
```

---

```
write.html           Write a data.frame to an html file.
```

---

**Description**

Creates an html file with links and plots from a table.

**Usage**

```
write.html(x, links, tiny.pic, tiny.pic.size = 100, title = "", file, digits = 3)
```

**Arguments**

x	Object of class <code>data.frame</code> .
links	Object of class <code>list</code> with one item per column in <code>x</code> . If we want the <code>ith</code> column of <code>x</code> to have links to a site or local file we will have to write those links into the <code>ith</code> element of <code>links</code> .
tiny.pic	Object of class <code>list</code> with one item per column in <code>x</code> . If we want the <code>ith</code> column of <code>x</code> to show plots instead of text we will have to write the path to the plots into the <code>ith</code> element of <code>links</code> .
tiny.pic.size	size of the pictures if any.
title	Title that will be shown on top of the html file.
file	path and name of the file that will be created.
digits	number of digits that will be shown in numeric columns of <code>x</code> .

**Author(s)**

Evarist Planet

**See Also**

`write.csv`, `write.table`, `htmlpage`

**Examples**

```
##
##Code has been commented to avoid the creation of files
##
#(x <- data.frame(gene.symbol=c('AARS', 'ABCF1', 'ABLIM1'),value=c(2.054,30.024,5.0221),plot=rep('Open',3)))
#tiny.pic <- links <- vector('list',length=ncol(x))
#links[[1]] <- paste('http://www.genecards.org/index.php?path=/Search/keyword/',x[,1])
#for (i in 1:nrow(x)) {
#  png(paste('~/Desktop/',x[i,1],'.png',sep=''))
#  plot(1:3,log(1:3))
#  dev.off()
#}
#tiny.pic[[3]] <- links[[3]] <- paste(x[,1],'.png',sep='')
#write.html(x,links=links,tiny.pic=tiny.pic,file=~/Desktop/x.html',title='My html test')
```

# Index

## \* classes

- epheno-class, 8
- gseaData-class, 26
- gseaSignatures-class, 29
- gseaSignaturesSign-class, 30
- gseaSignaturesVar-class, 31
- gseaSignificanceSign-class, 33
- gseaSignificanceVar-class, 34

## \* datasets

- epheno, 7
- eset, 10
- eset.genelevel, 11
- export2CSV, 14
- ExpressionPhenoTest, 14
- get gseaSignatures' elements, 19
- getters for the epheno object, 21
- getVars2test, 21
- gsea, 22
- gseaSignatures, 27
- gseaSignificance, 32
- pca, 38
- plot.gseaData, 39
- plot.gseaSignatures, 40
- smoothCoxph, 42
- summary.gseaData, 42
- summary.gseaSignificance, 43

## \* graph

- barplotSignatures, 3

## \* methods

- barplotSignatures-methods, 5
- barplotSignifSignatures-methods, 5
- export2CSV-methods, 14
- getVars2test-methods, 22
- gseaSignatures-methods, 29
- heatmapPhenoTest-methods, 36
- pAdjust-methods, 38
- show-methods, 41
- [, epheno, ANY, ANY, ANY-method (getters for the epheno object), 21
- [, epheno, ANY, ANY-method (epheno-class), 8
- approach (getters for the epheno object), 21

- approach, epheno-method (epheno-class), 8
- AssayData, 27, 29–31, 33, 34

- barplotSignatures, 3

- barplotSignatures, epheno, character-method (barplotSignatures-methods), 5
- barplotSignatures, epheno, GeneSet-method (barplotSignatures-methods), 5
- barplotSignatures, epheno, GeneSetCollection-method (barplotSignatures-methods), 5
- barplotSignatures, epheno, list-method (barplotSignatures-methods), 5

- barplotSignatures-methods, 5

- barplotSignifSignatures (barplotSignatures), 3

- barplotSignifSignatures, epheno, character-method (barplotSignifSignatures-methods), 5

- barplotSignifSignatures, epheno, GeneSet-method (barplotSignifSignatures-methods), 5

- barplotSignifSignatures, epheno, GeneSetCollection-method (barplotSignifSignatures-methods), 5

- barplotSignifSignatures, epheno, list-method (barplotSignifSignatures-methods), 5

- barplotSignifSignatures-methods, 5

- ClusterPhenoTest, 6

- dim, epheno-method (epheno-class), 8

- epheno, 7

- epheno-class, 8

- epheno2html, 9

- eSet, 8

- eset, 10

- eset.genelevel, 11

- eset2genelevel, 13

- export2CSV, 14

- export2CSV, epheno-method

- (export2CSV-methods), 14

- export2CSV-methods, 14

- ExpressionPhenoTest, 14  
 ExpressionSet, 8
- findCopyNumber, 16
- genesInArea, 18  
 get gseaSignatures' elements, 19  
 getEs (get gseaSignatures' elements), 19  
 getEs, gseaData-method (gseaData-class), 26  
 getEs, gseaSignaturesSign-method (gseaSignaturesSign-class), 30  
 getEs, gseaSignaturesVar-method (gseaSignaturesVar-class), 31  
 getEsPositions, 20  
 getEsSim (get gseaSignatures' elements), 19  
 getEsSim, gseaData-method (gseaData-class), 26  
 getEsSim, gseaSignaturesSign-method (gseaSignaturesSign-class), 30  
 getEsSim, gseaSignaturesVar-method (gseaSignaturesVar-class), 31  
 getFc (getters for the epheno object), 21  
 getFc, epheno-method (epheno-class), 8  
 getFcHr (get gseaSignatures' elements), 19  
 getFcHr, gseaData-method (gseaData-class), 26  
 getFcHr, gseaSignaturesSign-method (gseaSignaturesSign-class), 30  
 getFcHr, gseaSignaturesVar-method (gseaSignaturesVar-class), 31  
 getHr (getters for the epheno object), 21  
 getHr, epheno-method (epheno-class), 8  
 getMeans (getters for the epheno object), 21  
 getMeans, epheno-method (epheno-class), 8  
 getNes (get gseaSignatures' elements), 19  
 getPostProbs (getters for the epheno object), 21  
 getPostProbs, epheno-method (epheno-class), 8  
 getPvals (getters for the epheno object), 21  
 getPvals, epheno-method (epheno-class), 8  
 getSignif (getters for the epheno object), 21  
 getSignif, epheno-method (epheno-class), 8
- getSummaryDif (getters for the epheno object), 21  
 getSummaryDif, epheno-method (epheno-class), 8  
 getters for the epheno object, 21  
 getVars2test, 21  
 getVars2test, epheno-method (getVars2test-methods), 22  
 getVars2test-methods, 22  
 gsea, 22  
 gsea.selGsets, 24  
 gsea.selVars (gsea.selGsets), 24  
 gsea2html, 25  
 gseaData-class, 26  
 gseaSignatures, 27  
 gseaSignatures, ANY, character-method (gseaSignatures-methods), 29  
 gseaSignatures, ANY, GeneSet-method (gseaSignatures-methods), 29  
 gseaSignatures, epheno, GeneSetCollection-method (gseaSignatures-methods), 29  
 gseaSignatures, epheno, list-method (gseaSignatures-methods), 29  
 gseaSignatures, matrix, GeneSetCollection-method (gseaSignatures-methods), 29  
 gseaSignatures, matrix, list-method (gseaSignatures-methods), 29  
 gseaSignatures, numeric, GeneSetCollection-method (gseaSignatures-methods), 29  
 gseaSignatures, numeric, list-method (gseaSignatures-methods), 29  
 gseaSignatures-class, 29  
 gseaSignatures-methods, 29  
 gseaSignaturesSign-class, 30  
 gseaSignaturesVar-class, 31  
 gseaSignificance, 32  
 gseaSignificance, gseaSignaturesSign-method (gseaSignaturesSign-class), 30  
 gseaSignificance, gseaSignaturesVar-method (gseaSignaturesVar-class), 31  
 gseaSignificanceSign-class, 33  
 gseaSignificanceVar-class, 34
- heatmapPhenoTest, 35  
 heatmapPhenoTest, ExpressionSet, character-method (heatmapPhenoTest-methods), 36  
 heatmapPhenoTest, ExpressionSet, GeneSet-method (heatmapPhenoTest-methods), 36  
 heatmapPhenoTest, ExpressionSet, GeneSetCollection-method (heatmapPhenoTest-methods), 36  
 heatmapPhenoTest, ExpressionSet, list-method (heatmapPhenoTest-methods), 36

- heatmapPhenoTest, ExpressionSet, missing-method show, gseaSignificanceVar-method (heatmapPhenoTest-methods), 36
- heatmapPhenoTest-methods, 36
- list, 27, 29–31, 33, 34
- logFchr (getters for the epheno object), 21
- logFchr, epheno-method (epheno-class), 8
- p.adjust.method (getters for the epheno object), 21
- p.adjust.method, epheno-method (epheno-class), 8
- pAdjust, 37
- pAdjust, epheno-method (pAdjust-methods), 38
- pAdjust-methods, 38
- pca, 38
- phenoClass (getters for the epheno object), 21
- phenoClass, epheno-method (epheno-class), 8
- phenoNames (getters for the epheno object), 21
- phenoNames, epheno-method (epheno-class), 8
- phenoTest (phenoTest-package), 3
- phenoTest-package, 3
- plot.gseaData, 39
- plot.gseaSignatures, 40
- plot.gseaSignaturesSign (plot.gseaSignatures), 40
- plot.gseaSignaturesVar (plot.gseaSignatures), 40
- show, AnnotatedDataFrame-method (show-methods), 41
- show, ANY-method (show-methods), 41
- show, classRepresentation-method (show-methods), 41
- show, container-method (show-methods), 41
- show, epheno-method (epheno-class), 8
- show, eSet-method (show-methods), 41
- show, genericFunction-method (show-methods), 41
- show, gseaData-method (gseaData-class), 26
- show, gseaSignaturesSign-method (show-methods), 41
- show, gseaSignaturesVar-method (show-methods), 41
- show, gseaSignificanceSign-method (show-methods), 41
- show, gseaSignificanceVar-method (show-methods), 41
- show, LargeDataObject-method (show-methods), 41
- show, MethodDefinition-method (show-methods), 41
- show, MethodSelectionReport-method (show-methods), 41
- show, MethodWithNext-method (show-methods), 41
- show, MIAME-method (show-methods), 41
- show, namedList-method (show-methods), 41
- show, ObjectsWithPackage-method (show-methods), 41
- show, oldClass-method (show-methods), 41
- show, ScalarCharacter-method (show-methods), 41
- show, ScalarObject-method (show-methods), 41
- show, signature-method (show-methods), 41
- show, TestResults-method (show-methods), 41
- show, traceable-method (show-methods), 41
- show, Versioned-method (show-methods), 41
- show, Versions-method (show-methods), 41
- show, VersionsNull-method (show-methods), 41
- show-methods, 41
- smoothCoxph, 42
- summary.gseaData, 42
- summary.gseaSignificance, 43
- summary.gseaSignificanceSign (summary.gseaSignificance), 43
- summary.gseaSignificanceVar (summary.gseaSignificance), 43
- vector, 27, 29–31, 33, 34
- Versioned, 8
- VersionedBiobase, 8
- write.html, 44