

Quick Intro to SBMLR

Tom Radivoyevitch

April 26, 2022

Introduction

SBMLR reads SBML files to and from an SBML-like R list of lists core object of class SBML, and it reads and writes these core objects into R text files that are well structured and light weight for editing. It also facilitates model simulations and model summaries.

Model import, export, editing and viewing

The following code reads in Curto et al.'s purine metabolism model of 1998

```
> library(SBMLR)
> curto=readSBML(system.file("models", "curto.xml", package = "SBMLR"))
> head(summary(curto)$reactions)
```

	index	Laws	initialFluxes
ada	1	aada*ATP^fada4	2.079466999
ade	2	aade*Ade^fade6	0.009915724
adna	3	aadna*dATP^fdnap9*dGTP^fdnap10	10.038261346
adrnr	4	aadrnr*ATP^fadrnr4*dATP^fadrnr9*dGTP^fadrnr10	0.201159500
ampd	5	aampd*ATP^fampd4*dGTP^fampd8*Pi^fampd18	5.640727920
aprt	6	aaprt*PRPP^faprt1*ATP^faprt4*Ade^faprt6	0.998075329

and the next two lines serialize the object *curto* of S3 class SBML (R list of lists) into a current working directory SBML (XML) file and editable R code SBMLR file. Relative to the option of using *dput* and *deparse*, *saveSBMLR* and *readSBMLR* ASCII text representations are more pleasant to look at and thus edit (the carriage returns are in the right places).

```
> saveSBML(curto,"curto.xml")
> saveSBMLR(curto,"curto.r")
```

These two files can then be read back in and compared as follows.

```
> curtoX=readSBML("curto.xml")
> curtoR=readSBMLR("curto.r")
> head((curtoX==curtoR)$species)
```

```

      index initialConcentrations boundaryConditions
PRPP  TRUE                      TRUE              TRUE
IMP   TRUE                      TRUE              TRUE
SAMP  TRUE                      TRUE              TRUE
ATP   TRUE                      TRUE              TRUE
SAM   TRUE                      TRUE              TRUE
Ade   TRUE                      TRUE              TRUE

```

```
> head((curtoX==curtoR)$reactions)
```

```

      index Laws initialFluxes
ada    TRUE TRUE          TRUE
ade    TRUE TRUE          TRUE
adna   TRUE TRUE          TRUE
adrnr  TRUE TRUE          TRUE
ampd   TRUE TRUE          TRUE
aprt   TRUE TRUE          TRUE

```

Values in these two dataframes are TRUE where the initial concentrations, fluxes, and reaction rate laws (as strings) are equal.

Model simulation

The following simulation first shows that the initial condition is a steady state. It then shows the time course response to an increase in [PRPP] from 5 uM to 50 uM.

```

> out1=sim(curto,seq(-20,0,1))
> curto$species$PRPP$ic=50
> out2=sim(curto,0:70)
> outs=data.frame(rbind(out1,out2))
> attach(outs)
> par(mfrow=c(2,1))
> plot(time,IMP,type="l",xlab="minutes",ylab="IMP (uM)")
> plot(time,HX,type="l",xlab="minutes",ylab="HX (uM)")
> par(mfrow=c(1,1))
> detach(outs)

```

The modulator argument to *sim* is either NULL, a vector of numbers, or a list of interpolation functions (time varying enzyme concentration boundary conditions). The vector and list lengths are equal to the number of reactions; in the vector case reaction rate law amplitude parameters are multiplied by 1 at times less than zero and the corresponding vector element thereafter. The following code doubles the amplitude parameters of Curto et al's 37 reactions at t=0; concentrations then stay the same as fluxes double.

```

> curto$species$PRPP$ic=5 # return PRPP IC to its original value
> sim(curto,(-10):10,modulator=rep(2,37)) # bumpless transfer in concentrations since all V

```

	time	PRPP	IMP	SAMP	ATP	SAM	Ade	XMP
1	-10	5.000000	98.26340	0.1981890	2475.350	3.991870	0.9847300	24.79300
2	-9	5.017097	98.25819	0.1981848	2475.352	3.991870	0.9849151	24.79299
3	-8	5.017231	98.25855	0.1981853	2475.354	3.991870	0.9848325	24.79298
4	-7	5.017280	98.25890	0.1981857	2475.354	3.991871	0.9847894	24.79296
5	-6	5.017315	98.25922	0.1981860	2475.355	3.991871	0.9847674	24.79295
6	-5	5.017341	98.25951	0.1981863	2475.355	3.991871	0.9847554	24.79294
7	-4	5.017360	98.25977	0.1981865	2475.354	3.991871	0.9847480	24.79293
8	-3	5.017375	98.26000	0.1981867	2475.354	3.991871	0.9847433	24.79293
9	-2	5.017386	98.26020	0.1981869	2475.354	3.991871	0.9847401	24.79292
10	-1	5.017395	98.26039	0.1981870	2475.354	3.991870	0.9847379	24.79291
11	0	5.017402	98.26058	0.1981872	2475.354	3.991870	0.9847361	24.79290
12	1	5.017411	98.26086	0.1981874	2475.354	3.991870	0.9847342	24.79289
13	2	5.017415	98.26110	0.1981876	2475.354	3.991870	0.9847331	24.79288
14	3	5.017419	98.26131	0.1981877	2475.354	3.991870	0.9847324	24.79287
15	4	5.017421	98.26150	0.1981879	2475.354	3.991870	0.9847319	24.79286
16	5	5.017422	98.26167	0.1981880	2475.354	3.991870	0.9847317	24.79286
17	6	5.017422	98.26181	0.1981881	2475.353	3.991870	0.9847316	24.79285
18	7	5.017422	98.26194	0.1981882	2475.353	3.991870	0.9847315	24.79285
19	8	5.017422	98.26206	0.1981883	2475.353	3.991870	0.9847315	24.79284
20	9	5.017422	98.26216	0.1981884	2475.353	3.991870	0.9847315	24.79284
21	10	5.017422	98.26226	0.1981885	2475.353	3.991870	0.9847315	24.79284
	GTP	dATP	dGTP	RNA	DNA	HX	Xa	Gua
1	410.2230	6.014130	3.025810	28680.50	5179.340	9.517850	5.059410	5.506380
2	410.2223	6.014135	3.025813	28680.50	5179.340	9.519836	5.059734	5.508591
3	410.2237	6.014136	3.025813	28680.49	5179.340	9.519291	5.059957	5.508056
4	410.2244	6.014137	3.025814	28680.49	5179.341	9.518845	5.060051	5.507660
5	410.2248	6.014137	3.025814	28680.49	5179.341	9.518494	5.060063	5.507373
6	410.2250	6.014138	3.025814	28680.49	5179.341	9.518221	5.060026	5.507162
7	410.2251	6.014138	3.025814	28680.49	5179.341	9.518010	5.059964	5.507004
8	410.2251	6.014139	3.025814	28680.49	5179.341	9.517849	5.059891	5.506887
9	410.2251	6.014139	3.025814	28680.49	5179.342	9.517728	5.059816	5.506798
10	410.2251	6.014139	3.025814	28680.49	5179.342	9.517638	5.059744	5.506731
11	410.2251	6.014140	3.025814	28680.49	5179.342	9.517565	5.059668	5.506674
12	410.2251	6.014141	3.025814	28680.49	5179.342	9.517495	5.059567	5.506611
13	410.2251	6.014142	3.025814	28680.49	5179.343	9.517470	5.059494	5.506575
14	410.2251	6.014142	3.025815	28680.49	5179.343	9.517462	5.059439	5.506549
15	410.2251	6.014143	3.025815	28680.49	5179.344	9.517471	5.059403	5.506534
16	410.2251	6.014144	3.025815	28680.49	5179.344	9.517490	5.059382	5.506526
17	410.2251	6.014145	3.025815	28680.49	5179.344	9.517515	5.059373	5.506522
18	410.2251	6.014146	3.025815	28680.49	5179.345	9.517541	5.059370	5.506520
19	410.2251	6.014147	3.025815	28680.49	5179.345	9.517566	5.059371	5.506519
20	410.2251	6.014148	3.025815	28680.49	5179.346	9.517590	5.059375	5.506519
21	410.2251	6.014148	3.025816	28680.49	5179.346	9.517612	5.059380	5.506518
	UA	ada	ade	adna	adrnr	ampd	aprt	
1	100.2930	2.079467	0.009915724	10.03826	0.2011595	5.640728	0.9963412	

2	100.2931	2.079469	0.009916749	10.03827	0.2011596	5.640732	0.9981831		
3	100.2932	2.079470	0.009916292	10.03827	0.2011597	5.640735	0.9981332		
4	100.2933	2.079471	0.009916053	10.03827	0.2011597	5.640735	0.9981052		
5	100.2935	2.079471	0.009915932	10.03827	0.2011597	5.640736	0.9980919		
6	100.2936	2.079471	0.009915865	10.03827	0.2011597	5.640735	0.9980853		
7	100.2938	2.079471	0.009915824	10.03827	0.2011597	5.640735	0.9980816		
8	100.2939	2.079471	0.009915798	10.03827	0.2011597	5.640735	0.9980795		
9	100.2940	2.079470	0.009915780	10.03827	0.2011597	5.640735	0.9980783		
10	100.2940	2.079470	0.009915768	10.03827	0.2011597	5.640735	0.9980775		
11	100.2941	4.158941	0.019831516	20.07655	0.4023194	11.281469	1.9961538		
12	100.2941	4.158940	0.019831495	20.07655	0.4023193	11.281468	1.9961526		
13	100.2940	4.158940	0.019831483	20.07655	0.4023193	11.281468	1.9961521		
14	100.2940	4.158940	0.019831475	20.07655	0.4023193	11.281467	1.9961516		
15	100.2939	4.158940	0.019831470	20.07655	0.4023193	11.281467	1.9961514		
16	100.2939	4.158940	0.019831467	20.07655	0.4023193	11.281467	1.9961513		
17	100.2938	4.158940	0.019831466	20.07655	0.4023193	11.281467	1.9961512		
18	100.2937	4.158940	0.019831465	20.07656	0.4023193	11.281467	1.9961511		
19	100.2937	4.158940	0.019831465	20.07656	0.4023193	11.281467	1.9961511		
20	100.2936	4.158940	0.019831465	20.07656	0.4023193	11.281467	1.9961511		
21	100.2936	4.158940	0.019831465	20.07656	0.4023193	11.281467	1.9961511		
	arna	asuc	asli	dada	den	dgnuc	dnaa	dnag	
1	1985.621	8.003186	8.003185	0.2004510	2.386351	0.1008502	10.03756	6.826370	
2	1985.621	8.003012	8.003012	0.2004511	2.402707	0.1008503	10.03756	6.826370	
3	1985.621	8.003028	8.003027	0.2004512	2.402833	0.1008504	10.03756	6.826371	
4	1985.622	8.003042	8.003041	0.2004512	2.402879	0.1008504	10.03756	6.826371	
5	1985.622	8.003053	8.003053	0.2004512	2.402911	0.1008504	10.03756	6.826371	
6	1985.622	8.003064	8.003063	0.2004512	2.402935	0.1008504	10.03756	6.826371	
7	1985.622	8.003072	8.003072	0.2004512	2.402953	0.1008504	10.03756	6.826372	
8	1985.622	8.003080	8.003080	0.2004512	2.402967	0.1008504	10.03756	6.826372	
9	1985.622	8.003087	8.003087	0.2004513	2.402977	0.1008504	10.03756	6.826372	
10	1985.622	8.003093	8.003093	0.2004513	2.402985	0.1008504	10.03756	6.826372	
11	3971.245	16.006199	16.006199	0.4009026	4.805985	0.2017008	20.07513	13.652746	
12	3971.245	16.006217	16.006217	0.4009026	4.806000	0.2017008	20.07513	13.652747	
13	3971.245	16.006233	16.006233	0.4009027	4.806008	0.2017008	20.07513	13.652748	
14	3971.245	16.006247	16.006247	0.4009027	4.806014	0.2017008	20.07513	13.652749	
15	3971.245	16.006260	16.006259	0.4009028	4.806017	0.2017008	20.07514	13.652750	
16	3971.245	16.006270	16.006270	0.4009028	4.806018	0.2017008	20.07514	13.652751	
17	3971.245	16.006280	16.006280	0.4009029	4.806019	0.2017008	20.07514	13.652752	
18	3971.245	16.006288	16.006288	0.4009030	4.806018	0.2017008	20.07514	13.652753	
19	3971.245	16.006296	16.006296	0.4009030	4.806018	0.2017008	20.07514	13.652754	
20	3971.245	16.006303	16.006303	0.4009031	4.806018	0.2017009	20.07514	13.652755	
21	3971.245	16.006309	16.006309	0.4009031	4.806017	0.2017009	20.07515	13.652756	
	gdna	gdrnr	gmpr	gmpr	gnuc	gprr	grna	gua	
1	6.825859	0.1003440	0.5138721	1.595763	4.807078	3.738009	1323.532	1.154277	
2	6.825863	0.1003438	0.5138758	1.595763	4.807071	3.753992	1323.532	1.154508	
3	6.825864	0.1003439	0.5138768	1.595763	4.807085	3.753944	1323.532	1.154452	

4	6.825864	0.1003440	0.5138774	1.595763	4.807093	3.753867	1323.533	1.154411	
5	6.825865	0.1003440	0.5138776	1.595763	4.807097	3.753812	1323.533	1.154381	
6	6.825865	0.1003440	0.5138777	1.595763	4.807099	3.753773	1323.533	1.154359	
7	6.825865	0.1003440	0.5138778	1.595762	4.807100	3.753744	1323.533	1.154342	
8	6.825866	0.1003440	0.5138777	1.595762	4.807100	3.753723	1323.533	1.154330	
9	6.825866	0.1003440	0.5138777	1.595762	4.807101	3.753708	1323.533	1.154320	
10	6.825866	0.1003440	0.5138777	1.595762	4.807101	3.753696	1323.533	1.154313	
11	13.651733	0.2006880	1.0277554	3.191524	9.614202	7.507373	2647.066	2.308615	
12	13.651734	0.2006880	1.0277553	3.191524	9.614202	7.507352	2647.066	2.308602	
13	13.651735	0.2006879	1.0277552	3.191524	9.614202	7.507340	2647.066	2.308594	
14	13.651736	0.2006879	1.0277552	3.191524	9.614201	7.507331	2647.066	2.308589	
15	13.651737	0.2006878	1.0277551	3.191523	9.614201	7.507326	2647.066	2.308586	
16	13.651738	0.2006878	1.0277551	3.191523	9.614201	7.507323	2647.066	2.308584	
17	13.651739	0.2006878	1.0277550	3.191523	9.614201	7.507322	2647.066	2.308583	
18	13.651740	0.2006877	1.0277549	3.191523	9.614201	7.507321	2647.066	2.308583	
19	13.651741	0.2006877	1.0277549	3.191523	9.614201	7.507320	2647.066	2.308582	
20	13.651742	0.2006876	1.0277548	3.191523	9.614201	7.507320	2647.066	2.308582	
21	13.651743	0.2006876	1.0277547	3.191523	9.614201	7.507320	2647.066	2.308582	
	hprt	hx	hxd	impd	inuc	mat	polyam	prpps	
1	3.669760	0.04730928	1.191281	1.595762	2.642505	14.98849	1.007991	20.88492	
2	3.684109	0.04732034	1.191443	1.595750	2.642393	14.98850	1.007991	20.88278	
3	3.684104	0.04731730	1.191398	1.595751	2.642401	14.98850	1.007991	20.88275	
4	3.684049	0.04731482	1.191362	1.595751	2.642409	14.98850	1.007991	20.88274	
5	3.684001	0.04731287	1.191333	1.595752	2.642416	14.98850	1.007991	20.88274	
6	3.683961	0.04731135	1.191311	1.595753	2.642422	14.98850	1.007991	20.88273	
7	3.683929	0.04731017	1.191294	1.595754	2.642427	14.98850	1.007991	20.88273	
8	3.683904	0.04730928	1.191281	1.595754	2.642432	14.98850	1.007991	20.88273	
9	3.683883	0.04730860	1.191271	1.595755	2.642437	14.98850	1.007991	20.88273	
10	3.683868	0.04730810	1.191264	1.595755	2.642441	14.98850	1.007991	20.88273	
11	7.367707	0.09461539	2.382516	3.191511	5.284890	29.97699	2.015983	41.76545	
12	7.367676	0.09461462	2.382504	3.191513	5.284902	29.97699	2.015983	41.76545	
13	7.367658	0.09461434	2.382500	3.191514	5.284912	29.97699	2.015983	41.76545	
14	7.367646	0.09461425	2.382499	3.191515	5.284921	29.97699	2.015983	41.76545	
15	7.367640	0.09461435	2.382500	3.191516	5.284929	29.97699	2.015983	41.76545	
16	7.367638	0.09461456	2.382503	3.191517	5.284936	29.97699	2.015983	41.76545	
17	7.367638	0.09461483	2.382507	3.191518	5.284943	29.97699	2.015983	41.76545	
18	7.367639	0.09461512	2.382512	3.191519	5.284948	29.97699	2.015983	41.76545	
19	7.367641	0.09461540	2.382516	3.191519	5.284953	29.97699	2.015983	41.76545	
20	7.367642	0.09461567	2.382520	3.191520	5.284958	29.97699	2.015983	41.76545	
21	7.367644	0.09461592	2.382523	3.191520	5.284962	29.97699	2.015983	41.76545	
	pyr	rnaa	rnag	trans	ua	x	xd	R5P	Pi
1	9.99989	1985.551	1323.605	13.98050	2.314825	0.03071716	2.314841	18	1400
2	10.04334	1985.551	1323.605	13.98050	2.314828	0.03072109	2.314923	18	1400
3	10.04368	1985.551	1323.605	13.98050	2.314834	0.03072380	2.314979	18	1400
4	10.04380	1985.550	1323.605	13.98050	2.314842	0.03072494	2.315002	18	1400
5	10.04389	1985.550	1323.605	13.98050	2.314850	0.03072508	2.315005	18	1400

```

6 10.04396 1985.550 1323.605 13.98050 2.314858 0.03072464 2.314996 18 1400
7 10.04401 1985.550 1323.605 13.98050 2.314864 0.03072389 2.314980 18 1400
8 10.04404 1985.550 1323.605 13.98050 2.314870 0.03072300 2.314962 18 1400
9 10.04407 1985.550 1323.605 13.98050 2.314874 0.03072209 2.314943 18 1400
10 10.04409 1985.550 1323.605 13.98050 2.314877 0.03072121 2.314925 18 1400
11 20.08822 3971.101 2647.209 27.96101 4.629758 0.06144059 4.629812 18 1400
12 20.08827 3971.101 2647.209 27.96101 4.629760 0.06143812 4.629761 18 1400
13 20.08829 3971.101 2647.209 27.96101 4.629757 0.06143636 4.629724 18 1400
14 20.08831 3971.101 2647.209 27.96101 4.629753 0.06143501 4.629696 18 1400
15 20.08832 3971.101 2647.209 27.96101 4.629747 0.06143415 4.629678 18 1400
16 20.08832 3971.101 2647.209 27.96101 4.629740 0.06143363 4.629668 18 1400
17 20.08832 3971.101 2647.209 27.96101 4.629732 0.06143340 4.629663 18 1400
18 20.08832 3971.101 2647.209 27.96101 4.629725 0.06143334 4.629662 18 1400
19 20.08832 3971.101 2647.209 27.96101 4.629719 0.06143337 4.629662 18 1400
20 20.08832 3971.101 2647.209 27.96101 4.629714 0.06143346 4.629664 18 1400
21 20.08832 3971.101 2647.209 27.96101 4.629709 0.06143358 4.629667 18 1400

```

If half the fluxes increase and the other half decrease, both by 10 percent, both concentrations and fluxes change

```
> sim(curto, (-10):10, modulator=c(rep(1.1,20), rep(0.9,17))) # half up, half down, not bumpy
```

	time	PRPP	IMP	SAMP	ATP	SAM	Ade	
1	-10	5.000000	98.26340	0.198189000	2475.35000	3.991870	0.9847300000	
2	-9	5.017097	98.25819	0.198184839	2475.35234	3.991870	0.9849150719	
3	-8	5.017231	98.25855	0.198185337	2475.35377	3.991870	0.9848325423	
4	-7	5.017280	98.25890	0.198185738	2475.35440	3.991871	0.9847893888	
5	-6	5.017315	98.25922	0.198186049	2475.35459	3.991871	0.9847674154	
6	-5	5.017341	98.25951	0.198186302	2475.35458	3.991871	0.9847553831	
7	-4	5.017360	98.25977	0.198186517	2475.35449	3.991871	0.9847479991	
8	-3	5.017375	98.26000	0.198186702	2475.35438	3.991871	0.9847432878	
9	-2	5.017386	98.26020	0.198186865	2475.35426	3.991871	0.9847401086	
10	-1	5.017395	98.26039	0.198187011	2475.35415	3.991870	0.9847378781	
11	0	5.017401	98.26056	0.198187143	2475.35388	3.991870	0.9847361680	
12	1	4.942532	97.64982	0.176888021	2097.34855	3.897049	0.8013941149	
13	2	5.263281	96.43286	0.156424689	1747.81132	3.757779	0.6111148919	
14	3	5.678426	94.79494	0.136079555	1418.61369	3.604306	0.4334451343	
15	4	6.207959	92.84139	0.115207395	1106.99434	3.431282	0.2850700703	
16	5	6.906082	90.75058	0.093546041	813.84695	3.229754	0.1708405090	
17	6	7.882141	88.89321	0.071072057	543.51880	2.985496	0.0889365122	
18	7	9.370363	88.20399	0.048063714	305.51368	2.672649	0.0360755833	
19	8	11.954152	91.78347	0.025759482	120.34109	2.240165	0.0088246789	
20	9	16.535108	113.03875	0.010344786	28.62137	1.668577	0.0010455917	
21	10	19.417928	167.86461	0.007564062	14.10886	1.380950	0.0003501154	
	XMP	GTP	dATP	dGTP	RNA	DNA	HX	Xa
1	24.79300	410.2230	6.014130	3.025810	28680.50	5179.340	9.5178500	5.059410
2	24.79299	410.2223	6.014135	3.025813	28680.50	5179.340	9.5198361	5.059734

3	24.79298	410.2237	6.014136	3.025813	28680.49	5179.340	9.5192907	5.059957
4	24.79296	410.2244	6.014137	3.025814	28680.49	5179.341	9.5188453	5.060051
5	24.79295	410.2248	6.014137	3.025814	28680.49	5179.341	9.5184941	5.060063
6	24.79294	410.2250	6.014138	3.025814	28680.49	5179.341	9.5182207	5.060026
7	24.79293	410.2251	6.014138	3.025814	28680.49	5179.341	9.5180098	5.059964
8	24.79293	410.2251	6.014139	3.025814	28680.49	5179.341	9.5178489	5.059891
9	24.79292	410.2251	6.014139	3.025814	28680.49	5179.342	9.5177278	5.059816
10	24.79291	410.2251	6.014139	3.025814	28680.49	5179.342	9.5176378	5.059744
11	24.79290	410.2251	6.014140	3.025814	28680.49	5179.342	9.5175724	5.059678
12	24.49250	421.2806	6.012598	3.026378	29048.29	5179.342	9.8442789	5.089136
13	24.22829	449.4006	6.007925	3.029316	29371.93	5179.341	9.6202453	5.150115
14	24.00079	489.6995	5.999332	3.035442	29664.27	5179.341	8.8685370	5.210558
15	23.81308	540.3000	5.985949	3.045132	29929.96	5179.342	7.6661551	5.253871
16	23.67127	601.3383	5.966942	3.058752	30168.06	5179.346	6.1110016	5.268422
17	23.58600	674.7570	5.941320	3.076824	30372.58	5179.352	4.3426651	5.243664
18	23.57648	765.0964	5.907563	3.100206	30530.09	5179.361	2.5826310	5.171136
19	23.68077	882.3175	5.862875	3.130442	30611.69	5179.371	1.1867220	5.052040
20	23.97258	1045.5194	5.802620	3.170440	30562.35	5179.380	0.5824035	4.920737
21	24.46735	1241.2306	5.730538	3.222250	30416.42	5179.387	0.9059277	4.892631
		Gua	UA	ada	ade	adna	adrnr	ampd
1	5.506380	100.2930	2.07946700	0.0099157243	10.03826	0.2011595	5.6407279	
2	5.508591	100.2931	2.07946890	0.0099167492	10.03827	0.2011596	5.6407325	
3	5.508056	100.2932	2.07947007	0.0099162922	10.03827	0.2011597	5.6407345	
4	5.507660	100.2933	2.07947058	0.0099160532	10.03827	0.2011597	5.6407353	
5	5.507373	100.2935	2.07947074	0.0099159315	10.03827	0.2011597	5.6407355	
6	5.507162	100.2936	2.07947073	0.0099158649	10.03827	0.2011597	5.6407355	
7	5.507004	100.2938	2.07947066	0.0099158240	10.03827	0.2011597	5.6407353	
8	5.506887	100.2939	2.07947057	0.0099157979	10.03827	0.2011597	5.6407350	
9	5.506798	100.2940	2.07947047	0.0099157803	10.03827	0.2011597	5.6407348	
10	5.506731	100.2940	2.07947038	0.0099157679	10.03827	0.2011597	5.6407346	
11	5.506680	100.2940	2.28741717	0.0109073343	11.04210	0.2212756	6.2048075	
12	5.892293	100.2964	1.94777009	0.0097388588	11.04159	0.2176911	5.4301083	
13	6.367465	100.3094	1.63206298	0.0083899672	11.04152	0.2139888	4.6840959	
14	7.064251	100.3355	1.33298550	0.0069455471	11.04224	0.2100283	3.9536896	
15	8.049989	100.3720	1.04794440	0.0055158961	11.04350	0.2055896	3.2325587	
16	9.339791	100.4134	0.77757745	0.0041621493	11.04501	0.2003279	2.5192413	
17	10.921117	100.4519	0.52562418	0.0029066098	11.04652	0.1936400	1.8176338	
18	12.746632	100.4782	0.30060551	0.0017695386	11.04768	0.1843230	1.1421475	
19	14.684303	100.4820	0.12176395	0.0008156937	11.04784	0.1697361	0.5397238	
20	16.447373	100.4567	0.03023479	0.0002523724	11.04619	0.1491231	0.1702086	
21	18.787414	100.4118	0.01522385	0.0001382639	11.04728	0.1414420	0.0961584	
		aprt	arna	asuc	asli	dada	den	dgnuc
1	0.9963412	1985.621	8.003186	8.003185	0.2004510	2.386351	0.1008502	
2	0.9981831	1985.621	8.003012	8.003012	0.2004511	2.402707	0.1008503	
3	0.9981332	1985.621	8.003028	8.003027	0.2004512	2.402833	0.1008504	
4	0.9981052	1985.622	8.003042	8.003041	0.2004512	2.402879	0.1008504	

5	0.9980919	1985.622	8.003053	8.003053	0.2004512	2.402911	0.1008504
6	0.9980853	1985.622	8.003064	8.003063	0.2004512	2.402935	0.1008504
7	0.9980816	1985.622	8.003072	8.003072	0.2004512	2.402953	0.1008504
8	0.9980795	1985.622	8.003080	8.003080	0.2004512	2.402967	0.1008504
9	0.9980783	1985.622	8.003087	8.003087	0.2004513	2.402977	0.1008504
10	0.9980775	1985.622	8.003093	8.003093	0.2004513	2.402985	0.1008504
11	1.0978846	2184.185	8.803409	8.803409	0.2204964	2.643290	0.1109354
12	1.0660070	2173.664	9.186490	9.207377	0.2204399	2.660299	0.1109561
13	1.0386327	2172.109	9.673546	9.693799	0.2202685	3.119270	0.1110638
14	0.9852818	2173.695	10.275909	10.296405	0.2199535	3.763921	0.1112884
15	0.9175062	2174.525	11.030531	11.051698	0.2194628	4.699088	0.1116437
16	0.8430669	2171.337	12.022671	12.044843	0.2187660	6.155691	0.1121430
17	0.7624260	2160.053	13.442904	13.465722	0.2178266	8.678945	0.1128056
18	0.6698860	2133.287	15.779704	15.802348	0.2165890	13.820582	0.1136629
19	0.5545486	2074.276	20.629994	20.650762	0.2149506	27.528781	0.1147714
20	0.4155372	1973.614	32.743065	32.750652	0.2127414	71.998777	0.1162378
21	0.3490627	1948.005	47.037446	47.038303	0.2100987	111.817157	0.1181374

	dnaa	dnag	gdna	gdrnr	gmpr	gmps	gnuc	gprt
1	10.03756	6.826370	6.825859	0.1003440	0.5138721	1.595763	4.807078	3.738009
2	10.03756	6.826370	6.825863	0.1003438	0.5138758	1.595763	4.807071	3.753992
3	10.03756	6.826371	6.825864	0.1003439	0.5138768	1.595763	4.807085	3.753944
4	10.03756	6.826371	6.825864	0.1003440	0.5138774	1.595763	4.807093	3.753867
5	10.03756	6.826371	6.825865	0.1003440	0.5138776	1.595763	4.807097	3.753812
6	10.03756	6.826371	6.825865	0.1003440	0.5138777	1.595763	4.807099	3.753773
7	10.03756	6.826372	6.825865	0.1003440	0.5138778	1.595762	4.807100	3.753744
8	10.03756	6.826372	6.825866	0.1003440	0.5138777	1.595762	4.807100	3.753723
9	10.03756	6.826372	6.825866	0.1003440	0.5138777	1.595762	4.807101	3.753708
10	10.03756	6.826372	6.825866	0.1003440	0.5138777	1.595762	4.807101	3.753696
11	11.04132	7.509010	7.508453	0.1103784	0.5652655	1.755338	5.287811	4.129056
12	11.04132	7.509010	7.508106	0.1115850	0.5885785	1.717425	5.415894	4.041125
13	11.04132	7.509009	7.508058	0.1145702	0.6300674	1.677347	5.740188	4.166225
14	11.04132	7.509008	7.508551	0.1186844	0.6855959	1.633397	6.201440	4.300262
15	11.04132	7.509010	7.509405	0.1236232	0.7541371	1.583507	6.775281	4.493036
16	11.04133	7.509016	7.510433	0.1292989	0.8371371	1.524658	7.460412	4.779762
17	11.04134	7.509025	7.511460	0.1357848	0.9389181	1.451719	8.275391	5.209518
18	11.04136	7.509038	7.512250	0.1433395	1.0690032	1.354666	9.266173	5.883606
19	11.04138	7.509052	7.512353	0.1525608	1.2490797	1.212230	10.534606	7.048233
20	11.04140	7.509064	7.511233	0.1644974	1.4935988	1.022326	12.273114	8.899788
21	11.04142	7.509075	7.511978	0.1777200	1.6420995	0.942204	14.322641	9.289103

	grna	gua	hprt	hx	hxd	impd	inuc	mat
1	1323.532	1.154277	3.669760	0.047309283	1.1912809	1.595762	2.642505	14.988492
2	1323.532	1.154508	3.684109	0.047320340	1.1914425	1.595750	2.642393	14.988495
3	1323.532	1.154452	3.684104	0.047317303	1.1913981	1.595751	2.642401	14.988496
4	1323.533	1.154411	3.684049	0.047314824	1.1913619	1.595751	2.642409	14.988496
5	1323.533	1.154381	3.684001	0.047312868	1.1913333	1.595752	2.642416	14.988496
6	1323.533	1.154359	3.683961	0.047311346	1.1913111	1.595753	2.642422	14.988496

7	1323.533	1.154342	3.683929	0.047310172	1.1912939	1.595754	2.642427	14.988496
8	1323.533	1.154330	3.683904	0.047309277	1.1912809	1.595754	2.642432	14.988496
9	1323.533	1.154320	3.683883	0.047308602	1.1912710	1.595755	2.642437	14.988496
10	1323.533	1.154313	3.683868	0.047308101	1.1912637	1.595755	2.642441	14.988496
11	1191.180	1.038877	3.315469	0.042576963	1.0721325	1.436180	2.378200	13.489646
12	1185.442	1.074636	3.332793	0.044217209	1.0959128	1.435267	2.366367	13.239500
13	1184.594	1.117127	3.571861	0.043091721	1.0796362	1.431192	2.342745	13.047255
14	1185.459	1.176664	3.791614	0.039338661	1.0240242	1.425055	2.310857	12.830948
15	1185.911	1.256079	3.972777	0.033415831	0.9314979	1.417428	2.272680	12.575758
16	1184.173	1.352969	4.088332	0.025922163	0.8038583	1.408822	2.231642	12.262692
17	1178.019	1.463029	4.087727	0.017681229	0.6437957	1.400068	2.195027	11.858015
18	1163.422	1.580582	3.879544	0.009879505	0.4592477	1.393223	2.181401	11.293274
19	1131.239	1.696469	3.370087	0.004135197	0.2770341	1.395026	2.251939	10.420625
20	1076.342	1.795426	2.842668	0.001863272	0.1744223	1.430415	2.660277	9.330593
21	1062.375	1.918902	2.949563	0.003056118	0.2324434	1.507258	3.650163	9.073411

	polyam	prpps	pyr	rnaa	rnag	trans	ua
1	1.0079912	20.88492	9.999890	1985.551	1323.605	13.980504	2.314825
2	1.0079911	20.88278	10.043336	1985.551	1323.605	13.980503	2.314828
3	1.0079913	20.88275	10.043676	1985.551	1323.605	13.980504	2.314834
4	1.0079913	20.88274	10.043802	1985.550	1323.605	13.980504	2.314842
5	1.0079914	20.88274	10.043890	1985.550	1323.605	13.980504	2.314850
6	1.0079914	20.88273	10.043956	1985.550	1323.605	13.980505	2.314858
7	1.0079914	20.88273	10.044005	1985.550	1323.605	13.980504	2.314864
8	1.0079913	20.88273	10.044043	1985.550	1323.605	13.980504	2.314870
9	1.0079913	20.88273	10.044071	1985.550	1323.605	13.980504	2.314874
10	1.0079913	20.88273	10.044093	1985.550	1323.605	13.980504	2.314877
11	0.9071922	18.79445	9.039698	1786.995	1191.244	12.582454	2.083391
12	0.8877747	20.23712	8.868735	1809.912	1206.521	12.483028	2.083497
13	0.8591690	21.86937	9.605979	1830.077	1219.963	12.334014	2.084094
14	0.8275229	23.88575	10.578286	1848.292	1232.106	12.165453	2.085294
15	0.7916830	26.53032	11.846522	1864.846	1243.141	11.969548	2.086972
16	0.7497095	30.24237	13.563449	1879.681	1253.030	11.732837	2.088873
17	0.6984821	35.95754	16.042940	1892.424	1261.525	11.432272	2.090646
18	0.6322492	46.12503	19.983725	1902.238	1268.067	11.022192	2.091854
19	0.5393770	69.24126	27.226679	1907.322	1271.456	10.398472	2.092030
20	0.4137635	129.97672	41.107658	1904.248	1269.407	9.435207	2.090866
21	0.3489801	176.61605	50.415430	1895.156	1263.346	8.864124	2.088798

	x	xd	R5P	Pi
1	0.03071716	2.314841	18	1400
2	0.03072109	2.314923	18	1400
3	0.03072380	2.314979	18	1400
4	0.03072494	2.315002	18	1400
5	0.03072508	2.315005	18	1400
6	0.03072464	2.314996	18	1400
7	0.03072389	2.314980	18	1400
8	0.03072300	2.314962	18	1400

```

9 0.03072209 2.314943 18 1400
10 0.03072121 2.314925 18 1400
11 0.02764837 2.083418 18 1400
12 0.02797124 2.090080 18 1400
13 0.02864558 2.103817 18 1400
14 0.02932191 2.117362 18 1400
15 0.02981142 2.127024 18 1400
16 0.02997677 2.130262 18 1400
17 0.02969569 2.124750 18 1400
18 0.02887989 2.108536 18 1400
19 0.02756496 2.081687 18 1400
20 0.02615075 2.051754 18 1400
21 0.02585287 2.045300 18 1400

```

Clearly, this system has stability sensitivity problems.

The folate model of Morrison and Allegra (JBC 1989) can be simulated as follows

```

> morr=readSBML(file.path(system.file(package="SBMLR"), "models/morrison.xml"))
> out1=sim(morr,seq(-20,0,1))
> morr$species$EMTX$ic=1 # bolus of methotrexate to 1 uM
> out2=sim(morr,0:30)
> outs=data.frame(rbind(out1,out2))
> attach(outs)
> par(mfrow=c(3,4))
> plot(time,FH2b,type="l",xlab="Hours")
> plot(time,FH2f,type="l",xlab="Hours")
> plot(time,DHFRf,type="l",xlab="Hours")
> plot(time,DHFRtot,type="l",xlab="Hours")
> plot(time,CHOFH4,type="l",xlab="Hours")
> plot(time,FH4,type="l",xlab="Hours")
> plot(time,CH2FH4,type="l",xlab="Hours")
> plot(time,CH3FH4,type="l",xlab="Hours")
> plot(time,AICARsyn,type="l",xlab="Hours")
> plot(time,MTR,type="l",xlab="Hours")
> plot(time,TYMS,type="l",xlab="Hours")
> #plot(time,EMTX,type="l",xlab="Hours")
> plot(time,DHFReductase,type="l",xlab="Hours")
> par(mfrow=c(1,1))
> detach(outs)

```

As final outputs in this document, the full curto summary and object are:

```
> summary(curto)
```

```
$nSpecies
[1] 18
```

\$sIDs

```
[1] "PRPP" "IMP" "SAMP" "ATP" "SAM" "Ade" "XMP" "GTP" "dATP" "dGTP"  
[11] "RNA" "DNA" "HX" "Xa" "Gua" "UA" "R5P" "Pi"
```

\$S0

	PRPP	IMP	SAMP	ATP	SAM	Ade
5.00000e+00	9.82634e+01	1.98189e-01	2.47535e+03	3.99187e+00	9.84730e-01	
	XMP	GTP	dATP	dGTP	RNA	DNA
2.47930e+01	4.10223e+02	6.01413e+00	3.02581e+00	2.86805e+04	5.17934e+03	
	HX	Xa	Gua	UA	R5P	Pi
9.51785e+00	5.05941e+00	5.50638e+00	1.00293e+02	1.80000e+01	1.40000e+03	

\$BC

PRPP	IMP	SAMP	ATP	SAM	Ade	XMP	GTP	dATP	dGTP	RNA	DNA	HX
FALSE	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE	FALSE
Xa	Gua	UA	R5P	Pi								
FALSE	FALSE	FALSE	TRUE	TRUE								

\$nStates

```
[1] 16
```

\$y0

	PRPP	IMP	SAMP	ATP	SAM	Ade
5.00000e+00	9.82634e+01	1.98189e-01	2.47535e+03	3.99187e+00	9.84730e-01	
	XMP	GTP	dATP	dGTP	RNA	DNA
2.47930e+01	4.10223e+02	6.01413e+00	3.02581e+00	2.86805e+04	5.17934e+03	
	HX	Xa	Gua	UA		
9.51785e+00	5.05941e+00	5.50638e+00	1.00293e+02			

\$nReactions

```
[1] 37
```

\$rIDs

```
[1] "ada" "ade" "adna" "adrnr" "ampd" "aprt" "arna" "asuc"  
[9] "asli" "dada" "den" "dgnuc" "dnaa" "dnag" "gdna" "gdrnr"  
[17] "gmpr" "gmps" "gnuc" "gprt" "grna" "gua" "hprt" "hx"  
[25] "hxd" "impd" "inuc" "mat" "polyam" "prpps" "pyr" "rnaa"  
[33] "rnag" "trans" "ua" "x" "xd"
```

\$rLaws

```
ada  
"aada*ATP^fada4"  
ade  
"aade*Ade^fade6"  
adna
```

"aadna*dATP^fdnap9*dGTP^fdnap10"
 adnr
 "aadrnr*ATP^fadrnr4*dATP^fadrnr9*dGTP^fadrnr10"
 ampd
 "aampd*ATP^fampd4*GTP^fampd8*Pi^fampd18"
 aprt
 "aaprt*PRPP^faprt1*ATP^faprt4*Ade^faprt6"
 arna
 "aarna*ATP^frnap4*GTP^frnap8"
 asuc
 "aasuc*IMP^fasuc2*ATP^fasuc4*GTP^fasuc8*Pi^fasuc18"
 asli
 "aasli*SAMP^fasli3*ATP^fasli4"
 dada
 "adada*dATP^fdada9"
 den
 "aden*PRPP^fden1*IMP^fden2*ATP^fden4*GTP^fden8*Pi^fden18"
 dgnuc
 "adgnuc*dGTP^fdgnuc10"
 dnaa
 "adnaa*DNA^fdnan12"
 dnag
 "adnag*DNA^fdnan12"
 gdna
 "agdna*dATP^fdnap9*dGTP^fdnap10"
 gdrnr
 "agdrnr*GTP^fgdrnr8*dATP^fgdrnr9*dGTP^fgdrnr10"
 gmpr
 "agmpr*IMP^fgmpr2*ATP^fgmpr4*XMP^fgmpr7*GTP^fgmpr8"
 gmpr
 "agmps*ATP^fgmps4*XMP^fgmps7"
 gnuc
 "agnuc*GTP^fgnuc8*Pi^fgnuc18"
 gprr
 "agprr*PRPP^fgprr1*GTP^fgprr8*Gua^fgprr15"
 grna
 "agrna*ATP^frnap4*GTP^frnap8"
 gua
 "agua*Gua^fgua15"
 hprr
 "ahprr*PRPP^fhprr1*IMP^fhprr2*HX^fhprr13"
 hx
 "ahx*HX^fhx13"
 hxd
 "ahxd*HX^fhxd13"
 impd

```

"aimpd*IMP^fimpd2*XMP^fimpd7*GTP^fimpd8"
      inuc
"ainuc*IMP^finuc2*Pi^finuc18"
      mat
"amat*ATP^fmat4*SAM^fmat5"
      polyam
"apolyam*SAM^fpolyam5"
      prpps
"aprpps*PRPP^fprpps1*ATP^fprpps4*GTP^fprpps8*R5P^fprpps17*Pi^fprpps18"
      pyr
      "apyr*PRPP^fpyr1"
      rnaa
      "arnaa*RNA^frnan11"
      rnag
      "arnag*RNA^frnan11"
      trans
      "atrans*SAM^ftrans5"
      ua
      "aua*UA^fua16"
      x
      "ax*Xa^fx14"
      xd
      "axd*Xa^fxd14"

```

```

$V0
      ada      ade      adna      adrn      ampd      aprt
2.079467e+00 9.915724e-03 1.003826e+01 2.011595e-01 5.640728e+00 9.963412e-01
      arna      asuc      asli      dada      den      dgnuc
1.985621e+03 8.003186e+00 8.003185e+00 2.004510e-01 2.386351e+00 1.008502e-01
      dnaa      dnag      gdna      gdrnr      gmpr      gmps
1.003756e+01 6.826370e+00 6.825859e+00 1.003440e-01 5.138721e-01 1.595763e+00
      gnuc      gprt      grna      gua      hprt      hx
4.807078e+00 3.738009e+00 1.323532e+03 1.154277e+00 3.669760e+00 4.730928e-02
      hxd      impd      inuc      mat      polyam      prpps
1.191281e+00 1.595762e+00 2.642505e+00 1.498849e+01 1.007991e+00 2.088492e+01
      pyr      rnaa      rnag      trans      ua      x
9.999890e+00 1.985551e+03 1.323605e+03 1.398050e+01 2.314825e+00 3.071716e-02
      xd
2.314841e+00

```

```

$globalVec
NULL

```

```

$incid
      [,1] [,2] [,3] [,4] [,5] [,6] [,7] [,8] [,9] [,10] [,11] [,12] [,13] [,14]
PRPP   0    0    0    0    0   -1    0    0    0    0   -1    0    0    0

```

IMP	0	0	0	0	1	0	0	-1	0	0	1	0	0	0
SAMP	0	0	0	0	0	0	0	1	-1	0	0	0	0	0
ATP	-1	0	0	-1	-1	1	-1	0	1	0	0	0	0	0
SAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ade	0	-1	0	0	0	-1	0	0	0	0	0	0	0	0
XMP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GTP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
dATP	0	0	-1	1	0	0	0	0	0	-1	0	0	1	0
dGTP	0	0	0	0	0	0	0	0	0	0	0	-1	0	1
RNA	0	0	0	0	0	0	1	0	0	0	0	0	0	0
DNA	0	0	1	0	0	0	0	0	0	0	0	0	-1	-1
HX	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Xa	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gua	0	0	0	0	0	0	0	0	0	0	0	1	0	0
UA	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	[,15]	[,16]	[,17]	[,18]	[,19]	[,20]	[,21]	[,22]	[,23]	[,24]	[,25]	[,26]		
PRPP	0	0	0	0	0	-1	0	0	-1	0	0	0	0	0
IMP	0	0	1	0	0	0	0	0	1	0	0	0	-1	0
SAMP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ATP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ade	0	0	0	0	0	0	0	0	0	0	0	0	0	0
XMP	0	0	0	-1	0	0	0	0	0	0	0	0	1	0
GTP	0	-1	-1	1	-1	1	-1	0	0	0	0	0	0	0
dATP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
dGTP	-1	1	0	0	0	0	0	0	0	0	0	0	0	0
RNA	0	0	0	0	0	0	1	0	0	0	0	0	0	0
DNA	1	0	0	0	0	0	0	0	0	0	0	0	0	0
HX	0	0	0	0	0	0	0	0	-1	-1	-1	0	0	0
Xa	0	0	0	0	0	0	0	1	0	0	1	0	0	0
Gua	0	0	0	0	1	-1	0	-1	0	0	0	0	0	0
UA	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	[,27]	[,28]	[,29]	[,30]	[,31]	[,32]	[,33]	[,34]	[,35]	[,36]	[,37]			
PRPP	0	0	0	1	-1	0	0	0	0	0	0	0	0	0
IMP	-1	0	0	0	0	0	0	0	0	0	0	0	0	0
SAMP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ATP	0	-1	0	0	0	1	0	1	0	0	0	0	0	0
SAM	0	1	-1	0	0	0	0	-1	0	0	0	0	0	0
Ade	0	0	1	0	0	0	0	0	0	0	0	0	0	0
XMP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GTP	0	0	0	0	0	0	1	0	0	0	0	0	0	0
dATP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
dGTP	0	0	0	0	0	0	0	0	0	0	0	0	0	0
RNA	0	0	0	0	0	-1	-1	0	0	0	0	0	0	0
DNA	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HX	1	0	0	0	0	0	0	0	0	0	0	0	0	0

Xa	0	0	0	0	0	0	0	0	0	-1	-1
Gua	0	0	0	0	0	0	0	0	0	0	0
UA	0	0	0	0	0	0	0	0	-1	0	1

\$nRules

[1] 0

\$ruleIDs

NULL

\$species

	index	initialConcentrations	boundaryConditions
PRPP	1	5.00000e+00	FALSE
IMP	2	9.82634e+01	FALSE
SAMP	3	1.98189e-01	FALSE
ATP	4	2.47535e+03	FALSE
SAM	5	3.99187e+00	FALSE
Ade	6	9.84730e-01	FALSE
XMP	7	2.47930e+01	FALSE
GTP	8	4.10223e+02	FALSE
dATP	9	6.01413e+00	FALSE
dGTP	10	3.02581e+00	FALSE
RNA	11	2.86805e+04	FALSE
DNA	12	5.17934e+03	FALSE
HX	13	9.51785e+00	FALSE
Xa	14	5.05941e+00	FALSE
Gua	15	5.50638e+00	FALSE
UA	16	1.00293e+02	FALSE
R5P	17	1.80000e+01	TRUE
Pi	18	1.40000e+03	TRUE

\$reactions

	index
ada	1
ade	2
adna	3
adrnr	4
ampd	5
aprt	6
arna	7
asuc	8
asli	9
dada	10
den	11
dgnuc	12
dnaa	13

dnag 14
 gdna 15
 gdrnr 16
 gmpr 17
 gmps 18
 gnuc 19
 gprrt 20
 grna 21
 gua 22
 hprt 23
 hx 24
 hxd 25
 impd 26
 inuc 27
 mat 28
 polyam 29
 prpps 30
 pyr 31
 rnaa 32
 rnag 33
 trans 34
 ua 35
 x 36
 xd 37

Laws

ada aada*ATP^fada4
 ade aade*Ade^fade6
 adna aadna*dATP^fdnap9*dGTP^fdnap10
 adrnrr*ATP^fadrrr4*dATP^fadrrr9*dGTP^fadrrr10
 ampd aampd*ATP^fampd4*GTP^fampd8*Pi^fampd18
 aprt aaprrt*PRPP^faprrt1*ATP^faprrt4*Ade^faprrt6
 arna aarna*ATP^frnap4*GTP^frnap8
 asuc aasuc*IMP^fasuc2*ATP^fasuc4*GTP^fasuc8*Pi^fasuc18
 asli aasli*SAMP^fasli3*ATP^fasli4
 dada adada*dATP^fdada9
 den aden*PRPP^fden1*IMP^fden2*ATP^fden4*GTP^fden8*Pi^fden18
 dgnuc adgduc*dGTP^fdgduc10
 dnaa adnaa*DNA^fdnan12
 dnag adnag*DNA^fdnan12
 gdna agdna*dATP^fdnap9*dGTP^fdnap10
 gdrnr agdrnr*GTP^fgdrnr8*dATP^fgdrnr9*dGTP^fgdrnr10
 gmpr agmpr*IMP^fgmpr2*ATP^fgmpr4*XMP^fgmpr7*GTP^fgmpr8
 gmps agmps*ATP^fgmps4*XMP^fgmps7
 gnuc agnuc*GTP^fgnuc8*Pi^fgnuc18
 gprrt agprrt*PRPP^fgprrt1*GTP^fgprrt8*Gua^fgprrt15
 grna agrna*ATP^frnap4*GTP^frnap8

gua		agua*Gua ^f gua15
hprt		ahprt*PRPP ^f hprt1*IMP ^f hprt2*HX ^f hprt13
hx		ahx*HX ^f hx13
hxd		ahxd*HX ^f hxd13
impd		aimpd*IMP ^f impd2*XMP ^f impd7*GTP ^f impd8
inuc		ainuc*IMP ^f inuc2*Pi ^f inuc18
mat		amat*ATP ^f mat4*SAM ^f mat5
polyam		apolyam*SAM ^f polyam5
prpps	aprpps*PRPP ^f prpps1*ATP ^f prpps4*GTP ^f prpps8*R5P ^f prpps17*Pi ^f prpps18	
pyr		apyr*PRPP ^f pyr1
rnaa		arnaa*RNA ^f rnan11
rnag		arnag*RNA ^f rnan11
trans		atrans*SAM ^f trans5
ua		aua*UA ^f ua16
x		ax*Xa ^f x14
xd		axd*Xa ^f xd14
	initialFluxes	
ada	2.079467e+00	
ade	9.915724e-03	
adna	1.003826e+01	
adrnr	2.011595e-01	
ampd	5.640728e+00	
aprt	9.963412e-01	
arna	1.985621e+03	
asuc	8.003186e+00	
asli	8.003185e+00	
dada	2.004510e-01	
den	2.386351e+00	
dgnuc	1.008502e-01	
dnaa	1.003756e+01	
dnag	6.826370e+00	
gdna	6.825859e+00	
gdrnr	1.003440e-01	
gmpr	5.138721e-01	
gmps	1.595763e+00	
gnuc	4.807078e+00	
gprt	3.738009e+00	
grna	1.323532e+03	
gua	1.154277e+00	
hprt	3.669760e+00	
hx	4.730928e-02	
hxd	1.191281e+00	
impd	1.595762e+00	
inuc	2.642505e+00	
mat	1.498849e+01	
polyam	1.007991e+00	

```

prpps  2.088492e+01
pyr    9.999890e+00
rnaa   1.985551e+03
rnag   1.323605e+03
trans  1.398050e+01
ua     2.314825e+00
x      3.071716e-02
xd     2.314841e+00

```

```
> curto
```

```
$sbml
```

```

                                xmlns          level
"http://www.sbml.org/sbml/level2"          "2"
                                version
                                "1"

```

```
$id
```

```
[1] "curto"
```

```
$notes
```

```

[1] "This is a purine metabolism model that is geared toward studies of gout."
[2] "The model is fully described in Curto et al., MBSC 151 (1998) pp 1-49"
[3] "The model uses Generalized Mass Action (GMA;i.e. power law) descriptions of reaction ra
[4] "Such descriptions are local approximations that assume independent substrate binding."
[5] "The de novo purine flux vden= 2.39 is in umole/min/KG, i.e. 2.4*60=144 uM/h if we let e
[6] "liter of water. Morrison and Allegra (JBC, 1989) have vden at 650 uM/h (model) and 415
[7] "The IC's below have been set to the system's steady state."
[8] "The units in this model are micromolar(uM) and minutes."
[9] "A cell volume of 1 is used so that amounts and concentrations are the same thing."

```

```
$compartments
```

```
$compartments$cell
```

```
$compartments$cell$id
```

```
[1] "cell"
```

```
$compartments$cell$size
```

```
[1] 1
```

```
$compartments$cell$name
```

```
[1] "cell"
```

```
$species
```

```
$species$PRPP
```

\$species\$PRPP\$id

[1] "PRPP"

\$species\$PRPP\$ic

[1] 5

\$species\$PRPP\$compartment

[1] "cell"

\$species\$PRPP\$bc

[1] FALSE

\$species\$IMP

\$species\$IMP\$id

[1] "IMP"

\$species\$IMP\$ic

[1] 98.2634

\$species\$IMP\$compartment

[1] "cell"

\$species\$IMP\$bc

[1] FALSE

\$species\$SAMP

\$species\$SAMP\$id

[1] "SAMP"

\$species\$SAMP\$ic

[1] 0.198189

\$species\$SAMP\$compartment

[1] "cell"

\$species\$SAMP\$bc

[1] FALSE

\$species\$ATP

\$species\$ATP\$id

[1] "ATP"

\$species\$ATP\$ic

[1] 2475.35

\$species\$ATP\$compartment

[1] "cell"

\$species\$ATP\$bc

[1] FALSE

\$species\$SAM

\$species\$SAM\$id

[1] "SAM"

\$species\$SAM\$ic

[1] 3.99187

\$species\$SAM\$compartment

[1] "cell"

\$species\$SAM\$bc

[1] FALSE

\$species\$Ade

\$species\$Ade\$id

[1] "Ade"

\$species\$Ade\$ic

[1] 0.98473

\$species\$Ade\$compartment

[1] "cell"

\$species\$Ade\$bc

[1] FALSE

\$species\$XMP

\$species\$XMP\$id

[1] "XMP"

\$species\$XMP\$ic

[1] 24.793

\$species\$XMP\$compartment

[1] "cell"

\$species\$XMP\$bc
[1] FALSE

\$species\$GTP
\$species\$GTP\$id
[1] "GTP"

\$species\$GTP\$ic
[1] 410.223

\$species\$GTP\$compartment
[1] "cell"

\$species\$GTP\$bc
[1] FALSE

\$species\$dATP
\$species\$dATP\$id
[1] "dATP"

\$species\$dATP\$ic
[1] 6.01413

\$species\$dATP\$compartment
[1] "cell"

\$species\$dATP\$bc
[1] FALSE

\$species\$dGTP
\$species\$dGTP\$id
[1] "dGTP"

\$species\$dGTP\$ic
[1] 3.02581

\$species\$dGTP\$compartment
[1] "cell"

\$species\$dGTP\$bc
[1] FALSE

```
$species$RNA
$species$RNA$id
[1] "RNA"
```

```
$species$RNA$ic
[1] 28680.5
```

```
$species$RNA$compartment
[1] "cell"
```

```
$species$RNA$bc
[1] FALSE
```

```
$species$DNA
$species$DNA$id
[1] "DNA"
```

```
$species$DNA$ic
[1] 5179.34
```

```
$species$DNA$compartment
[1] "cell"
```

```
$species$DNA$bc
[1] FALSE
```

```
$species$HX
$species$HX$id
[1] "HX"
```

```
$species$HX$ic
[1] 9.51785
```

```
$species$HX$compartment
[1] "cell"
```

```
$species$HX$bc
[1] FALSE
```

```
$species$Xa
$species$Xa$id
[1] "Xa"
```

\$species\$Xa\$ic

[1] 5.05941

\$species\$Xa\$compartment

[1] "cell"

\$species\$Xa\$bc

[1] FALSE

\$species\$Gua

\$species\$Gua\$id

[1] "Gua"

\$species\$Gua\$ic

[1] 5.50638

\$species\$Gua\$compartment

[1] "cell"

\$species\$Gua\$bc

[1] FALSE

\$species\$UA

\$species\$UA\$id

[1] "UA"

\$species\$UA\$ic

[1] 100.293

\$species\$UA\$compartment

[1] "cell"

\$species\$UA\$bc

[1] FALSE

\$species\$R5P

\$species\$R5P\$id

[1] "R5P"

\$species\$R5P\$ic

[1] 18

```

$species$R5P$compartment
[1] "cell"

$species$R5P$bc
[1] TRUE

$species$Pi
$species$Pi$id
[1] "Pi"

$species$Pi$ic
[1] 1400

$species$Pi$compartment
[1] "cell"

$species$Pi$bc
[1] TRUE

$globalParameters
list()

$rules
list()

$reactions
$reactions$ada
$reactions$ada$id
[1] "ada"

$reactions$ada$reversible
[1] FALSE

$reactions$ada$reactants
[1] "ATP"

$reactions$ada$products
[1] "HX"

$reactions$ada$parameters
      aada      fada4
0.001062 0.970000

```



```
$reactions$aada$mathmlLaw
<apply>
  <times/>
  <ci>aada</ci>
  <apply>
    <power/>
    <ci>ATP</ci>
    <ci>fada4</ci>
  </apply>
</apply>
```

```
$reactions$aada$exprLaw
aada * ATP^fada4
```

```
$reactions$aada$strLaw
[1] "aada*ATP^fada4"
```

```
$reactions$aada$law
function (r, p = NULL)
{
  aada = p["aada"]
  fada4 = p["fada4"]
  ATP = r["ATP"]
  aada * ATP^fada4
}
<environment: 0x5647de594eb0>
```

```
$reactions$aade
$reactions$aade$id
[1] "ade"
```

```
$reactions$aade$reversible
[1] FALSE
```

```
$reactions$aade$reactants
[1] "Ade"
```

```
$reactions$aade$parameters
aade fade6
0.01 0.55
```

```
$reactions$aade$mathmlLaw
<apply>
  <times/>
  <ci>aade</ci>
```

```

<apply>
  <power/>
  <ci>Ade</ci>
  <ci>fade6</ci>
</apply>
</apply>

$reactions$ade$exprLaw
aade * Ade^fade6

$reactions$ade$strLaw
[1] "aade*Ade^fade6"

$reactions$ade$law
function (r, p = NULL)
{
  aade = p["aade"]
  fade6 = p["fade6"]
  Ade = r["Ade"]
  aade * Ade^fade6
}
<environment: 0x5647ddf788e0>

$reactions$adna
$reactions$adna$id
[1] "adna"

$reactions$adna$reversible
[1] FALSE

$reactions$adna$reactants
[1] "dATP"

$reactions$adna$modifiers
[1] "dGTP"

$reactions$adna$products
[1] "DNA"

$reactions$adna$parameters
  aadna  fdnap9  fdnap10
3.2789  0.4200  0.3300

$reactions$adna$mathmlLaw
<apply>

```

```

</times/>
<apply>
  <times/>
  <ci>aadna</ci>
  <apply>
    <power/>
    <ci>dATP</ci>
    <ci>fdnap9</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>dGTP</ci>
  <ci>fdnap10</ci>
</apply>
</apply>

$reactions$adna$exprLaw
aadna * dATP^fdnap9 * dGTP^fdnap10

$reactions$adna$strLaw
[1] "aadna*dATP^fdnap9*dGTP^fdnap10"

$reactions$adna$law
function (r, p = NULL)
{
  aadna = p["aadna"]
  fdnap9 = p["fdnap9"]
  fdnap10 = p["fdnap10"]
  dATP = r["dATP"]
  dGTP = r["dGTP"]
  aadna * dATP^fdnap9 * dGTP^fdnap10
}
<environment: 0x5647ddb1d780>

$reactions$adrnr
$reactions$adrnr$id
[1] "adrnr"

$reactions$adrnr$reversible
[1] FALSE

$reactions$adrnr$reactants
[1] "ATP"

```

```

$reactions$adnr$modifiers
[1] "dGTP" "dATP"

$reactions$adnr$products
[1] "dATP"

$reactions$adnr$parameters
  adnr  fadnr4  fadnr9  fadnr10
0.0602  0.1000 -0.3000  0.8700

$reactions$adnr$mathmlLaw
<apply>
<times/>
<apply>
<times/>
<apply>
<times/>
<ci>adnr</ci>
<apply>
<power/>
<ci>ATP</ci>
<ci>fadnr4</ci>
</apply>
</apply>
<apply>
<power/>
<ci>dATP</ci>
<ci>fadnr9</ci>
</apply>
</apply>
<apply>
<power/>
<ci>dGTP</ci>
<ci>fadnr10</ci>
</apply>
</apply>

$reactions$adnr$exprLaw
adnr * ATP^fadnr4 * dATP^fadnr9 * dGTP^fadnr10

$reactions$adnr$strLaw
[1] "adnr*ATP^fadnr4*dATP^fadnr9*dGTP^fadnr10"

$reactions$adnr$law
function (r, p = NULL)
{

```

```

aadrnr = p["aadrnr"]
fadrnr4 = p["fadrnr4"]
fadrnr9 = p["fadrnr9"]
fadrnr10 = p["fadrnr10"]
ATP = r["ATP"]
dGTP = r["dGTP"]
dATP = r["dATP"]
aadrnr * ATP^fadrnr4 * dATP^fadrnr9 * dGTP^fadrnr10
}
<environment: 0x5647dda32998>

```

```

$reactions$aampd
$reactions$aampd$id
[1] "aampd"

```

```

$reactions$aampd$reversible
[1] FALSE

```

```

$reactions$aampd$reactants
[1] "ATP"

```

```

$reactions$aampd$modifiers
[1] "GTP" "Pi"

```

```

$reactions$aampd$products
[1] "IMP"

```

```

$reactions$aampd$parameters
  aampd  fampd4  fampd8  fampd18
0.02688 0.80000 -0.03000 -0.10000

```

```

$reactions$aampd$mathmlLaw
<apply>
<times/>
<apply>
<times/>
<apply>
<times/>
<ci>aampd</ci>
<apply>
<power/>
<ci>ATP</ci>
<ci>fampd4</ci>
</apply>
</apply>

```

```

<apply>
  <power/>
  <ci>GTP</ci>
  <ci>fampd8</ci>
</apply>
</apply>
<apply>
  <power/>
  <ci>Pi</ci>
  <ci>fampd18</ci>
</apply>
</apply>

$reactions$aampd$exprLaw
aampd * ATP^fampd4 * GTP^fampd8 * Pi^fampd18

$reactions$aampd$strLaw
[1] "aampd*ATP^fampd4*GTP^fampd8*Pi^fampd18"

$reactions$aampd$law
function (r, p = NULL)
{
  aampd = p["aampd"]
  fampd4 = p["fampd4"]
  fampd8 = p["fampd8"]
  fampd18 = p["fampd18"]
  ATP = r["ATP"]
  GTP = r["GTP"]
  Pi = r["Pi"]
  aampd * ATP^fampd4 * GTP^fampd8 * Pi^fampd18
}
<environment: 0x5647dd9c4048>

$reactions$aprt
$reactions$aprt$id
[1] "aprt"

$reactions$aprt$reversible
[1] FALSE

$reactions$aprt$reactants
[1] "PRPP" "Ade"

$reactions$aprt$modifiers
[1] "ATP"

```

```

$reactions$aprt$products
[1] "ATP"

$reactions$aprt$parameters
  aaprt faprt1 faprt4 faprt6
233.80  0.50  -0.80  0.75

$reactions$aprt$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>aaprt</ci>
      <apply>
        <power/>
        <ci>PRPP</ci>
        <ci>faprt1</ci>
      </apply>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>ATP</ci>
    <ci>faprt4</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>Ade</ci>
  <ci>faprt6</ci>
</apply>
</apply>

$reactions$aprt$exprLaw
aaprt * PRPP^faprt1 * ATP^faprt4 * Ade^faprt6

$reactions$aprt$strLaw
[1] "aaprt*PRPP^faprt1*ATP^faprt4*Ade^faprt6"

$reactions$aprt$law
function (r, p = NULL)
{
  aaprt = p["aaprt"]
  faprt1 = p["faprt1"]

```

```

    faprt4 = p["faprt4"]
    faprt6 = p["faprt6"]
    PRPP = r["PRPP"]
    Ade = r["Ade"]
    ATP = r["ATP"]
    aaprt * PRPP^faprt1 * ATP^faprt4 * Ade^faprt6
  }
<environment: 0x5647e0c3eba8>

```

```

$reactions$arna
$reactions$arna$id
[1] "arna"

$reactions$arna$reversible
[1] FALSE

$reactions$arna$reactants
[1] "ATP"

$reactions$arna$modifiers
[1] "GTP"

$reactions$arna$products
[1] "RNA"

$reactions$arna$parameters
  aarna frnap4 frnap8
614.50  0.05  0.13

$reactions$arna$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>aarna</ci>
    <apply>
      <power/>
      <ci>ATP</ci>
      <ci>frnap4</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>GTP</ci>
    <ci>frnap8</ci>

```



```

</apply>
</apply>

$reactions$aarna$exprLaw
aarna * ATP^frnap4 * GTP^frnap8

$reactions$aarna$strLaw
[1] "aarna*ATP^frnap4*GTP^frnap8"

$reactions$aarna$law
function (r, p = NULL)
{
  aarna = p["aarna"]
  frnap4 = p["frnap4"]
  frnap8 = p["frnap8"]
  ATP = r["ATP"]
  GTP = r["GTP"]
  aarna * ATP^frnap4 * GTP^frnap8
}
<environment: 0x5647e0ab13b8>

$reactions$asuc
$reactions$asuc$id
[1] "asuc"

$reactions$asuc$reversible
[1] FALSE

$reactions$asuc$reactants
[1] "IMP"

$reactions$asuc$modifiers
[1] "ATP" "GTP" "Pi"

$reactions$asuc$products
[1] "SAMP"

$reactions$asuc$parameters
  aasuc  fasuc2  fasuc4  fasuc8  fasuc18
3.5932  0.4000 -0.2400  0.2000 -0.0500

$reactions$asuc$mathmlLaw
<apply>
<times/>
<apply>

```

```

</times>
<apply>
  <times/>
  <apply>
    <times/>
    <ci>aasuc</ci>
    <apply>
      <power/>
      <ci>IMP</ci>
      <ci>fasuc2</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>ATP</ci>
    <ci>fasuc4</ci>
  </apply>
  <apply>
    <power/>
    <ci>GTP</ci>
    <ci>fasuc8</ci>
  </apply>
  <apply>
    <power/>
    <ci>Pi</ci>
    <ci>fasuc18</ci>
  </apply>
</apply>

$reactions$asuc$exprLaw
aasuc * IMP^fasuc2 * ATP^fasuc4 * GTP^fasuc8 * Pi^fasuc18

$reactions$asuc$strLaw
[1] "aasuc*IMP^fasuc2*ATP^fasuc4*GTP^fasuc8*Pi^fasuc18"

$reactions$asuc$law
function (r, p = NULL)
{
  aasuc = p["aasuc"]
  fasuc2 = p["fasuc2"]
  fasuc4 = p["fasuc4"]
  fasuc8 = p["fasuc8"]
  fasuc18 = p["fasuc18"]
  IMP = r["IMP"]

```

```

    ATP = r["ATP"]
    GTP = r["GTP"]
    Pi = r["Pi"]
    aasuc * IMP^fasuc2 * ATP^fasuc4 * GTP^fasuc8 * Pi^fasuc18
  }
<bytecode: 0x5647de40c5d0>
<environment: 0x5647e0aff4e0>

```

```

$reactions$asli
$reactions$asli$id
[1] "asli"

```

```

$reactions$asli$reversible
[1] FALSE

```

```

$reactions$asli$reactants
[1] "SAMP"

```

```

$reactions$asli$modifiers
[1] "ATP"

```

```

$reactions$asli$products
[1] "ATP"

```

```

$reactions$asli$parameters
  aasli  fasli3  fasli4
66544.00    0.99   -0.95

```

```

$reactions$asli$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>aasli</ci>
    <apply>
      <power/>
      <ci>SAMP</ci>
      <ci>fasli3</ci>
    </apply>
  </apply>
</apply>
<apply>
  <power/>
  <ci>ATP</ci>
  <ci>fasli4</ci>
</apply>

```

```

</apply>

$reactions$asli$exprLaw
aasli * SAMP^fasli3 * ATP^fasli4

$reactions$asli$strLaw
[1] "aasli*SAMP^fasli3*ATP^fasli4"

$reactions$asli$law
function (r, p = NULL)
{
  aasli = p["aasli"]
  fasli3 = p["fasli3"]
  fasli4 = p["fasli4"]
  SAMP = r["SAMP"]
  ATP = r["ATP"]
  aasli * SAMP^fasli3 * ATP^fasli4
}
<environment: 0x5647e0b3fa68>

$reactions$dada
$reactions$dada$id
[1] "dada"

$reactions$dada$reversible
[1] FALSE

$reactions$dada$reactants
[1] "dATP"

$reactions$dada$products
[1] "HX"

$reactions$dada$parameters
  adada fdada9
0.03333 1.00000

$reactions$dada$mathmlLaw
<apply>
  <times/>
  <ci>adada</ci>
<apply>
  <power/>
  <ci>dATP</ci>
  <ci>fdada9</ci>

```

```

</apply>
</apply>

$reactions$dada$exprLaw
adada * dATP^fdada9

$reactions$dada$strLaw
[1] "adada*dATP^fdada9"

$reactions$dada$law
function (r, p = NULL)
{
  adada = p["adada"]
  fdada9 = p["fdada9"]
  dATP = r["dATP"]
  adada * dATP^fdada9
}
<environment: 0x5647e0f1d2c0>

$reactions$den
$reactions$den$id
[1] "den"

$reactions$den$reversible
[1] FALSE

$reactions$den$reactants
[1] "PRPP"

$reactions$den$modifiers
[1] "dGTP" "IMP" "ATP" "GTP" "Pi"

$reactions$den$products
[1] "IMP"

$reactions$den$parameters
  aden  fden1  fden2  fden4  fden8  fden18
5.2728 2.0000 -0.0600 -0.2500 -0.2000 -0.0800

$reactions$den$mathmlLaw
<apply>
<times/>
<apply>
<times/>
<apply>

```

```

</times>
<apply>
  <times/>
  <apply>
    <times/>
    <ci>aden</ci>
    <apply>
      <power/>
      <ci>PRPP</ci>
      <ci>fden1</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>IMP</ci>
    <ci>fden2</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>ATP</ci>
  <ci>fden4</ci>
</apply>
</apply>
<apply>
  <power/>
  <ci>GTP</ci>
  <ci>fden8</ci>
</apply>
</apply>
<apply>
  <power/>
  <ci>Pi</ci>
  <ci>fden18</ci>
</apply>
</apply>

```

```

$reactions$den$exprLaw
aden * PRPP^fden1 * IMP^fden2 * ATP^fden4 * GTP^fden8 * Pi^fden18

```

```

$reactions$den$strLaw
[1] "aden*PRPP^fden1*IMP^fden2*ATP^fden4*GTP^fden8*Pi^fden18"

```

```

$reactions$den$law
function (r, p = NULL)
{

```

```

    aden = p["aden"]
    fden1 = p["fden1"]
    fden2 = p["fden2"]
    fden4 = p["fden4"]
    fden8 = p["fden8"]
    fden18 = p["fden18"]
    PRPP = r["PRPP"]
    dGTP = r["dGTP"]
    IMP = r["IMP"]
    ATP = r["ATP"]
    GTP = r["GTP"]
    Pi = r["Pi"]
    aden * PRPP^fden1 * IMP^fden2 * ATP^fden4 * GTP^fden8 * Pi^fden18
}
<bytecode: 0x5647e0f3be20>
<environment: 0x5647e0f74028>

```

```

$reactions$dgnuc
$reactions$dgnuc$id
[1] "dgnuc"

```

```

$reactions$dgnuc$reversible
[1] FALSE

```

```

$reactions$dgnuc$reactants
[1] "dGTP"

```

```

$reactions$dgnuc$products
[1] "Gua"

```

```

$reactions$dgnuc$parameters
  adgnuc fdgnuc10
0.03333 1.00000

```

```

$reactions$dgnuc$mathmlLaw
<apply>
  <times/>
  <ci>adgnuc</ci>
  <apply>
    <power/>
    <ci>dGTP</ci>
    <ci>fdgnuc10</ci>
  </apply>
</apply>

```

```

$reactions$dgnuc$exprLaw
adgnuc * dGTP^fdgnuc10

$reactions$dgnuc$strLaw
[1] "adgnuc*dGTP^fdgnuc10"

$reactions$dgnuc$law
function (r, p = NULL)
{
  adgnuc = p["adgnuc"]
  fdgnuc10 = p["fdgnuc10"]
  dGTP = r["dGTP"]
  adgnuc * dGTP^fdgnuc10
}
<environment: 0x5647e0fada88>

$reactions$dnaa
$reactions$dnaa$id
[1] "dnaa"

$reactions$dnaa$reversible
[1] FALSE

$reactions$dnaa$reactants
[1] "DNA"

$reactions$dnaa$products
[1] "dATP"

$reactions$dnaa$parameters
  adnaa fdnan12
0.001938 1.000000

$reactions$dnaa$mathmlLaw
<apply>
  <times/>
  <ci>adnaa</ci>
  <apply>
    <power/>
    <ci>DNA</ci>
    <ci>fdnan12</ci>
  </apply>
</apply>

$reactions$dnaa$exprLaw

```



```

adnaa * DNA^fdnan12

$reactions$dnaa$strLaw
[1] "adnaa*DNA^fdnan12"

$reactions$dnaa$law
function (r, p = NULL)
{
  adnaa = p["adnaa"]
  fdnan12 = p["fdnan12"]
  DNA = r["DNA"]
  adnaa * DNA^fdnan12
}
<environment: 0x5647e0fd5430>

$reactions$dnag
$reactions$dnag$id
[1] "dnag"

$reactions$dnag$reversible
[1] FALSE

$reactions$dnag$reactants
[1] "DNA"

$reactions$dnag$products
[1] "dGTP"

$reactions$dnag$parameters
  adnag fdnan12
0.001318 1.000000

$reactions$dnag$mathmlLaw
<apply>
  <times/>
  <ci>adnag</ci>
  <apply>
    <power/>
    <ci>DNA</ci>
    <ci>fdnan12</ci>
  </apply>
</apply>

$reactions$dnag$exprLaw
adnag * DNA^fdnan12

```

```

$reactions$dnag$strLaw
[1] "adnag * DNA ^ fdnan12"

$reactions$dnag$law
function (r, p = NULL)
{
  adnag = p["adnag"]
  fdnan12 = p["fdnan12"]
  DNA = r["DNA"]
  adnag * DNA ^ fdnan12
}
<environment: 0x5647e0ff9088>

```

```

$reactions$gdna
$reactions$gdna$id
[1] "gdna"

$reactions$gdna$reversible
[1] FALSE

$reactions$gdna$reactants
[1] "dGTP"

$reactions$gdna$modifiers
[1] "dATP"

$reactions$gdna$products
[1] "DNA"

$reactions$gdna$parameters
  agdna  fdnap9  fdnap10
2.2296  0.4200  0.3300

```

```

$reactions$gdna$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>agdna</ci>
    <apply>
      <power/>
      <ci>dATP</ci>
      <ci>fdnap9</ci>
    </apply>
  </apply>

```

```

</apply>
<apply>
  <power/>
  <ci>dGTP</ci>
  <ci>fdnap10</ci>
</apply>
</apply>

$reactions$gdna$exprLaw
agdna * dATP^fdnap9 * dGTP^fdnap10

$reactions$gdna$strLaw
[1] "agdna*dATP^fdnap9*dGTP^fdnap10"

$reactions$gdna$law
function (r, p = NULL)
{
  agdna = p["agdna"]
  fdnap9 = p["fdnap9"]
  fdnap10 = p["fdnap10"]
  dGTP = r["dGTP"]
  dATP = r["dATP"]
  agdna * dATP^fdnap9 * dGTP^fdnap10
}
<environment: 0x5647e102fed0>

$reactions$gdrnr
$reactions$gdrnr$id
[1] "gdrnr"

$reactions$gdrnr$reversible
[1] FALSE

$reactions$gdrnr$reactants
[1] "GTP"

$reactions$gdrnr$modifiers
[1] "dATP" "dGTP"

$reactions$gdrnr$products
[1] "dGTP"

$reactions$gdrnr$parameters
  agdrnr  fgdrnr8  fgdrnr9  fgdrnr10
0.1199   0.4000  -1.2000  -0.3900

```

```

$reactions$gdrnr$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>agdrnr</ci>
      <apply>
        <power/>
        <ci>GTP</ci>
        <ci>fgdrnr8</ci>
      </apply>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>dATP</ci>
    <ci>fgdrnr9</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>dGTP</ci>
  <ci>fgdrnr10</ci>
</apply>
</apply>

$reactions$gdrnr$exprLaw
agdrnr * GTP^fgdrnr8 * dATP^fgdrnr9 * dGTP^fgdrnr10

$reactions$gdrnr$strLaw
[1] "agdrnr*GTP^fgdrnr8*dATP^fgdrnr9*dGTP^fgdrnr10"

$reactions$gdrnr$law
function (r, p = NULL)
{
  agdrnr = p["agdrnr"]
  fgdrnr8 = p["fgdrnr8"]
  fgdrnr9 = p["fgdrnr9"]
  fgdrnr10 = p["fgdrnr10"]
  GTP = r["GTP"]
  dATP = r["dATP"]
  dGTP = r["dGTP"]
  agdrnr * GTP^fgdrnr8 * dATP^fgdrnr9 * dGTP^fgdrnr10
}

```

<environment: 0x5647e1072b58>

```
$reactions$gmpr
$reactions$gmpr$id
[1] "gmpr"
```

```
$reactions$gmpr$reversible
[1] FALSE
```

```
$reactions$gmpr$reactants
[1] "GTP"
```

```
$reactions$gmpr$modifiers
[1] "XMP" "ATP" "IMP"
```

```
$reactions$gmpr$products
[1] "IMP"
```

```
$reactions$gmpr$parameters
  agmpr fgmpr2 fgmpr4 fgmpr7 fgmpr8
0.3005 -0.1500 -0.0700 -0.7600 0.7000
```

```
$reactions$gmpr$mathmlLaw
```

```
<apply>
<times/>
<apply>
<times/>
<apply>
<times/>
<apply>
<times/>
<ci>agmpr</ci>
<apply>
<power/>
<ci>IMP</ci>
<ci>fgmpr2</ci>
</apply>
</apply>
<apply>
<power/>
<ci>ATP</ci>
<ci>fgmpr4</ci>
</apply>
</apply>
<apply>
```

```

    <power/>
    <ci>XMP</ci>
    <ci>fgmpr7</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>GTP</ci>
  <ci>fgmpr8</ci>
</apply>
</apply>

$reactions$gmpr$exprLaw
agmpr * IMP^fgmpr2 * ATP^fgmpr4 * XMP^fgmpr7 * GTP^fgmpr8

$reactions$gmpr$strLaw
[1] "agmpr*IMP^fgmpr2*ATP^fgmpr4*XMP^fgmpr7*GTP^fgmpr8"

$reactions$gmpr$law
function (r, p = NULL)
{
  agmpr = p["agmpr"]
  fgmpr2 = p["fgmpr2"]
  fgmpr4 = p["fgmpr4"]
  fgmpr7 = p["fgmpr7"]
  fgmpr8 = p["fgmpr8"]
  GTP = r["GTP"]
  XMP = r["XMP"]
  ATP = r["ATP"]
  IMP = r["IMP"]
  agmpr * IMP^fgmpr2 * ATP^fgmpr4 * XMP^fgmpr7 * GTP^fgmpr8
}
<bytecode: 0x5647e1266998>
<environment: 0x5647e10c15f8>

$reactions$gmps
$reactions$gmps$id
[1] "gmps"

$reactions$gmps$reversible
[1] FALSE

$reactions$gmps$reactants
[1] "XMP"

```

```

$reactions$gmps$modifiers
[1] "ATP"

$reactions$gmps$products
[1] "GTP"

$reactions$gmps$parameters
agmps fgmps4 fgmps7
0.3738 0.1200 0.1600

$reactions$gmps$mathmlLaw
<apply>
<times/>
<apply>
<times/>
<ci>agmps</ci>
<apply>
<power/>
<ci>ATP</ci>
<ci>fgmps4</ci>
</apply>
</apply>
<apply>
<power/>
<ci>XMP</ci>
<ci>fgmps7</ci>
</apply>
</apply>

$reactions$gmps$exprLaw
agmps * ATP^fgmps4 * XMP^fgmps7

$reactions$gmps$strLaw
[1] "agmps*ATP^fgmps4*XMP^fgmps7"

$reactions$gmps$law
function (r, p = NULL)
{
  agmps = p["agmps"]
  fgmps4 = p["fgmps4"]
  fgmps7 = p["fgmps7"]
  XMP = r["XMP"]
  ATP = r["ATP"]
  agmps * ATP^fgmps4 * XMP^fgmps7
}
<environment: 0x5647e1103b10>

```

```

$reactions$gnuc
$reactions$gnuc$id
[1] "gnuc"

$reactions$gnuc$reversible
[1] FALSE

$reactions$gnuc$reactants
[1] "GTP"

$reactions$gnuc$modifiers
[1] "Pi"

$reactions$gnuc$products
[1] "Gua"

$reactions$gnuc$parameters
  agnuc  fgnuc8  fgnuc18
0.2511  0.9000 -0.3400

$reactions$gnuc$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>agnuc</ci>
    <apply>
      <power/>
      <ci>GTP</ci>
      <ci>fgnuc8</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>Pi</ci>
    <ci>fgnuc18</ci>
  </apply>
</apply>

$reactions$gnuc$exprLaw
agnuc * GTP^fgnuc8 * Pi^fgnuc18

$reactions$gnuc$strLaw
[1] "agnuc*GTP^fgnuc8*Pi^fgnuc18"

```



```

$reactions$gnuc$law
function (r, p = NULL)
{
  agnuc = p["agnuc"]
  fgnuc8 = p["fgnuc8"]
  fgnuc18 = p["fgnuc18"]
  GTP = r["GTP"]
  Pi = r["Pi"]
  agnuc * GTP^fgnuc8 * Pi^fgnuc18
}
<environment: 0x5647e113b288>

```

```

$reactions$gpert
$reactions$gpert$id
[1] "gpert"

```

```

$reactions$gpert$reversible
[1] FALSE

```

```

$reactions$gpert$reactants
[1] "Gua" "PRPP"

```

```

$reactions$gpert$modifiers
[1] "GTP"

```

```

$reactions$gpert$products
[1] "GTP"

```

```

$reactions$gpert$parameters
  agprt fgprt1 fgprt8 fgprt15
361.69  1.20  -1.20  0.42

```

```

$reactions$gpert$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>agprt</ci>
      <apply>
        <power/>
        <ci>PRPP</ci>
        <ci>fgprt1</ci>

```

```

    </apply>
  </apply>
  <apply>
    <power/>
    <ci>GTP</ci>
    <ci>fgprt8</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>Gua</ci>
  <ci>fgprt15</ci>
</apply>
</apply>

$reactions$gprt$exprLaw
agprt * PRPP^fgprt1 * GTP^fgprt8 * Gua^fgprt15

$reactions$gprt$strLaw
[1] "agprt*PRPP^fgprt1*GTP^fgprt8*Gua^fgprt15"

$reactions$gprt$law
function (r, p = NULL)
{
  agprt = p["agprt"]
  fgprt1 = p["fgprt1"]
  fgprt8 = p["fgprt8"]
  fgprt15 = p["fgprt15"]
  Gua = r["Gua"]
  PRPP = r["PRPP"]
  GTP = r["GTP"]
  agprt * PRPP^fgprt1 * GTP^fgprt8 * Gua^fgprt15
}
<environment: 0x5647e117a070>

$reactions$grna
$reactions$grna$id
[1] "grna"

$reactions$grna$reversible
[1] FALSE

$reactions$grna$reactants
[1] "GTP"

```

```

$reactions$grna$modifiers
[1] "ATP"

$reactions$grna$products
[1] "RNA"

$reactions$grna$parameters
agrna frnap4 frnap8
409.60 0.05 0.13

$reactions$grna$mathmlLaw
<apply>
<times/>
<apply>
<times/>
<ci>agrna</ci>
<apply>
<power/>
<ci>ATP</ci>
<ci>frnap4</ci>
</apply>
</apply>
<apply>
<power/>
<ci>GTP</ci>
<ci>frnap8</ci>
</apply>
</apply>

$reactions$grna$exprLaw
agrna * ATP^frnap4 * GTP^frnap8

$reactions$grna$strLaw
[1] "agrna*ATP^frnap4*GTP^frnap8"

$reactions$grna$law
function (r, p = NULL)
{
  agrna = p["agrna"]
  frnap4 = p["frnap4"]
  frnap8 = p["frnap8"]
  GTP = r["GTP"]
  ATP = r["ATP"]
  agrna * ATP^frnap4 * GTP^frnap8
}
<environment: 0x5647e11b9eb0>

```

```

$reactions$gua
$reactions$gua$id
[1] "gua"

$reactions$gua$reversible
[1] FALSE

$reactions$gua$reactants
[1] "Gua"

$reactions$gua$products
[1] "Xa"

$reactions$gua$parameters
  agua fgua15
0.4919 0.5000

$reactions$gua$mathmlLaw
<apply>
  <times/>
  <ci>agua</ci>
  <apply>
    <power/>
    <ci>Gua</ci>
    <ci>fgua15</ci>
  </apply>
</apply>

$reactions$gua$exprLaw
agua * Gua^fgua15

$reactions$gua$strLaw
[1] "agua*Gua^fgua15"

$reactions$gua$law
function (r, p = NULL)
{
  agua = p["agua"]
  fgua15 = p["fgua15"]
  Gua = r["Gua"]
  agua * Gua^fgua15
}
<environment: 0x5647e11e4208>

```

```

$reactions$hpert
$reactions$hpert$id
[1] "hpert"

$reactions$hpert$reversible
[1] FALSE

$reactions$hpert$reactants
[1] "HX"  "PRPP"

$reactions$hpert$modifiers
[1] "IMP"

$reactions$hpert$products
[1] "IMP"

$reactions$hpert$parameters
  ahprt  fhprt1  fhprt2  fhprt13
12.569  1.100  -0.890  0.480

$reactions$hpert$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>ahprt</ci>
      <apply>
        <power/>
        <ci>PRPP</ci>
        <ci>fhprt1</ci>
      </apply>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>IMP</ci>
    <ci>fhprt2</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>HX</ci>
  <ci>fhprt13</ci>
</apply>

```

```

</apply>

$reactions$hpert$exprLaw
ahprt * PRPP^fhprt1 * IMP^fhprt2 * HX^fhprt13

$reactions$hpert$strLaw
[1] "ahprt*PRPP^fhprt1*IMP^fhprt2*HX^fhprt13"

$reactions$hpert$law
function (r, p = NULL)
{
  ahprt = p["ahprt"]
  fhprt1 = p["fhprt1"]
  fhprt2 = p["fhprt2"]
  fhprt13 = p["fhprt13"]
  HX = r["HX"]
  PRPP = r["PRPP"]
  IMP = r["IMP"]
  ahprt * PRPP^fhprt1 * IMP^fhprt2 * HX^fhprt13
}
<environment: 0x5647e12206b0>

$reactions$hX
$reactions$hX$id
[1] "hX"

$reactions$hX$reversible
[1] FALSE

$reactions$hX$reactants
[1] "HX"

$reactions$hX$parameters
  ahx   fhx13
0.003793 1.120000

$reactions$hX$mathmlLaw
<apply>
  <times/>
  <ci>ahx</ci>
  <apply>
    <power/>
    <ci>HX</ci>
    <ci>fhx13</ci>
  </apply>

```

```

</apply>

$reactions$hx$exprLaw
ahx * HX^fhx13

$reactions$hx$strLaw
[1] "ahx*HX^fhx13"

$reactions$hx$law
function (r, p = NULL)
{
  ahx = p["ahx"]
  fhx13 = p["fhx13"]
  HX = r["HX"]
  ahx * HX^fhx13
}
<environment: 0x5647e124f1b0>

$reactions$hxd
$reactions$hxd$id
[1] "hxd"

$reactions$hxd$reversible
[1] FALSE

$reactions$hxd$reactants
[1] "HX"

$reactions$hxd$products
[1] "Xa"

$reactions$hxd$parameters
  ahxd fhxd13
0.2754 0.6500

$reactions$hxd$mathmlLaw
<apply>
  <times/>
  <ci>ahxd</ci>
  <apply>
    <power/>
    <ci>HX</ci>
    <ci>fhxd13</ci>
  </apply>
</apply>

```

```

$reactions$hxd$exprLaw
ahxd * HX^fhxd13

$reactions$hxd$strLaw
[1] "ahxd*HX^fhxd13"

$reactions$hxd$law
function (r, p = NULL)
{
  ahxd = p["ahxd"]
  fhxd13 = p["fhxd13"]
  HX = r["HX"]
  ahxd * HX^fhxd13
}
<environment: 0x5647e1274cb8>

```

```

$reactions$impd
$reactions$impd$id
[1] "impd"

$reactions$impd$reversible
[1] FALSE

$reactions$impd$reactants
[1] "IMP"

$reactions$impd$modifiers
[1] "GTP" "XMP"

$reactions$impd$products
[1] "XMP"

$reactions$impd$parameters
  aimpd fimpd2 fimpd7 fimpd8
1.2823 0.1500 -0.0900 -0.0300

$reactions$impd$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <apply>
      <times/>
      <ci>aimpd</ci>

```



```

    <apply>
      <power/>
      <ci>IMP</ci>
      <ci>fimpd2</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>XMP</ci>
    <ci>fimpd7</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>GTP</ci>
  <ci>fimpd8</ci>
</apply>
</apply>

$reactions$impd$exprLaw
aimpd * IMP^fimpd2 * XMP^fimpd7 * GTP^fimpd8

$reactions$impd$strLaw
[1] "aimpd*IMP^fimpd2*XMP^fimpd7*GTP^fimpd8"

$reactions$impd$law
function (r, p = NULL)
{
  aimpd = p["aimpd"]
  fimpd2 = p["fimpd2"]
  fimpd7 = p["fimpd7"]
  fimpd8 = p["fimpd8"]
  IMP = r["IMP"]
  GTP = r["GTP"]
  XMP = r["XMP"]
  aimpd * IMP^fimpd2 * XMP^fimpd7 * GTP^fimpd8
}
<environment: 0x5647e12b30f0>

$reactions$inuc
$reactions$inuc$id
[1] "inuc"

$reactions$inuc$reversible
[1] FALSE

```

```

$reactions$inuc$reactants
[1] "IMP"

$reactions$inuc$modifiers
[1] "Pi"

$reactions$inuc$products
[1] "HX"

$reactions$inuc$parameters
  ainuc  finuc2  finuc18
0.9135  0.8000 -0.3600

$reactions$inuc$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>ainuc</ci>
    <apply>
      <power/>
      <ci>IMP</ci>
      <ci>finuc2</ci>
    </apply>
  </apply>
</apply>
<apply>
  <power/>
  <ci>Pi</ci>
  <ci>finuc18</ci>
</apply>
</apply>

$reactions$inuc$exprLaw
ainuc * IMP^finuc2 * Pi^finuc18

$reactions$inuc$strLaw
[1] "ainuc*IMP^finuc2*Pi^finuc18"

$reactions$inuc$law
function (r, p = NULL)
{
  ainuc = p["ainuc"]
  finuc2 = p["finuc2"]
  finuc18 = p["finuc18"]
  IMP = r["IMP"]
}

```

```

    Pi = r["Pi"]
    ainuc * IMP^finuc2 * Pi^finuc18
}
<environment: 0x5647e12f2e50>

```

```

$reactions$mat
$reactions$mat$id
[1] "mat"

```

```

$reactions$mat$reversible
[1] FALSE

```

```

$reactions$mat$reactants
[1] "ATP"

```

```

$reactions$mat$modifiers
[1] "SAM"

```

```

$reactions$mat$products
[1] "SAM"

```

```

$reactions$mat$parameters
  amat  fmat4  fmat5
7.2067 0.2000 -0.6000

```

```

$reactions$mat$mathmlLaw
<apply>
  <times/>
  <apply>
    <times/>
    <ci>amat</ci>
    <apply>
      <power/>
      <ci>ATP</ci>
      <ci>fmat4</ci>
    </apply>
  </apply>
  <apply>
    <power/>
    <ci>SAM</ci>
    <ci>fmat5</ci>
  </apply>
</apply>

```

```

$reactions$mat$exprLaw

```

```

amat * ATP^fmat4 * SAM^fmat5

$reactions$mat$strLaw
[1] "amat*ATP^fmat4*SAM^fmat5"

$reactions$mat$law
function (r, p = NULL)
{
  amat = p["amat"]
  fmat4 = p["fmat4"]
  fmat5 = p["fmat5"]
  ATP = r["ATP"]
  SAM = r["SAM"]
  amat * ATP^fmat4 * SAM^fmat5
}
<environment: 0x5647e1328648>

$reactions$polyam
$reactions$polyam$id
[1] "polyam"

$reactions$polyam$reversible
[1] FALSE

$reactions$polyam$reactants
[1] "SAM"

$reactions$polyam$products
[1] "Ade"

$reactions$polyam$parameters
apolyam fpolyam5
  0.29    0.90

$reactions$polyam$mathmlLaw
<apply>
  <times/>
  <ci>apolyam</ci>
  <apply>
    <power/>
    <ci>SAM</ci>
    <ci>fpolyam5</ci>
  </apply>
</apply>

```

```

$reactions$polyam$exprLaw
apolyam * SAM^fpolyam5

$reactions$polyam$strLaw
[1] "apolyam*SAM^fpolyam5"

$reactions$polyam$law
function (r, p = NULL)
{
  apolyam = p["apolyam"]
  fpolyam5 = p["fpolyam5"]
  SAM = r["SAM"]
  apolyam * SAM^fpolyam5
}
<environment: 0x5647e134eb60>

```

```

$reactions$prpps
$reactions$prpps$id
[1] "prpps"

```

```

$reactions$prpps$reversible
[1] FALSE

```

```

$reactions$prpps$reactants
[1] "R5P"

```

```

$reactions$prpps$modifiers
[1] "ATP" "GTP" "Pi" "PRPP"

```

```

$reactions$prpps$products
[1] "PRPP"

```

```

$reactions$prpps$parameters
  aprpps fprpps1 fprpps4 fprpps8 fprpps17 fprpps18
    0.90   -0.03   -0.45   -0.04    0.65    0.70

```

```

$reactions$prpps$mathmlLaw
<apply>
<times/>
<apply>
<times/>
<apply>
<times/>
<apply>
<times/>

```

```

<apply>
  <times/>
  <ci>aprpps</ci>
  <apply>
    <power/>
    <ci>PRPP</ci>
    <ci>fprpps1</ci>
  </apply>
</apply>
<apply>
  <power/>
  <ci>ATP</ci>
  <ci>fprpps4</ci>
</apply>
</apply>
<apply>
  <power/>
  <ci>GTP</ci>
  <ci>fprpps8</ci>
</apply>
</apply>
<apply>
  <power/>
  <ci>R5P</ci>
  <ci>fprpps17</ci>
</apply>
</apply>
<apply>
  <power/>
  <ci>Pi</ci>
  <ci>fprpps18</ci>
</apply>
</apply>

$reactions$prpps$exprLaw
aprpps * PRPP^fprpps1 * ATP^fprpps4 * GTP^fprpps8 * R5P^fprpps17 *
  Pi^fprpps18

$reactions$prpps$strLaw
[1] "aprpps*PRPP^fprpps1*ATP^fprpps4*GTP^fprpps8*R5P^fprpps17*Pi^fprpps18"

$reactions$prpps$law
function (r, p = NULL)
{
  aprpps = p["aprpps"]
  fprpps1 = p["fprpps1"]

```

```

fprpps4 = p["fprpps4"]
fprpps8 = p["fprpps8"]
fprpps17 = p["fprpps17"]
fprpps18 = p["fprpps18"]
R5P = r["R5P"]
ATP = r["ATP"]
GTP = r["GTP"]
Pi = r["Pi"]
PRPP = r["PRPP"]
aprrps * PRPP^fprpps1 * ATP^fprpps4 * GTP^fprpps8 * R5P^fprpps17 *
  Pi^fprpps18
}
<bytecode: 0x5647e16d18a0>
<environment: 0x5647e13ab5b8>

```

```

$reactions$pyr
$reactions$pyr$id
[1] "pyr"

```

```

$reactions$pyr$reversible
[1] FALSE

```

```

$reactions$pyr$reactants
[1] "PRPP"

```

```

$reactions$pyr$parameters
  apyr fpyr1
1.2951 1.2700

```

```

$reactions$pyr$mathmlLaw
<apply>
  <times/>
  <ci>apyr</ci>
  <apply>
    <power/>
    <ci>PRPP</ci>
    <ci>fpyr1</ci>
  </apply>
</apply>

```

```

$reactions$pyr$exprLaw
apyr * PRPP^fpyr1

```

```

$reactions$pyr$strLaw
[1] "apyr*PRPP^fpyr1"

```

```

$reactions$pyr$law
function (r, p = NULL)
{
  apyr = p["apyr"]
  fpyr1 = p["fpyr1"]
  PRPP = r["PRPP"]
  apyr * PRPP^fpyr1
}
<environment: 0x5647e13def38>

```

```

$reactions$rnaa
$reactions$rnaa$id
[1] "rnaa"

```

```

$reactions$rnaa$reversible
[1] FALSE

```

```

$reactions$rnaa$reactants
[1] "RNA"

```

```

$reactions$rnaa$products
[1] "ATP"

```

```

$reactions$rnaa$parameters
  arnaa frnan11
0.06923 1.00000

```

```

$reactions$rnaa$mathmlLaw
<apply>
  <times/>
  <ci>arna</ci>
  <apply>
    <power/>
    <ci>RNA</ci>
    <ci>frnan11</ci>
  </apply>
</apply>

```

```

$reactions$rnaa$exprLaw
arna * RNA^frnan11

```

```

$reactions$rnaa$strLaw
[1] "arna*RNA^frnan11"

```



```

$reactions$rnaa$law
function (r, p = NULL)
{
  arnaa = p["arnaa"]
  frnan11 = p["frnan11"]
  RNA = r["RNA"]
  arnaa * RNA^frnan11
}
<environment: 0x5647e1408800>

```

```

$reactions$rnag
$reactions$rnag$id
[1] "rnag"

```

```

$reactions$rnag$reversible
[1] FALSE

```

```

$reactions$rnag$reactants
[1] "RNA"

```

```

$reactions$rnag$products
[1] "GTP"

```

```

$reactions$rnag$parameters
  arnag frnan11
0.04615 1.00000

```

```

$reactions$rnag$mathmlLaw
<apply>
  <times/>
  <ci>arnag</ci>
  <apply>
    <power/>
    <ci>RNA</ci>
    <ci>frnan11</ci>
  </apply>
</apply>

```

```

$reactions$rnag$exprLaw
arnag * RNA^frnan11

```

```

$reactions$rnag$strLaw
[1] "arnag*RNA^frnan11"

```

```

$reactions$rnag$law

```

```

function (r, p = NULL)
{
  arnag = p["arnag"]
  frnan11 = p["frnan11"]
  RNA = r["RNA"]
  arnag * RNA^frnan11
}
<environment: 0x5647e1430288>

```

```

$reactions$trans
$reactions$trans$id
[1] "trans"

```

```

$reactions$trans$reversible
[1] FALSE

```

```

$reactions$trans$reactants
[1] "SAM"

```

```

$reactions$trans$products
[1] "ATP"

```

```

$reactions$trans$parameters
  atrans ftrans5
  8.8539  0.3300

```

```

$reactions$trans$mathmlLaw
<apply>
  <times/>
  <ci>atrans</ci>
  <apply>
    <power/>
    <ci>SAM</ci>
    <ci>ftrans5</ci>
  </apply>
</apply>

```

```

$reactions$trans$exprLaw
atrans * SAM^ftrans5

```

```

$reactions$trans$strLaw
[1] "atrans*SAM^ftrans5"

```

```

$reactions$trans$law
function (r, p = NULL)

```

```

{
  atrans = p["atrans"]
  ftrans5 = p["ftrans5"]
  SAM = r["SAM"]
  atrans * SAM^ftrans5
}
<environment: 0x5647e1453e70>

```

```

$reactions$ua
$reactions$ua$id
[1] "ua"

```

```

$reactions$ua$reversible
[1] FALSE

```

```

$reactions$ua$reactants
[1] "UA"

```

```

$reactions$ua$parameters
      aua      fua16
8.744e-05 2.210e+00

```

```

$reactions$ua$mathmlLaw
<apply>
  <times/>
  <ci>aua</ci>
  <apply>
    <power/>
    <ci>UA</ci>
    <ci>fua16</ci>
  </apply>
</apply>

```

```

$reactions$ua$exprLaw
aua * UA^fua16

```

```

$reactions$ua$strLaw
[1] "aua*UA^fua16"

```

```

$reactions$ua$law
function (r, p = NULL)
{
  aua = p["aua"]
  fua16 = p["fua16"]
  UA = r["UA"]

```

```
    aua * UA^fua16
  }
<environment: 0x5647e14798f8>
```

```
$reactions$x
$reactions$x$id
[1] "x"
```

```
$reactions$x$reversible
[1] FALSE
```

```
$reactions$x$reactants
[1] "Xa"
```

```
$reactions$x$parameters
  ax  fx14
0.0012 2.0000
```

```
$reactions$x$mathmlLaw
<apply>
  <times/>
  <ci>ax</ci>
  <apply>
    <power/>
    <ci>Xa</ci>
    <ci>fx14</ci>
  </apply>
</apply>
```

```
$reactions$x$exprLaw
ax * Xa^fx14
```

```
$reactions$x$strLaw
[1] "ax*Xa^fx14"
```

```
$reactions$x$law
function (r, p = NULL)
{
  ax = p["ax"]
  fx14 = p["fx14"]
  Xa = r["Xa"]
  ax * Xa^fx14
}
<environment: 0x5647e149f390>
```

```

$reactions$xd
$reactions$xd$id
[1] "xd"

$reactions$xd$reversible
[1] FALSE

$reactions$xd$reactants
[1] "Xa"

$reactions$xd$products
[1] "UA"

$reactions$xd$parameters
  axd fxd14
0.949 0.550

$reactions$xd$mathmlLaw
<apply>
  <times/>
  <ci>axd</ci>
  <apply>
    <power/>
    <ci>Xa</ci>
    <ci>fxd14</ci>
  </apply>
</apply>

$reactions$xd$exprLaw
axd * Xa^fxd14

$reactions$xd$strLaw
[1] "axd*Xa^fxd14"

$reactions$xd$law
function (r, p = NULL)
{
  axd = p["axd"]
  fxd14 = p["fxd14"]
  Xa = r["Xa"]
  axd * Xa^fxd14
}
<environment: 0x5647e14cabe8>

```

```
$htmlNotes
```

```
<notes>
```

```
<body xmlns="http://www.w3.org/1999/xhtml">
```

```
<p>This is a purine metabolism model that is geared toward studies of gout.</p>
```

```
<p>The model is fully described in Curto et al., MBSC 151 (1998) pp 1-49</p>
```

```
<p>The model uses Generalized Mass Action (GMA;i.e. power law) descriptions of reaction ra
```

```
<p>Such descriptions are local approximations that assume independent substrate binding.</p>
```

```
<p/>
```

```
<p>The de novo purine flux vden= 2.39 is in umole/min/KG, i.e. 2.4*60=144 uM/h if we let e
```

```
<p>liter of water. Morrison and Allegra (JBC, 1989) have vden at 650 uM/h (model) and 415
```

```
<p>The IC&apos;s below have been set to the system&apos;s steady state.</p>
```

```
<p>The units in this model are micromolar(uM) and minutes.</p>
```

```
<p>A cell volume of 1 is used so that amounts and concentrations are the same thing.</p>
```

```
</body>
```

```
</notes>
```

```
attr("class")
```

```
[1] "SBMLR"
```