

Package ‘sampleClassifierData’

July 18, 2024

Type Package

Title Pre-processed data for use with the sampleClassifier package

Version 1.29.0

Date 2021-11-21

Author Khadija El Amrani

Maintainer Khadija El Amrani <khadija.el-amrani@charite.de>

Description This package contains two microarray and two RNA-seq datasets that have been preprocessed for use with the sampleClassifier package. The RNA-seq data are derived from Fagerberg et al. (2014) and the Illumina Body Map 2.0 data. The microarray data are derived from Roth et al. (2006) and Ge et al. (2005).

License Artistic-2.0

Depends R (>= 3.4), SummarizedExperiment

Suggests BiocStyle

biocViews ExperimentData, ExpressionData, MicroarrayData, SequencingData, RNASeqData, ArrayExpress

NeedsCompilation no

git_url <https://git.bioconductor.org/packages/sampleClassifierData>

git_branch devel

git_last_commit e9632f9

git_last_commit_date 2024-04-30

Repository Bioconductor 3.20

Date/Publication 2024-07-18

Contents

sampleClassifierData-package	2
se_micro_refmat	3
se_micro_testmat	3
se_rnaseq_refmat	4
se_rnaseq_testmat	5

sampleClassifierData-package

Pre-processed data for use with the sampleClassifier package

Description

This package contains two microarray and two RNA-seq datasets that have been preprocessed for use with the sampleClassifier package. The RNA-seq data are derived from Fagerberg et al. (2014) and the Illumina Body Map 2.0 data. The microarray data are derived from Roth et al. (2006) and Ge et al. (2005).

Details

This package contains a collection of publicly available microarray and RNA-seq datasets that have been pre-processed for use with the R-package 'sampleClassifier'.

The dataset `se_rnaseq_refmat` contains 71 samples from 24 tissues, derived from Fagerberg et al. (2014). Each tissue is represented by 3 replicates (except ovary which is represented by 2 replicates).

The dataset `se_micro_refmat` contains 78 samples from 26 tissues, derived from Roth et al. (2006). Each tissue is represented by 3 replicates.

The dataset `se_rnaseq_testmat` contains 12 samples from the Illumina Body Map 2.0 data.

The dataset `se_micro_testmat` contains 16 samples from Ge et al. (2005).

See the package vignette for details on the pre-processing of the data.

Author(s)

Khadija El Amrani

Maintainer: Khadija El Amrani <khadija.el-amrani@charite.de>

References

Fagerberg, L., Hallstroem, B.M., Oksvold, P., Kampf, C., Djureinovic, D., Odeberg, J., Habuka, M., Tahmasebpoor, S., Danielsson, A., Edlund, K., Asplund, A., Sjoestedt, E., Lundberg, E., Szilyarto, C.A.-K., Skogs, M., Takanen, J.O., Berling, H., Tegel, H., Mulder, J., Nilsson, P., Schwenk, J.M., Lindskog, C., Danielsson, F., Mardinoglu, A., Sivertsson, A., von Feilitzen, K., Forsberg, M., Zwahlen, M., Olsson, I., Navani, S., Huss, M., Nielsen, J., Ponten, F., Uhlen, M.: Analysis of the human tissue-specific expression by genome-wide integration of transcriptomics and antibody-based proteomics. *Molecular & cellular proteomics* : MCP 13(2), 397-406 (2014).

Roth, R.B., Hevezi, P., Lee, J., Willhite, D., Lechner, S.M., Foster, A.C., Zlotnik, A.: Gene expression analyses reveal molecular relationships among 20 regions of the human CNS. *Neurogenetics* 7(2), 67-80 (2006). doi:10.1007/s10048-006-0032-6

The Illumina Body Map 2.0 data (<https://www.ebi.ac.uk/arrayexpress/experiments/E-MTAB-513/>).

Ge X, Yamamoto S, Tsutsumi S, Midorikawa Y, Ihara S, et al. Interpreting expression profiles of cancers by genome-wide survey of breadth of expression in normal tissues. *Genomics* 2005; 86:127-141. doi: 10.1016/j.ygeno.2005.04.008. pmid:15950434

se_micro_refmat *microarray gene expression data set*

Description

Microarray gene expression data set with 78 samples from 26 tissues, derived from Roth et al. (2006). Each tissue is represented by 3 replicates.

Usage

```
data(se_micro_refmat)
```

Format

A [matrix](#) with 54675 probesets and 78 samples.

Value

microarray data matrix as SummarizedExperiment

References

Roth, R.B., Hevezi, P., Lee, J., Willhite, D., Lechner, S.M., Foster, A.C., Zlotnik, A.: Gene expression analyses reveal molecular relationships among 20 regions of the human CNS. *Neurogenetics* 7(2), 67-80 (2006). doi:10.1007/s10048-006-0032-6

Examples

```
data(se_micro_refmat)
```

se_micro_testmat *microarray gene expression data set*

Description

Microarray gene expression data set with 16 samples from Ge et al. (2005).

Usage

```
data(se_micro_testmat)
```

Format

A `matrix` with 22283 probesets and 16 samples.

Value

microarray data matrix as SummarizedExperiment

References

Ge X, Yamamoto S, Tsutsumi S, Midorikawa Y, Ihara S, et al. Interpreting expression profiles of cancers by genome-wide survey of breadth of expression in normal tissues. *Genomics* 2005; 86:127-141. doi: 10.1016/j.ygeno.2005.04.008. pmid:15950434

Examples

```
data(se_micro_testmat)
```

se_rnaseq_refmat	<i>RNA-seq gene expression data set</i>
------------------	---

Description

RNA-seq gene expression data set with 71 samples from 24 tissues, derived from Fagerberg et al. (2014). Each tissue is represented by 3 replicates (except ovary which is represented by 2 replicates).

Usage

```
data(se_rnaseq_refmat)
```

Format

A `matrix` with 43819 genes and 71 samples.

Value

RNA-seq data matrix as SummarizedExperiment

References

Fagerberg, L., Hallstroem, B.M., Oksvold, P., Kampf, C., Djureinovic, D., Odeberg, J., Habuka, M., Tahmasebpour, S., Danielsson, A., Edlund, K., Asplund, A., Sjoestedt, E., Lundberg, E., Szig-yarto, C.A.-K., Skogs, M., Takanen, J.O., Berling, H., Tegel, H., Mulder, J., Nilsson, P., Schwenk, J.M., Lindskog, C., Danielsson, F., Mardinoglu, A., Sivertsson, A., von Feilitzen, K., Forsberg, M., Zwahlen, M., Olsson, I., Navani, S., Huss, M., Nielsen, J., Ponten, F., Uhlen, M.: Analysis of the human tissue-specific expression by genome-wide integration of transcriptomics and antibody-based proteomics. *Molecular & cellular proteomics* : MCP 13(2), 397-406 (2014).

Examples

```
data(se_rnaseq_refmat)
```

se_rnaseq_testmat	<i>RNA-seq gene expression data set</i>
-------------------	---

Description

RNA-seq gene expression data set with 12 samples from the Illumina Body Map 2.0 data.

Usage

```
data(se_rnaseq_testmat)
```

Format

A [matrix](#) with 43819 genes and 12 samples.

Value

RNA-seq data matrix as SummarizedExperiment

References

The Illumina Body Map 2.0 data (<https://www.ebi.ac.uk/arrayexpress/experiments/E-MTAB-513/>).

Examples

```
data(se_rnaseq_testmat)
```

Index

* dataset

- se_micro_refmat, [3](#)
- se_micro_testmat, [3](#)
- se_rnaseq_refmat, [4](#)
- se_rnaseq_testmat, [5](#)

matrix, [3–5](#)

sampleClassifierData
(sampleClassifierData-package),
[2](#)

sampleClassifierData-package, [2](#)

- se_micro_refmat, [3](#)
- se_micro_testmat, [3](#)
- se_rnaseq_refmat, [4](#)
- se_rnaseq_testmat, [5](#)