

Package ‘BEAT’

September 11, 2024

Type Package

Version 1.42.0

Title BEAT - BS-Seq Epimutation Analysis Toolkit

Date 2014-02-14

Maintainer Kemal Akman <akman@mpipz.mpg.de>

Author Kemal Akman <akman@mpipz.mpg.de>

Depends R (>= 2.13.0)

Imports GenomicRanges, ShortRead, Biostrings, BSgenome

Description Model-based analysis of single-cell methylation data

License LGPL (>= 3.0)

biocViews ImmunoOncology, Genetics, MethylSeq, Software,
DNAMethylation, Epigenetics

git_url <https://git.bioconductor.org/packages/BEAT>

git_branch RELEASE_3_19

git_last_commit 4cbe33f

git_last_commit_date 2024-04-30

Repository Bioconductor 3.19

Date/Publication 2024-09-11

Contents

BEAT	2
epimutation_calls	2
generate_results	4
makeParams	5
positions	6
positions.reference	6
positions_to_regions	7

Index	9
--------------	----------

BEAT

BEAT - BS-Seq Epimutation Analysis Toolkit

Description

Modelling, data preparation and analysis of BS-Seq derived, region-based epimutation data

Details

Package: BEAT - Rpackage
Type: Package
Version: 0.99.1
Date: 2013-01-10
License: LGPL version 3 or later
Maintainer: Kemal Akman, akmank@mpipz.mpg.de

epimutation_calls

Returns epimutation rates and sites.

Description

Returns epimutation rates per genome and per genomic feature, as well as individual genomic sites at which epimutations were called.

Usage

```
epimutation_calls(params, outputPath = getwd())
```

Arguments

params BEAT parameter object.
outputPath Path to which output files will be written, the default is the current working directory.

Format

Necessary function arguments are passed via a BEAT parameter object, which includes working path, sample names, reference sample name, model parameters and region sizes.

params Parameter object created by calling `makeParams`.

Value

The function `epimutation_calls` returns :

- `resultsList` A list is returned consisting of the two data.frames `methSites` and `demethSites`. `methSites` contains all regions at which methylating epimutations were observed, while `demethSites` contains all sites at which demethylating epimutations were observed. Each data.frame describes the genomic regions covered by the given sample and the reference sample using the columns: 'chr' (chromosome), 'start' (starting position), 'stop' (last position), 'meth' (methylated counts), 'unmeth' (unmethylated counts) and 'epimutation_call_test' (epimutation call, 1 for methylating epimutation and 0 for demethylating epimutation).
- `methEpicalls` For each single-cell sample, a `methEpicalls.RData` object is saved in the working directory, which is a data.frame of all sites at which methylating epimutations were observed, consisting of the columns: chr, pos, endpos, meth, unmeth and methstate.
- `demethEpicalls` For each single-cell sample, a `demethEpicalls.RData` object is saved in the working directory, which is a data.frame of all sites at which demethylating epimutations were observed, consisting of the columns: chr, pos, endpos, meth, unmeth and methstate.

Author(s)

Kemal Akman <akmank@mpipz.mpg.de>

See Also

See also [makeParams](#).

Examples

```
# Local working directory
localpath <- system.file('extdata', package = 'BEAT')
# Names of samples, expected filenames are e.g. reference.positions.csv
sampNames <- c("reference", "sample")
# Empirical BS-conversion rates, e.g. estimated from non-CpG methylation
convrates <- c(0.8,0.5)
# Vector denoting reference vs. single-cell status of given samples
is.reference <- c(TRUE,FALSE)
params <- makeParams(localpath, sampNames, convrates, is.reference, pminus = 0.2, regionSize = 10000, minCounts = 5)
# pool CG positions into regions
positions_to_regions(params)
# compute model statistics
generate_results(params)
# call epimutations
methDemethPlusMinus <- epimutation_calls(params)
```

generate_results	<i>Computes model methylation states for genomic region counts of a list of samples.</i>
------------------	--

Description

Computes model methylation states for genomic region counts of a list of samples.

Usage

```
generate_results(params, outputPath = getwd())
```

Arguments

params	BEAT parameter object.
outputPath	Path to which output files will be written, the default is the current working directory.

Format

Necessary function arguments are passed via a BEAT parameter object, which includes working path, sample names, reference sample name, model parameters and region sizes.

params Parameter object created by calling [makeParams](#).

Author(s)

Kemal Akman <akmank@mpipz.mpg.de>

See Also

See also [makeParams](#).

Examples

```
# Local working directory
localpath <- system.file('extdata', package = 'BEAT')
# Names of samples, expected filenames are e.g. reference.positions.csv
sampNames <- c("reference", "sample")
# Empirical BS-conversion rates, e.g. estimated from non-CpG methylation
convrates <- c(0.8,0.5)
# Vector denoting reference vs. single-cell status of given samples
is.reference <- c(TRUE,FALSE)
params <- makeParams(localpath, sampNames, convrates, is.reference, pminus = 0.2, regionSize = 10000, minCounts = 5)
# pool CG positions into regions
positions_to_regions(params)
# compute model statistics
generate_results(params)
```

makeParams	<i>Creates a parameter object of arguments to be used with other BEAT functions.</i>
------------	--

Description

Creates a parameter object of arguments to be used with other BEAT functions.

Usage

```
makeParams(localpath = getwd(), sampNames, convrates, is.reference, pminus = 0.2, regionSize = 10000, m
```

Arguments

localpath	Full path to working directory from which files are read and where results are saved.
sampNames	Vector of sample names to be analyzed.
convrates	Vector of empirically determined bisulfite conversion rates per sample. Determines p+, the model parameter for incomplete conversion (false negative rates).
is.reference	Vector of reference (TRUE) vs. single-cell (FALSE) status per sample.
pminus	Model parameter for false conversion (false positive rate).
regionSize	Region size in nucleotides into which genomic sites are grouped.
minCounts	Minimum counts necessary for each region to be included in epimutation modeling and analysis.
verbose	Shows more verbose console output during computation steps.
computeRegions	If set to TRUE, regions will be recomputed from individual positions and saved as cpregions.RData objects for each sample.
computeMatrices	If set to TRUE, model parameters will be recomputed and saved as results.RData objects for each sample.
writeEpicallMatrix	If set to TRUE, epimutation calls will be written as RData object.

Value

The function makeParams returns :

params	Parameter object to be used in other BEAT functions.
--------	--

Author(s)

Kemal Akman <akmank@mpipz.mpg.de>

Examples

```

# Local working directory
localpath <- system.file('extdata', package = 'BEAT')
# Names of samples, expected filenames are e.g. reference.positions.csv
sampNames <- c("reference", "sample")
# Empirical BS-conversion rates, e.g. estimated from non-CpG methylation
convrates <- c(0.8,0.5)
# Vector denoting reference vs. single-cell status of given samples
is.reference <- c(TRUE,FALSE)
params <- makeParams(localpath, sampNames, convrates, is.reference, pminus = 0.2, regionSize = 10000, minCounts = 5)
# Example usage of the params object
positions_to_regions(params)

```

positions

Sample dataset of CpG positions for a single cell BS-seq sample

Description

Sample dataset of CpG positions for a single cell sequencing sample

Author(s)

Kemal Akman <akmank@mpipz.mpg.de>

positions.reference

Sample dataset of CpG positions for a reference BS-Seq sample

Description

Sample dataset of CpG positions for a single cell sequencing sample

Author(s)

Kemal Akman <akmank@mpipz.mpg.de>

positions_to_regions	<i>Converts methylation counts for single genomic positions to counts for genomic regions</i>
----------------------	---

Description

Converts methylation counts of a data.frame of single genomic positions into a data.frame of counts for genomic regions.

Usage

```
positions_to_regions(params, outputPath = getwd())
```

Arguments

params	BEAT parameter object.
outputPath	Path to which output files will be written, the default is the current working directory.

Format

Necessary function arguments are passed via a BEAT parameter object, which includes working path, sample names, reference sample name, model parameters and region sizes.

params Parameter object created by calling [makeParams](#).

sample.positions.csv For each sample referenced by the params argument sampleNames, a corresponding csv must be present in the working directory. The csv input must contain one row per genomic position for each CG site. Columns must be chr, pos, meth, unmeth (chromosome, position, methylated counts, unmethylated counts).

Author(s)

Kemal Akman <akmank@mpipz.mpg.de>

See Also

See also [makeParams](#).

Examples

```
# Local working directory
localpath <- system.file('extdata', package = 'BEAT')
# Names of samples, expected filenames are e.g. reference.positions.csv
sampNames <- c("reference", "sample")
# Empirical BS-conversion rates, e.g. estimated from non-CpG methylation
convrates <- c(0.8,0.5)
# Vector denoting reference vs. single-cell status of given samples
is.reference <- c(TRUE,FALSE)
```

```
params <- makeParams(localpath, sampNames, convrates, is.reference, pminus = 0.2, regionSize = 10000, minCounts = 5)
# Pool CG positions into regions
positions_to_regions(params)
```


Index

* **BEAT**

- epimutation_calls, [2](#)
- generate_results, [4](#)
- makeParams, [5](#)
- positions, [6](#)
- positions.reference, [6](#)
- positions_to_regions, [7](#)

* **package**

- BEAT, [2](#)

BEAT, [2](#)

BEAT-package (BEAT), [2](#)

epimutation_calls, [2](#)

generate_results, [4](#)

makeParams, [2-4](#), [5](#), [7](#)

positions, [6](#)

positions.reference, [6](#)

positions_to_regions, [7](#)