

Package ‘MultiRNAflow’

February 27, 2024

Title An R package for analysing RNA-seq raw counts with several biological conditions and different time points

Version 1.0.0

Description Our R package MultiRNAflow provides an easy to use unified framework allowing to automatically make both unsupervised and supervised (DE) analysis for datasets with an arbitrary number of biological conditions and time points. In particular, our code makes a deep downstream analysis of DE information, e.g. identifying temporal patterns across biological conditions and DE genes which are specific to a biological condition for each time.

License GPL-3 | file LICENSE

URL <https://github.com/loubator/MultiRNAflow>

BugReports <https://github.com/loubator/MultiRNAflow/issues>

Depends Mfuzz (>= 2.58.0), R (>= 4.3)

Imports Biobase (>= 2.54.0), ComplexHeatmap (>= 2.14.0), DESeq2 (>= 1.38.1), factoextra (>= 1.0.7), FactoMineR (>= 2.6), ggalluvial (>= 0.12.3), ggplot2 (>= 3.4.0), ggrepel (>= 0.9.2), ggsci (>= 2.9), gprofiler2 (>= 0.2.1), graphics (>= 4.2.2), grDevices (>= 4.2.2), grid (>= 4.2.2), methods (>= 4.2.2), plot3D (>= 1.4), plot3Drgl (>= 1.0.3), plyr (>= 1.8.8), RColorBrewer (>= 1.1.3), reshape2 (>= 1.4.4), rlang (>= 1.1.1), S4Vectors (>= 0.36.2), scales (>= 1.2.1), stats (>= 4.2.2), SummarizedExperiment (>= 1.28.0), UpSetR (>= 1.4.0), utils (>= 4.2.2)

Suggests BiocGenerics (>= 0.40.0), BiocStyle, e1071 (>= 1.7.12), knitr, rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

biocViews Sequencing, RNASeq, GeneExpression, Transcription, TimeCourse, Preprocessing, Visualization, Normalization, PrincipalComponent, Clustering, DifferentialExpression, GeneSetEnrichment, Pathways

Config/testthat/edition 3

Encoding UTF-8

LazyData false

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

git_url <https://git.bioconductor.org/packages/MultiRNAflow>

git_branch RELEASE_3_18

git_last_commit c8ce17d

git_last_commit_date 2023-10-24

Repository Bioconductor 3.18

Date/Publication 2024-02-26

Author Rodolphe Loubaton [aut, cre] (<<https://orcid.org/0000-0002-1442-7270>>),
 Nicolas Champagnat [aut, ths] (<<https://orcid.org/0000-0002-5128-2357>>),
 Laurent Vallat [aut, ths] (<<https://orcid.org/0000-0002-5226-7706>>),
 Pierre Vallois [aut] (<<https://orcid.org/0000-0002-2123-0142>>),
 Région Grand Est [fnd],
 Cancéropôle Est [fnd]

Maintainer Rodolphe Loubaton <loubaton.rodolphe@gmail.com>

R topics documented:

MultiRNAflow-package	3
CharacterNumbers	4
ColnamesToFactors	5
DATANormalization	6
DATAplotBoxplotSamples	9
DATAplotExpression1Gene	11
DATAplotExpressionGenes	12
DATAprepSE	14
DEanalysisGlobal	17
DEanalysisGroup	21
DEanalysisSubData	24
DEanalysisTime	26
DEanalysisTimeAndGroup	28
DEplotAlluvial	31
DEplotBarplot	33
DEplotBarplotFacetGrid	35
DEplotBarplotTime	37
DEplotHeatmaps	38
DEplotVennBarplotGroup	40
DEplotVennBarplotTime	41
DEplotVolcanoMA	43
DEresultGroup	45
DEresultGroupPerTime	47
GSEAp preprocessing	48
GSEAQuickAnalysis	50
HCPCanalysis	53

MFUZZanalysis	56
MFUZZclustersNumber	59
PCAAanalysis	62
PCAgraphics	65
PCAp.preprocessing	69
PCArealization	70
RawCounts_Antoszewski2022_MOUSEsub500	72
RawCounts_Leong2014_FISSIONsub500wt	73
RawCounts_Schleiss2021_CLLsub500	76
RawCounts_Weger2021_MOUSEsub500	80
RawCountsSimulation	85
Results_DEanalysis_sub500	86

Index	88
--------------	-----------

MultiRNAflow-package *MultiRNAflow: An R package for analysing RNA-seq raw counts with several biological conditions and different time points*

Description

Our R package MultiRNAflow provides an easy to use unified framework allowing to automatically make both unsupervised and supervised (DE) analysis for datasets with an arbitrary number of biological conditions and time points. In particular, our code makes a deep downstream analysis of DE information, e.g. identifying temporal patterns across biological conditions and DE genes which are specific to a biological condition for each time.

Details

The main functions are:

- [DATAnormalization](#) - to normalize raw count data
- [PCAAanalysis](#) - to perform PCA analysis with `FactoMineR::PCA()`
- [HCPCanalysis](#) - to perform hierarchical clustering with `FactoMineR::HCPC()`
- [MFUZZanalysis](#) - to perform temporal clustering with `Mfuzz::mfuzz.plot2()`
- [DEanalysisGlobal](#) - to perform differential analysis with `DESeq2::DESeq()`
- [GSEAQuickAnalysis](#) - to perform enrichment analysis with `gprofiler2::gost()`
- [GSEAp.preprocessing](#) - to return preprocessing file for official software and online tools performing enrichment analysis

Author(s)

Maintainer: Rodolphe Loubaton <loubaton.rodolphe@gmail.com> ([ORCID](#))

Authors:

- Nicolas Champagnat <nicolas.champagnat@inria.fr> ([ORCID](#)) [thesis advisor]

- Laurent Vallat <laurent.vallat@inserm.fr> ([ORCID](#)) [thesis advisor]
- Pierre Vallois <pierre.vallois@univ-lorraine.fr> ([ORCID](#))

Other contributors:

- Région Grand Est [funder]
- Cancéropôle Est [funder]

See Also

Useful links:

- <https://github.com/loubator/MultiRNAflow>
- Report bugs at <https://github.com/loubator/MultiRNAflow/issues>

CharacterNumbers	<i>Transformation of a vector of integers into a vector of class "character".</i>
------------------	---

Description

Transformation of a vector of integers into a vector of class "character" so that lexicographic order of characters corresponds to the numerical order of time measurements.

Usage

```
CharacterNumbers(Vect.number)
```

Arguments

`Vect.number` Vector of integers.

Details

An appropriate number of character "0" is added in front of the numerical characters corresponding to the decimal writing of each integer in `Vect.number` so that the order of elements of the vector is preserved. For example, "9">"11", but "09"<"11".

Value

A vector where each integer is transformed in class "character".

See Also

The function is called by [ColnamesToFactors\(\)](#).

Examples

```
CharacterNumbers(Vect.number=c(0,1,9,11,90,99,100,101))
CharacterNumbers(Vect.number=0:11)
CharacterNumbers(Vect.number=1:8)
```

ColnamesToFactors	<i>Extraction of factors information and suitable column names creation from the column names of a dataset.</i>
-------------------	---

Description

This function generates new reduced column names according to the presence of biological conditions and/or time points, and extract the different factors (individual's names, time measurements, biological conditions) from the column names of the dataset (see Details).

Usage

```
ColnamesToFactors(
  ExprData,
  Column.gene,
  Group.position,
  Time.position,
  Individual.position
)
```

Arguments

ExprData	Data.frame with N_g rows and (N_{s+k}) columns, where N_g is the number of genes, N_s is the number of samples and $k = 1$ if a column is used to specify gene names, or $k = 0$ otherwise. If $k = 1$, the position of the column containing gene names is given by Column.gene. The data.frame contains numeric values giving gene expressions of each gene in each sample. Gene expressions can be raw counts or normalized raw counts. Column names of the data.frame must describe each sample's information (individual, biological condition and time) and have the structure described in the section Details.
Column.gene	Integer indicating the column where gene names are given. Set Column.gene=NULL if there is no such column.
Group.position	Integer indicating the position of group information in the string of characters in each sample names (see Details). Set Group.position=NULL if there is only one or no biological information in the string of character in each sample name.
Time.position	Integer indicating the position of time measurement information in the string of characters in each sample names (see Details). Set Time.position=NULL if there is only one or no time measurement information in the string of character in each sample name.
Individual.position	Integer indicating the position of the name of the individual (e.g patient, replicate, mouse, yeasts culture ...) in the string of characters in each sample names (see Details). The names of different individuals must be all different. Furthermore, if individual names are just numbers, they will be transform in a vector of class "character" by CharacterNumbers() and a "r" will be added to each individual name ("r" for replicate).

Details

The column names of `ExprData` must be a vector of strings of characters containing

- a string of characters (if $k = 1$) which is the label of the column containing gene names.
- N_s sample names which must be strings of characters containing at least : the name of the individual (e.g patient, mouse, yeasts culture), its biological condition (if there is at least two) and the time where data have been collected if there is at least two; (must be either 't0', 'T0' or '0' for time 0, 't1', 'T1' or '1' for time 1, ...).

All these sample information must be separated by underscores in the sample name. For instance 'CLL_P_t0_r1', corresponds to the patient 'r1' belonging to the biological condition 'P' and where data were collected at time 't0'. In this example, 'CLL' describe the type of cells (here chronic lymphocytic leukemia) and is not used in our analysis.

In the string of characters 'CLL_P_t0_r1', 'r1' is localized after the third underscore, so `Individual.position=4`, 'P' is localized after the first underscore, so `Group.position=2` and 't0' is localized after the second underscore, so `Time.position=3`.

Value

The function returns new column names of the dataset, a vector indicating the name of the individual for each sample, a vector indicating the time for each sample and/or a vector indicating the biological condition for each sample.

See Also

The `ColnamesToFactors()` function is used by the following functions of our package : `DATAprepSE()`, `PCAprereprocessing()`, `MFUZZclustersNumber()` and `MFUZZanalysis()`.

Examples

```
## Data simulated with our function RawCountsSimulation()
Data.sim <- RawCountsSimulation(Nb.Group=3, Nb.Time=2, Nb.per.GT=3,
                               Nb.Gene=10)
##-----#
res.test.colnames <- ColnamesToFactors(ExprData=Data.sim$Sim.dat,
                                       Column.gene=1,
                                       Group.position=1,
                                       Time.position=2,
                                       Individual.position=3)

print(res.test.colnames)
```

Description

From raw counts, this function realizes one of the three methods of normalization of the package DESeq2:

- Relative Log Expression (rle) transformation (see [BiocGenerics::estimateSizeFactors\(\)](#))
- Regularized Log (rlog) transformation (see [DESeq2::rlog\(\)](#))
- Variance Stabilizing Transformation (vst) transformation (see [DESeq2::vst\(\)](#))

Usage

```
DATAnormalization(
  SEres,
  Normalization = "vst",
  Blind.rlog.vst = FALSE,
  Plot.Boxplot = TRUE,
  Colored.By.Factors = FALSE,
  Color.Group = NULL,
  Plot.genes = FALSE,
  path.result = NULL,
  Name.folder.norm = NULL
)
```

Arguments

SEres	Results of the function DATAprepSE() .
Normalization	"rle", "vst", "rlog". Each corresponds to a method of normalization proposed by DESeq2 (see BiocGenerics::estimateSizeFactors() for "rle", DESeq2::rlog() for "rlog" and DESeq2::vst() for "vst").
Blind.rlog.vst	TRUE or FALSE. FALSE by default. See input 'blind' in DESeq2::rlog() . It is recommended to set <code>Blind.rlog.vst=FALSE</code> for downstream analysis.
Plot.Boxplot	TRUE or FALSE. TRUE by default. If <code>Plot.Boxplot=TRUE</code> , the function DATAplotBoxplotSamples() will be called and boxplots will be plotted. Otherwise, no boxplots will be plotted.
Colored.By.Factors	TRUE or FALSE. FALSE by default. If TRUE, boxplots will be colored with different colors for different time measurements (if data were collected at different time points). Otherwise, boxplots will be colored with different colors for different biological conditions.
Color.Group	NULL or a data.frame with N_{bc} rows and two columns where N_{bc} is the number of biological conditions. NULL by default. If <code>Color.Group</code> is a data.frame, the first column must contain the name of each biological condition and the second column must contain the colors associated to each biological condition. If <code>Color.Group=NULL</code> , the function will automatically attribute a color for each biological condition. If samples belong to different time points only, <code>Color.Group</code> will not be used.

 DATAplotBoxplotSamples

Visualization of the distribution of all gene expressions using a boxplot for each sample.

Description

From the results of either our R function `DATAprepSE()` or our R function `DATANormalization()` (raw counts or normalized raw counts), the function plots the distribution of all gene expressions using a boxplot for each sample.

Usage

```
DATAplotBoxplotSamples(
  SEres,
  Log2.transformation = TRUE,
  Colored.By.Factors = FALSE,
  Color.Group = NULL,
  Plot.genes = FALSE,
  y.label = NULL
)
```

Arguments

<code>SEres</code>	Results of the function <code>DATAprepSE()</code> or <code>DATANormalization()</code> .
<code>Log2.transformation</code>	TRUE or FALSE. TRUE by default. If TRUE, each numeric value x in <code>ExprData</code> will become $\log_2(x + 1)$ (see Details).
<code>Colored.By.Factors</code>	TRUE or FALSE. FALSE by default. If TRUE, boxplots will be colored with different colors for different time measurements (if data were collected at different time points). Otherwise, boxplots will be colored with different colors for different biological conditions.
<code>Color.Group</code>	NULL or a data.frame with N_{bc} rows and two columns where N_{bc} is the number of biological conditions. NULL by default. If <code>Color.Group</code> is a data.frame, the first column must contain the name of each biological condition and the second column must contain the colors associated to each biological condition. If <code>Color.Group=NULL</code> , the function will automatically attribute a color for each biological condition. If samples belong to different time points only, <code>Color.Group</code> will not be used.
<code>Plot.genes</code>	TRUE or FALSE. FALSE by default. If TRUE, points representing gene expression (normalized or raw counts) will be added for each sample.
<code>y.label</code>	NULL or a character. NULL by default. If <code>y.label</code> is a character, it will be the y label of the graph. If <code>y.label=NULL</code> , the label will be either "log2(Gene expression +1)" (if <code>Log2.transformation=TRUE</code>) or "Gene expression" (if <code>Log2.transformation=FALSE</code>).

Details

The boxplot allows to visualize six summary statistics (see [ggplot2::geom_boxplot\(\)](#)):

- the median
- two hinges: first and third quartiles denoted Q1 and Q3.
- two whiskers: $W1 := Q1 - 1.5 * IQR$ and $W3 := Q3 + 1.5 * IQR$ with $IQR = Q3 - Q1$, the interquartile range.
- outliers: data beyond the end of the whiskers are called "outlying" points and are plotted in black.

For better visualization of the six summary statistics described above, raw counts must be transformed using the function $\log_2(x + 1)$. This transformation is automatically performed by other functions of the package, such as [DATAnormalization\(\)](#). Log2.transformation will be set as TRUE in [DATAnormalization\(\)](#) if Normalization = "rle", otherwise Log2.transformation=FALSE.

Value

The function returns a graph which plots the distribution of all gene expressions using a boxplot for each sample (see [ggplot2::geom_boxplot\(\)](#)).

See Also

The [DATAplotBoxplotSamples\(\)](#) function

- is used by the following function of our package: [DATAnormalization\(\)](#).
- calls the R functions [ggplot2::geom_boxplot](#) and [ggplot2::geom_jitter](#) in order to print the boxplot.

Examples

```
data(RawCounts_Antoszewski2022_MOUSEsub500)
##-----#
resDATAprepSE <- DATAprepSE(RawCounts=RawCounts_Antoszewski2022_MOUSEsub500,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=NULL,
                             Individual.position=2)
##-----#
DATAplotBoxplotSamples(SEres=resDATAprepSE,
                      Log2.transformation=TRUE,
                      Colored.By.Factors=TRUE,
                      Color.Group=NULL,
                      Plot.genes=FALSE,
                      y.label=NULL)
```

DATAplotExpression1Gene

Plot expression of one gene.

Description

The function allows to plot the gene expression profile of one gene only according to time and/or biological conditions.

Usage

```
DATAplotExpression1Gene(SERes, row.gene = 1, Color.Group = NULL)
```

Arguments

SERes	Results of either our R function DATAprepSE() , or our R function DATAnormalization() .
row.gene	Non negative integer indicating the row of the gene to be plotted.
Color.Group	NULL or a data.frame with N_{bc} rows and two columns where N_{bc} is the number of biological conditions. If Color.Group is a data.frame, the first column must contain the name of each biological condition and the second column must contain the colors associated to each biological condition. If Color.Group=NULL, the function will automatically attribute a color for each biological condition. If samples belong to different time points only, Color.Group will not be used.

Details

All results are built from either the results of our R function [DATAprepSE\(\)](#) or the results of our R function [DATAnormalization\(\)](#).

Value

The function plots for the gene selected with the input row.gene

- In the case where samples belong to different time points only : the evolution of the expression of each replicate across time and the evolution of the mean and the standard deviation of the expression across time.
- In the case where samples belong to different biological conditions only: a violin plot (see [ggplot2::geom_violin\(\)](#)), and error bars (standard deviation) (see [ggplot2::geom_errorbar\(\)](#)) for each biological condition.
- In the case where samples belong to different time points and different biological conditions : the evolution of the expression of each replicate across time and the evolution of the mean and the standard deviation of the expression across time for each biological condition.

See Also

The [DATAplotExpression1Gene\(\)](#) function is used by the following function of our package: [DATAplotExpressionGenes\(\)](#).

Examples

```

## Simulation raw counts
resSIMcount <- RawCountsSimulation(Nb.Group=2, Nb.Time=3, Nb.per.GT=4,
                                   Nb.Gene=10)

## Preprocessing step
resDATAprepSE <- DATAprepSE(RawCounts=resSIMcount$Sim.dat,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=2,
                             Individual.position=3)

##-----#
resEV01gene <- DATAplotExpression1Gene(SEres=resDATAprepSE,
                                       row.gene=1,
                                       Color.Group=NULL)

print(resEV01gene)

```

DATAplotExpressionGenes

Plot expression of a subset of genes.

Description

The function allows to plot gene expression profiles according to time and/or biological conditions.

Usage

```

DATAplotExpressionGenes(
  SEresNorm,
  Vector.row.gene,
  DATAnorm = TRUE,
  Color.Group = NULL,
  Plot.Expression = TRUE,
  path.result = NULL,
  Name.folder.profile = NULL
)

```

Arguments

SEresNorm	Results of the function DATAnormalization() .
Vector.row.gene	Vector of non negative integers indicating the rows of the genes to be plotted.
DATAnorm	TRUE or FALSE. TRUE by default. TRUE means the function plots gene normalized expression profiles. FALSE means the function plots gene raw expression profiles.
Color.Group	NULL or a data.frame with N_{bc} rows and two columns where N_{bc} is the number of biological conditions. If Color.Group is a data.frame, the first column must

contain the name of each biological condition and the second column must contain the colors associated to each biological condition. If `Color.Group=NULL`, the function will automatically attribute a color for each biological condition. If samples belong to different time points only, `Color.Group` will not be used. `NULL` by default.

`Plot.Expression`

TRUE or FALSE. TRUE by default. If TRUE, the graph will be plotted. Otherwise no graph will be plotted.

`path.result`

Character or NULL. NULL by default. Path to save all results. If `path.result` contains a sub folder entitled "`1_UnsupervisedAnalysis_Name.folder.profile`" and a sub sub folder, "`1-5_ProfileExpression_Name.folder.profile`" all results will be saved in the sub folder "`1_UnsupervisedAnalysis_Name.folder.profile/1-5_ProfileExpression_Name.folder.profile`". Otherwise, a sub folder entitled "`1_UnsupervisedAnalysis_Name.folder.profile`" and/or a sub sub folder "`1-5_ProfileExpression_Name.folder.profile`" will be created in `path.result` and all results will be saved in "`1_UnsupervisedAnalysis_Name.folder.profile/1-5_ProfileExpression_Name.folder.profile`". If NULL, the results will not be saved in a folder. NULL as default.

`Name.folder.profile`

Character or NULL. NULL by default. If `Name.folder.profile` is a character, the folder and sub folder names which will contain the PCA graphs will respectively be "`1_UnsupervisedAnalysis_Name.folder.profile`" and "`1-5_ProfileExpression_Name.folder.profile`". Otherwise, the folder and sub folder names will respectively be "`1_UnsupervisedAnalysis`" and "`1-5_ProfileExpression`".

Details

All results are built from the results of our function [DATAnormalization\(\)](#).

Value

The function plots for each gene selected with the input `Vector.row.gene`

- In the case where samples belong to different time points only : the evolution of the expression of each replicate across time and the evolution of the mean and the standard deviation of the expression across time.
- In the case where samples belong to different biological conditions only: a violin plot (see [ggplot2::geom_violin\(\)](#)), and error bars (standard deviation) (see [ggplot2::geom_errorbar\(\)](#)) for each biological condition.
- In the case where samples belong to different time points and different biological conditions : the evolution of the expression of each replicate across time and the evolution of the mean and the standard deviation of the expression across time for each biological condition.

See Also

The function calls our R function [DATAnormalization\(\)](#) first, then [DATAplotExpression1Gene\(\)](#) for each selected genes with `Vector.row.gene`.

Examples

```

## Simulation raw counts
resSIMcount <- RawCountsSimulation(Nb.Group=2, Nb.Time=3, Nb.per.GT=4,
                                   Nb.Gene=10)

## Preprocessing step
resDATAprepSE <- DATAprepSE(RawCounts=resSIMcount$Sim.dat,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=2,
                             Individual.position=3)

## Normalization
resNorm <- DATAnormalization(SEres=resDATAprepSE,
                              Normalization="rle",
                              Plot.Boxplot=FALSE,
                              Colored.By.Factors=FALSE)

##-----#
resEVOgenes <- DATAplotExpressionGenes(SEresNorm=resNorm,
                                       Vector.row.gene=c(1,3),
                                       DATAnorm=TRUE,
                                       Color.Group=NULL,
                                       Plot.Expression=TRUE,
                                       path.result=NULL,
                                       Name.folder.profile=NULL)

```

DATAprepSE

Data preparation for exploratory and statistical analysis (Main Function)

Description

This function creates automatically a SummarizedExperiment (SE) object from raw counts data to store

- information for exploratory (unsupervised) analysis using the R function `SummarizedExperiment::SummarizedExperimentFromMatrix()`.
- a DESeq2 object from raw counts data in order to store all information for statistical (supervised) analysis using the R function `DESeq2::DESeqDataSetFromMatrix()`.

Usage

```

DATAprepSE(
  RawCounts,
  Column.gene,
  Group.position,
  Time.position,
  Individual.position,
  colData = NULL
)

```

Arguments

RawCounts	Data.frame with N_g rows and $(N_s + k)$ columns, where N_g is the number of genes, N_s is the number of samples and $k = 1$ if a column is used to specify gene names, or $k = 0$ otherwise. If $k = 1$, the position of the column containing gene names is given by <code>Column.gene</code> . The data.frame contains non negative integers giving gene expressions of each gene in each sample. Column names of the data.frame must describe each sample's information (individual, biological condition and time) and have the structure described in the section <code>Details</code> .
Column.gene	Integer indicating the column where gene names are given. Set <code>Column.gene=NULL</code> if there is no such column.
Group.position	Integer indicating the position of group information in the string of characters in each sample names (see <code>Details</code>). Set <code>Group.position=NULL</code> if there is only one or no biological information in the string of character in each sample name.
Time.position	Integer indicating the position of time measurement information in the string of characters in each sample names (see <code>Details</code>). Set <code>Time.position=NULL</code> if there is only one or no time measurement information in the string of character in each sample name.
Individual.position	Integer indicating the position of the name of the individual (e.g patient, replicate, mouse, yeasts culture ...) in the string of characters in each sample names (see <code>Details</code>). The names of different individuals must be all different. Furthermore, if individual names are just numbers, they will be transform in a vector of class "character" by <code>CharacterNumbers()</code> and a "r" will be added to each individual name ("r" for replicate).
colData	<p>NULL or data.frame with N_s rows and two or three columns describing the samples. NULL as default. Optional input (see <code>Details</code>). If <code>Group.position</code>, <code>Time.position</code> and <code>Individual.position</code> are filled, set <code>colData=NULL</code>.</p> <ul style="list-style-type: none"> • If samples belong to different times point and different biological condition • the first column must contain the biological condition for each sample. The column name must be "Group". • the second column must contain the time measurement for each sample. The column name must be "Time". • The third column must contain the individual name for each sample. The column name must be "ID". • If samples belong to different times point or different biological condition • the first column must contain, either the biological condition for each sample, or the time measurement for each sample.. The column name must be either "Group", or "Time". • The second column must contain the individual name for each sample. The column name must be "ID".

Details

The column names of `RawCounts` must be a vector of strings of characters containing

- a string of characters (if $k = 1$) which is the label of the column containing gene names.

- N_s sample names which must be strings of characters containing at least : the name of the individual (e.g patient, mouse, yeasts culture), its biological condition (if there is at least two) and the time where data have been collected if there is at least two; (must be either 't0', 'T0' or '0' for time 0, 't1', 'T1' or '1' for time 1, ...).

All these sample information must be separated by underscores in the sample name. For instance 'CLL_P_t0_r1', corresponds to the patient 'r1' belonging to the biological condition 'P' and where data were collected at time 't0'. In this example, 'CLL' describe the type of cells (here chronic lymphocytic leukemia) and is not used in our analysis.

In the string of characters 'CLL_P_t0_r1', 'r1' is localized after the third underscore, so `Individual.position=4`, 'P' is localized after the first underscore, so `Group.position=2` and 't0' is localized after the second underscore, so `Time.position=3`.

If the user does not have all these sample information separated by underscores in the sample name, the user can build the `data.frame colData` describing the samples.

Value

The function returns a `SummarizedExperiment` object containing all information for exploratory (unsupervised) analysis and DE statistical analysis.

See Also

The `DATAprepSE()` function

- is used by the following functions of our package : `DATANormalization()`, `DEanalysisGlobal()`.
- calls the R function `DESeq2::DESeqDataSetFromMatrix()` in order to create the `DESeq2` object and `SummarizedExperiment::SummarizedExperiment()` in order to create the `SummarizedExperiment` object

Examples

```
BgCdEx <- rep(c("P", "NP"), each=27)
TimeEx <- rep(paste0("t", seq_len(9) - 1), times=6)
IndvEx <- rep(paste0("p1", seq_len(6)), each=9)

SampleNAMEEx <- paste(BgCdEx, IndvEx, TimeEx, sep="_")
RawCountEx <- data.frame(Gene.name=paste0("Name", seq_len(10)),
                        matrix(sample(seq_len(100),
                                    length(SampleNAMEEx)*10,
                                    replace=TRUE),
                                ncol=length(SampleNAMEEx), nrow=10))
colnames(RawCountEx) <- c("Gene.name", SampleNAMEEx)
##-----#
resDATAprepSE <- DATAprepSE(RawCounts=RawCountEx,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=3,
                             Individual.position=2)
##
## colDataEx <- data.frame(Group=BCex, Time=TimeEx, ID=PATex)
```

DEanalysisGlobal *Realization of the DE analysis (Main Function).*

Description

The function realizes the DE analysis in three cases: either samples belonging to different time measurements, or samples belonging to different biological conditions, or samples belonging to different time measurements and different biological conditions.

Usage

```
DEanalysisGlobal(
  SEres,
  pval.min = 0.05,
  pval.vect.t = NULL,
  log.FC.min = 1,
  LRT.supp.info = FALSE,
  Plot.DE.graph = TRUE,
  path.result = NULL,
  Name.folder.DE = NULL
)
```

Arguments

SEres	Results of either our R function DATAprepSE() , or our R function DATAnormalization() .
pval.min	Numeric value between 0 and 1. A gene will be considered as differentially expressed (DE) between two biological conditions if its Benjamini-Hochberg adjusted p-value (see stats::p.adjust()) is below the threshold pval.min. Default value is 0.05.
pval.vect.t	NULL or vector of dimension $T - 1$ filled with numeric values between 0 and 1, with T the number of time measurements. A gene will be considered as differentially expressed (DE) between the time t_i and the reference time t_0 if its Benjamini-Hochberg adjusted p-value (see stats::p.adjust()) is below the i -th threshold of pval.vect.t. If NULL, pval.vect.t will be vector of dimension $T - 1$ filled with pval.min.
log.FC.min	Non negative numeric value. If the \log_2 fold change between biological conditions or times has an absolute value below the threshold log.FC.min, then the gene is not selected even if is considered as DE. Default value is 1. If log.FC.min=0, all DE genes will be kept.
LRT.supp.info	TRUE or FALSE. If TRUE, the algorithm realizes another statistical test in order to detect if, among all biological conditions and/or times, at least one has a different behavior than the others (see the input test in DESeq2::DESeq()).
Plot.DE.graph	TRUE or FALSE. TRUE as default. If TRUE, all graphs will be plotted. Otherwise no graph will be plotted.

<code>path.result</code>	Character or NULL. Path to save all results. If <code>path.result</code> contains a sub folder entitled "DEanalysis_Name.folder.DE" all results will be saved in the sub folder "DEanalysis_Name.folder.DE". Otherwise, a sub folder entitled "DEanalysis_Name.folder.DE" will be created in <code>path.result</code> and all results will be saved in "DEanalysis_Name.folder.DE". If NULL, the results will not be saved in a folder. NULL as default.
<code>Name.folder.DE</code>	Character or NULL. If <code>Name.folder.DE</code> is a character, the folder names which will contain all results will be "DEanalysis_Name.folder.DE". Otherwise, the folder name will be "DEanalysis".

Details

All results are built from the results of either our R function `DATAprepSE()`, or our R function `DATAnormalization()`.

Value

The different results which are not plots are saved in the SummarizedExperiment class object `SEres`. The function `DEanalysisGlobal()` returns first the raw counts and the rle normalized data automatically realized by `DESeq2::DESeq()` (output `RLEdata`). Then

- If samples belong to different biological conditions, the function returns
 - a `data.frame` (output `DE.results`) which contains
 - * `pvalues`, `log2` fold change and DE genes between each pairs of biological conditions.
 - * a binary column (1 and 0) where 1 means the gene is DE between at least one pair of biological conditions.
 - * N_{bc} binary columns, where N_{bc} is the number of biological conditions, which gives the specific genes for each biological condition. A '1' in one of these columns means the gene is specific to the biological condition associated to the given column. 0 otherwise. A gene is called specific to a given biological condition BC1, if the gene is DE between BC1 and any other biological conditions, but not DE between any pair of other biological conditions.
 - * N_{bc} columns filled with -1, 0 and 1, one per biological condition. A '1' in one of these columns means the gene is up-regulated (or over-expressed) for the biological condition associated to the given column. A gene is called up-regulated for a given biological condition BC1 if the gene is specific to the biological condition BC1 and expressions in BC1 are higher than in the other biological conditions. A '-1' in one of these columns means the gene is down-regulated (or under-expressed) for the biological condition associated to the given column. A gene is called down-regulated for a given biological condition BC1 if the gene is specific to the biological condition BC1 and expressions in BC1 are lower than in the other biological conditions. A '0' in one of these columns means the gene is not specific to the biological condition associated to the given column.
 - an UpSet plot (Venn diagram displayed as a barplot) which gives the number of genes for each possible intersection (see `DEplotVennBarplotGroup()`). We consider that a set of pairs of biological conditions forms an intersection if there is at least one gene which is DE for each of these pairs of biological conditions, but not for the others.

- a barplot which gives the number of genes categorized as "Upregulated" and "Down-Rugulated", per biological condition (see [DEplotBarplot\(\)](#)).
- a barplot which gives the number of genes categorized as "Upregulated", "DownRugulated" and "Other", per biological condition (see [DEplotBarplot\(\)](#)). A gene is categorized as 'Other', for a given biological condition, if the gene is not specific to the given biological condition. So this barplot, only plotted when there are strictly more than two biological conditions, is similar to the previous barplot but with the category "Other".
- a list (output `List.Glossary`) containing the glossary of the column names of `DE.results`.
- a list (output `Summary.Inputs`) containing a summary of sample information and inputs of [DEanalysisGlobal\(\)](#).
- If data belong to different time points only, the function returns
 - a data.frame (output `Results`) which contains
 - * gene names
 - * pvalues, log2 fold change and DE genes between each time t_i versus the reference time t_0 .
 - * a binary column (1 and 0) where 1 means the gene is DE at at least between one time t_i versus the reference time t_0 .
 - * a column where each element is succession of 0 and 1. The positions of '1' indicate the set of times t_i such that the gene is DE between t_i and the reference time t_0 .
 - an alluvial graph of differentially expressed (DE) genes (see [DEplotAlluvial\(\)](#))
 - a graph showing the number of DE genes as a function of time for each temporal group (see [DEplotAlluvial\(\)](#)). By temporal group, we mean the sets of genes which are first DE at the same time.
 - a barplot which gives the number of DE genes per time (see [DEplotBarplotTime\(\)](#))
 - an UpSet plot which gives the number of genes per temporal pattern (see [DEplotVennBarplotTime\(\)](#)). By temporal pattern, we mean the set of times t_i such that the gene is DE between t_i and the reference time t_0 .
 - a similar UpSet plot where each bar is split in different colors corresponding to all possible numbers of DE times where genes are over expressed in a given temporal pattern.
 - a list (output `List.Glossary`) containing the glossary of the column names of `DE.results`.
 - a list (output `Summary.Inputs`) containing a summary of sample information and inputs of [DEanalysisGlobal\(\)](#).
- If data belong to different time points and different biological conditions, the function returns
 - a data.frame (output `Results`) which contains
 - * gene names
 - * Results from the temporal statistical analysis
 - pvalues, log2 fold change and DE genes between each pairs of biological conditions for each fixed time.
 - N_{bc} binary columns (0 and 1), one per biological condition (with N_{bc} the number of biological conditions). A 1 in one of these two columns means the gene is DE at least between one time t_i versus the reference time t_0 , for the biological condition associated to the given column.
 - N_{bc} columns, one per biological condition, where each element is succession of 0 and 1. The positions of 1 in one of these two columns, indicate the set of times t_i such that the gene is DE between t_i and the reference time t_0 , for the biological condition associated to the given column.

- * Results from the statistical analysis by biological condition
 - p-values, log2 fold change and DE genes between each time t_i and the reference time t_0 for each biological condition.
 - T binary columns (0 and 1), one per time (with T the number of time measurements). A 1 in one of these columns, means the gene is DE between at least one pair of biological conditions, for the fixed time associated to the given column.
 - $T \times N_{bc}$ binary columns, which give the genes specific for each biological condition at each time t_i . A 1 in one of these columns means the gene is specific to the biological condition at a fixed time associated to the given column. 0 otherwise. A gene is called specific to a given biological condition BC1 at a time t_i , if the gene is DE between BC1 and any other biological conditions at time t_i , but not DE between any pair of other biological conditions at time t_i .
 - $T \times N_{bc}$ columns filled with -1, 0 and 1. A 1 in one of these columns means the gene is up-regulated (or over-expressed) for the biological condition at a fixed time associated to the given column. A gene is called up-regulated for a given biological condition BC1 at time t_i if the gene is specific to the biological condition BC1 at time t_i and expressions in BC1 at time t_i are higher than in the other biological conditions at time t_i . A -1 in one of these columns means the gene is down-regulated (or under-expressed) for the biological condition at a fixed time associated to the given column. A gene is called down-regulated for a given biological condition at a time t_i BC1 if the gene is specific to the biological condition BC1 at time t_i and expressions in BC1 at time t_i are lower than in the other biological conditions at time t_i . A 0 in one of these columns means the gene is not specific to the biological condition at a fixed time associated to the given column.
 - N_{bc} binary columns (0 and 1). A 1 in one of these columns means the gene is specific at at least one time t_i , for the biological condition associated to the given column. 0 otherwise.
- * Results from the combination of temporal and biological statistical analysis
 - $T \times N_{bc}$ binary columns, which give the signatures genes for each biological condition at each time t_i . A 1 in one of these columns means the gene is signature gene to the biological condition at a fixed time associated to the given column. 0 otherwise. A gene is called signature of a biological condition BC1 at a given time t_i , if the gene is specific to the biological condition BC1 at time t_i and DE between t_i versus the reference time t_0 for the biological condition BC1.
 - N_{bc} binary columns (0 and 1). A 1 in one of these columns means the gene is signature at at least one time t_i , for the biological condition associated to the given column. 0 otherwise.
- the following plots from the temporal statistical analysis
 - * a barplot which gives the number of DE genes between t_i and the reference time t_0 , for each time t_i (except the reference time t_0) and biological condition (see [DEplotBarplotFacetGrid\(\)](#)).
 - * N_{bc} alluvial graphs of DE genes (see [DEplotAlluvial\(\)](#)), one per biological condition.
 - * N_{bc} graphs showing the number of DE genes as a function of time for each temporal group, one per biological condition. By temporal group, we mean the sets of genes which are first DE at the same time.
 - * $2 \times N_{bc}$ UpSet plot showing the number of DE genes belonging to each DE temporal pattern, for each biological condition. By temporal pattern, we mean the

- set of times t_i such that the gene is DE between t_i and the reference time t_0 (see [DEplotVennBarplotTime\(\)](#)).
- * an alluvial graph for DE genes which are DE at least one time for each group.
- the following plots from the statistical analysis by biological condition
 - * a barplot which gives the number of specific DE genes for each biological condition and time (see [DEplotBarplotFacetGrid\(\)](#)).
 - * $N_{bc}(N_{bc}-1)/2$ UpSet plot which give the number of genes for each possible intersection (set of pairs of biological conditions), one per time (see [DEplotVennBarplotGroup\(\)](#)).
 - * an alluvial graph of genes which are specific at least one time (see [DEplotAlluvial\(\)](#)).
- the following plots from the combination of temporal and biological statistical analysis
 - * a barplot which gives the number of signature genes for each biological condition and time (see [DEplotBarplotFacetGrid\(\)](#)).
 - * a barplot showing the number of genes which are DE at at least one time, specific at at least one time and signature at at least one time, for each biological condition.
 - * an alluvial graph of genes which are signature at least one time (see [DEplotAlluvial\(\)](#)).

Examples

```
data(RawCounts_Antoszewski2022_MOUSEsub500)
## No time points. We take only two groups for the speed of the example
RawCounts_T1Wt <- RawCounts_Antoszewski2022_MOUSEsub500[seq_len(200),
                                                         seq_len(7)]

##-----#
## Preprocessing
resDATAprepSE <- DATAprepSE(RawCounts=RawCounts_T1Wt,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=NULL,
                             Individual.position=2)

##-----#
## DE analysis
resDE <- DEanalysisGlobal(SEres=resDATAprepSE,
                          pval.min=0.05,
                          pval.vect.t=NULL,
                          log.FC.min=1,
                          LRT.sup.info=FALSE,
                          Plot.DE.graph=TRUE,
                          path.result=NULL,
                          Name.folder.DE=NULL)
```

DEanalysisGroup

DE Analysis when samples belong to different biological conditions.

Description

The function realizes from the [DESeq2::DESeq\(\)](#) output the analysis of DE genes between all pairs of biological conditions.

Usage

```
DEanalysisGroup(
  DESeq.result,
  pval.min = 0.05,
  log.FC.min = 1,
  LRT.suppl.info = TRUE,
  Plot.DE.graph = TRUE,
  path.result = NULL,
  SubFile.name = NULL
)
```

Arguments

DESeq.result	Output from the function <code>DESeq2::DESeq()</code> .
pval.min	Numeric value between 0 and 1. A gene will be considered as differentially expressed (DE) between two biological conditions if its Benjamini-Hochberg adjusted p-value (see <code>stats::p.adjust()</code>) is below the threshold pval.min. Default value is 0.05.
log.FC.min	Non negative numeric value. If the log ₂ fold change between biological conditions or times has an absolute value below the threshold log.FC.min, then the gene is not selected even if is considered as DE. Default value is 1. If log.FC.min=0, all DE genes will be kept.
LRT.suppl.info	TRUE or FALSE. If TRUE, the algorithm realizes another statistical test in order to detect if, among all biological conditions and/or times, at least one has a different behavior than the others (see the input 'test' in <code>DESeq2::DESeq()</code>).
Plot.DE.graph	TRUE or FALSE. TRUE as default. If TRUE, all graphs will be plotted. Otherwise no graph will be plotted.
path.result	Character or NULL. If path.result is a character, it must be a path to a folder, all graphs will be saved in path.result. If NULL, the results will not be saved in a folder. NULL as default.
SubFile.name	Character or NULL. If SubFile.name is a character, each saved file names will contain the strings of characters "_SubFile.name". If NULL, no suffix will be added.

Value

The function returns

- a data.frame (output Results) which contains
 - gene names
 - pvalues, log₂ fold change and DE genes between each pairs of biological conditions.
 - a binary column (1 and 0) where 1 means the gene is DE between at least one pair of biological conditions.
 - N_{bc} binary columns, where N_{bc} is the number of biological conditions, which gives the specific genes for each biological condition. A '1' in one of these columns means the gene is specific to the biological condition associated to the given column. 0 otherwise.

A gene is called specific to a given biological condition BC1, if the gene is DE between BC1 and any other biological conditions, but not DE between any pair of other biological conditions.

- N_{bc} columns filled with -1, 0 and 1, one per biological condition. A '1' in one of these columns means the gene is up-regulated (or over-expressed) for the biological condition associated to the given column. A gene is called up-regulated for a given biological condition BC1 if the gene is specific to the biological condition BC1 and expressions in BC1 are higher than in the other biological conditions. A '-1' in one of these columns means the gene is down-regulated (or under-expressed) for the biological condition associated to the given column. A gene is called down-regulated for a given biological condition BC1 if the gene is specific to the biological condition BC1 and expressions in BC1 are lower than in the other biological conditions. A '0' in one of these columns means the gene is not specific to the biological condition associated to the given column.
- A contingency matrix (output `Summary.DEanalysis`) which gives for each biological condition the number of genes categorized as "Upregulated", "DownRugulated" and "Other". A gene is categorized as 'Other', for a given biological condition, if the gene is not specific to the given biological condition. The category 'Other' does not exist when there are only two biological conditions.
- an UpSet plot (Venn diagram displayed as a barplot) which gives the number of genes for each possible intersection (see `DEplotVennBarplotGroup()`). We consider that a set of pairs of biological conditions forms an intersection if there is at least one gene which is DE for each of these pairs of biological conditions, but not for the others.
- a barplot which gives the number of genes categorized as "Upregulated" and "DownRugulated", per biological condition (see `DEplotBarplot()`).
- a barplot which gives the number of genes categorized as "Upregulated", "DownRugulated" and "Other", per biological condition (see `DEplotBarplot()`). So this barplot, only plotted when there are strictly more than two biological conditions, is similar to the previous barplot but with the category "Other".

See Also

The outputs of the function are used by the main function `DEanalysisGlobal()`.

Examples

```
## Data
data(RawCounts_Antoszewski2022_MOUSEsub500)
## No time points. We take only two groups for the speed of the example
RawCounts_T1Wt<-RawCounts_Antoszewski2022_MOUSEsub500[seq_len(200),
                                                    seq_len(7)]

## Preprocessing step
resDATAprepSEmus1<- DATAprepSE(RawCounts=RawCounts_T1Wt,
                                Column.gene=1,
                                Group.position=1,
                                Time.position=NULL,
                                Individual.position=2)

DESeq2preprocess <- S4Vectors::metadata(resDATAprepSEmus1)$DESeq2obj
```

```

DESeq2obj <- DESeq2preprocess$DESeq2preprocessing

##-----#
dds.DE.G <- DESeq2::DESeq(DESeq2obj, quiet=TRUE, betaPrior=FALSE)

res.sum.group <- DEanalysisGroup(DESeq.result=dds.DE.G,
                                pval.min=0.01,
                                log.FC.min=1,
                                LRT.sup.info=FALSE,
                                Plot.DE.graph=TRUE,
                                path.result=NULL,
                                SubFile.name=NULL)

```

DEanalysisSubData *Sub data of a data.frame*

Description

From the results from our function [DEanalysisGlobal\(\)](#), the function extracts from the SummarizedExperiment class outputs of the subset of genes selected with the inputs Set.Operation and ColumnsCriteria, and saves them in a SummarizeExperiment object.

Usage

```

DEanalysisSubData(
  SEresDE,
  ColumnsCriteria = 1,
  Set.Operation = "union",
  Save.SubData = FALSE
)

```

Arguments

SEresDE	A SummarizedExperiment class object. Output from DEanalysisGlobal() (see Examples).
ColumnsCriteria	A vector of integers where each integer indicates a column of SummarizedExperiment::rowData(SEresDE). These columns should either contain only binary values, or may contain other numerical value, in which case extracted outputs from SEresDE will be those with >0 values (see Details).
Set.Operation	A character. The user must choose between "union" (default), "intersect", "set-diff" (see Details).
Save.SubData	TRUE or FALSE or a Character. FALSE as default. If TRUE, two csv files (see Value) will be saved in the folder "2_SupervisedAnalysis_Name.folder.DE" (see DEanalysisGlobal()).

Details

We have the following three cases:

- If `Set.Operation="union"` then the rows extracted from the different datasets included in `SEresDE` are those such that the sum of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0 . For example, the selected genes can be those DE at least at `t1` or `t2` (versus the reference time `t0`).
- If `Set.Operation="intersect"` then the rows extracted from the different datasets included in `SEresDE` are those such that the product of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0 . For example, the selected genes can be those DE at times `t1` and `t2` (versus the reference time `t0`).
- If `Set.Operation="setdiff"` then the rows extracted from the different datasets included in `SEresDE` are those such that only one element of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0 . For example, the selected genes can be those DE at times `t1` only and at times `t2` only (versus the reference time `t0`).

Value

The function returns a `SummarizeExperiment` class object containing

- sub data.frames of the different dataset included in `SEresDE` containing only the rows specified by `ColumnsCriteria` and `Set.Operation`.
- the DE results saved in `SEresDE` of genes selected by `ColumnsCriteria` and `Set.Operation`.
- The genes specified by `ColumnsCriteria` and `Set.Operation`.

Examples

```
## Simulation raw counts
resSIMcount <- RawCountsSimulation(Nb.Group=2, Nb.Time=1, Nb.per.GT=4,
                                   Nb.Gene=5)

## Preprocessing step
resDATAprepSE <- DATAprepSE(RawCounts=resSIMcount$Sim.dat,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=NULL,
                             Individual.position=2)

##-----#
## Transformation of resDATAprepSE into results of DEanalysisGlobal
resultsExamples <- data.frame(Gene=paste0("Gene", seq_len(5)),
                              DE1=c(0, 1, 0, 0, 1),
                              DE2=c(0, 1, 0, 1, 0))
listPATHnameEx <- list(Path.result=NULL, Folder.result=NULL)

SummarizedExperiment::rowData(resDATAprepSE) <- resultsExamples
S4Vectors::metadata(resDATAprepSE)$DESeq2obj$pathNAME <- listPATHnameEx
S4Vectors::metadata(resDATAprepSE)$DESeq2obj$SEidentification<-"SEresultsDE"

##-----#
## results of DEanalysisSubData
```

```
resDEsub <- DEanalysisSubData(SEresDE=resDATAprepSE,
                             ColumnsCriteria=c(2, 3),
                             Set.Operation="union",
                             Save.SubData=FALSE)
```

DEanalysisTime *DE analysis when samples belong to different time points only.*

Description

The function realizes from the `DESeq2::DESeq()` output the analysis of DE genes between each time versus the reference time t_0 .

Usage

```
DEanalysisTime(
  DESeq.result,
  pval.min = 0.05,
  pval.vect.t = NULL,
  log.FC.min = 1,
  LRT.suppl.info = FALSE,
  Plot.DE.graph = TRUE,
  path.result = NULL,
  SubFile.name = NULL
)
```

Arguments

<code>DESeq.result</code>	Output from the function <code>DESeq2::DESeq()</code> .
<code>pval.min</code>	Numeric value between 0 and 1. A gene will be considered as differentially expressed (DE) between two biological conditions if its Benjamini-Hochberg adjusted p-value (see <code>stats::p.adjust()</code>) is below the threshold <code>pval.min</code> . Default value is 0.05
<code>pval.vect.t</code>	NULL or vector of dimension $T - 1$ filled with numeric values between 0 and 1, with T the number of time measurements. A gene will be considered as differentially expressed (DE) between the time t_i and the reference time t_0 if its Benjamini-Hochberg adjusted p-value (see <code>stats::p.adjust()</code>) is below the i -th threshold of <code>pval.vect.t</code> . If NULL, <code>pval.vect.t</code> will be vector of dimension $T - 1$ filled with <code>pval.min</code> .
<code>log.FC.min</code>	Non negative numeric value. If the \log_2 fold change between biological conditions or times has an absolute value below the threshold <code>log.FC.min</code> , then the gene is not selected even if is considered as DE. Default value is 1. If <code>log.FC.min=0</code> , all DE genes will be kept.
<code>LRT.suppl.info</code>	TRUE or FALSE. If TRUE, the algorithm realizes another statistical test in order to detect if, among all biological conditions and/or times, at least one has a different behavior than the others (see the input 'test' in <code>DESeq2::DESeq()</code>).

Plot.DE.graph	TRUE or FALSE. TRUE as default. If TRUE, all graphs will be plotted. Otherwise no graph will be plotted.
path.result	Character or NULL. If path.result is a character, it must be a path to a folder, all graphs will be saved in path.result. If NULL, the results will not be saved in a folder. NULL as default.
SubFile.name	Character or NULL. If SubFile.name is a character, each saved file names will contain the strings of characters "_SubFile.name". If NULL, no suffix will be added.

Value

The function returns

- a data.frame (output Results) which contains
 - gene names
 - pvalues, log2 fold change and DE genes between each time t_i versus the reference time t_0 .
 - a binary column (1 and 0) where 1 means the gene is DE at at least between one time t_i versus the reference time t_0 .
 - a column where each element is succession of 0 and 1. The positions of '1' indicate the set of times t_i such that the gene is DE between t_i and the reference time t_0 .
- an alluvial graph of differentially expressed (DE) genes (see [DEplotAlluvial\(\)](#))
- a graph showing the number of DE genes as a function of time for each temporal group (see [DEplotAlluvial\(\)](#)). By temporal group, we mean the sets of genes which are first DE at the same time.
- a barplot which gives the number of DE genes per time (see [DEplotBarplotTime\(\)](#))
- an UpSet plot (Venn diagram displayed as a barplot) which gives the number of genes per temporal pattern (see [DEplotVennBarplotTime\(\)](#)). By temporal pattern, we mean the set of times t_i such that the gene is DE between t_i and the reference time t_0 .
- a similar UpSet plot where each bar is split in different colors corresponding to all possible numbers of DE times where genes are over expressed in a given temporal pattern.

See Also

The outputs of the function will be used by the main function [DEanalysisGlobal\(\)](#).

Examples

```
data(RawCounts_Leong2014_FISSIONsub500wt)
## We take only the first three time for the speed of the example
RawCounts_Fission_3t<-RawCounts_Leong2014_FISSIONsub500wt[seq_len(200),
seq_len(10)]

## Preprocessing step
resDATAprepSEfission <- DATAprepSE(RawCounts=RawCounts_Fission_3t,
Column.gene=1,
Group.position=NULL,
```

```

                                Time.position=2,
                                Individual.position=3)

DESeq2preprocess <- S4Vectors::metadata(resDATAprepSEfission)$DESeq2obj
DESeq2obj <- DESeq2preprocess$DESeq2preprocessing

##-----#
dds.DE.T<-DESeq2::DESeq(DESeq2obj, quiet=TRUE, betaPrior=FALSE)
##
res.T<-DEanalysisTime(DESeq.result=dds.DE.T,
                      pval.min=0.05,
                      pval.vect.t=c(0.01,0.05,0.05),
                      log.FC.min=1,
                      LRT.supp.info=FALSE,
                      Plot.DE.graph=TRUE,
                      path.result=NULL,
                      SubFile.name=NULL)

```

DEanalysisTimeAndGroup

DE analysis when samples belong to different biological condition and time points.

Description

The function realizes from the `DESeq2::DESeq()` output the analysis of :

- DE genes between all pairs of biological conditions for each fixed time.
- DE genes between all times t_i and the reference time t_0 for each biological condition.

Usage

```

DEanalysisTimeAndGroup(
  DESeq.result,
  LRT.supp.info = TRUE,
  log.FC.min,
  pval.min,
  pval.vect.t,
  Plot.DE.graph = TRUE,
  path.result,
  SubFile.name
)

```

Arguments

`DESeq.result` Output from the function `DESeq2::DESeq()`.

`LRT.supp.info` TRUE or FALSE. If TRUE, the algorithm realizes another statistical test in order to detect if, among all biological conditions and/or times, at least one has a different behavior than the others (see the input test in `DESeq2::DESeq()`).

<code>log.FC.min</code>	Non negative numeric value. If the log2 fold change between biological conditions or times has an absolute value below the threshold <code>log.FC.min</code> , then the gene is not selected even if is considered as DE. Default value is 1. If <code>log.FC.min=0</code> , all DE genes will be kept.
<code>pval.min</code>	Numeric value between 0 and 1. A gene will be considered as differentially expressed (DE) between two biological conditions if its Benjamini-Hochberg adjusted p-value (see <code>stats::p.adjust()</code>) is below the threshold <code>pval.min</code> . Default value is 0.05
<code>pval.vect.t</code>	NULL or vector of dimension $T - 1$ filled with numeric values between 0 and 1, with T the number of time measurements. A gene will be considered as differentially expressed (DE) between the time t_i and the reference time t_0 if its Benjamini-Hochberg adjusted p-value (see <code>stats::p.adjust()</code>) is below the i -th threshold of <code>pval.vect.t</code> . If NULL, <code>pval.vect.t</code> will be vector of dimension $T - 1$ filled with <code>pval.min</code> .
<code>Plot.DE.graph</code>	TRUE or FALSE. TRUE as default. If TRUE, all graphs will be plotted. Otherwise no graph will be plotted.
<code>path.result</code>	Character or NULL. If <code>path.result</code> is a character, it must be a path to a folder, all graphs will be saved in different sub-folders in <code>path.result</code> . If NULL, the results will not be saved. NULL as default.
<code>SubFile.name</code>	Character or NULL. If <code>SubFile.name</code> is a character, each saved file names and created folders names will contain the strings of characters " <code>_SubFile.name</code> ". If NULL, no suffix will be added.

Value

The function returns

- a data.frame (output `Results`) which contains
 - gene names
 - Results from the temporal statistical analysis
 - * pvalues, log2 fold change and DE genes between each pairs of biological conditions for each fixed time.
 - * N_{bc} binary columns (0 and 1), one per biological condition (with N_{bc} the number of biological conditions). A 1 in one of these two columns means the gene is DE at least between one time t_i versus the reference time t_0 , for the biological condition associated to the given column.
 - * N_{bc} columns, one per biological condition, where each element is succession of 0 and 1. The positions of 1 in one of these two columns, indicate the set of times t_i such that the gene is DE between t_i and the reference time t_0 , for the biological condition associated to the given column.
 - Results from the statistical analysis by biological condition
 - * pvalues, log2 fold change and DE genes between each time t_i and the reference time t_0 for each biological condition.
 - * T binary columns (0 and 1), one per time (with T the number of time measurements). A 1 in one of these columns, means the gene is DE between at least one pair of biological conditions, for the fixed time associated to the given column.

- * $T \times N_{bc}$ binary columns, which give the genes specific for each biological condition at each time t_i . A 1 in one of these columns means the gene is specific to the biological condition at a fixed time associated to the given column. 0 otherwise. A gene is called specific to a given biological condition BC1 at a time t_i , if the gene is DE between BC1 and any other biological conditions at time t_i , but not DE between any pair of other biological conditions at time t_i .
- * $T \times N_{bc}$ columns filled with -1, 0 and 1. A 1 in one of these columns means the gene is up-regulated (or over-expressed) for the biological condition at a fixed time associated to the given column. A gene is called up-regulated for a given biological condition BC1 at time t_i if the gene is specific to the biological condition BC1 at time t_i and expressions in BC1 at time t_i are higher than in the other biological conditions at time t_i . A -1 in one of these columns means the gene is down-regulated (or under-expressed) for the biological condition at a fixed time associated to the given column. A gene is called down-regulated for a given biological condition at a time t_i BC1 if the gene is specific to the biological condition BC1 at time t_i and expressions in BC1 at time t_i are lower than in the other biological conditions at time t_i . A 0 in one of these columns means the gene is not specific to the biological condition at a fixed time associated to the given column.
- * N_{bc} binary columns (0 and 1). A 1 in one of these columns means the gene is specific at at least one time t_i , for the biological condition associated to the given column. 0 otherwise.
- Results from the combination of temporal and biological statistical analysis
 - * $T \times N_{bc}$ binary columns, which give the signatures genes for each biological condition at each time t_i . A 1 in one of these columns means the gene is signature gene to the biological condition at a fixed time associated to the given column. 0 otherwise. A gene is called signature of a biological condition BC1 at a given time t_i , if the gene is specific to the biological condition BC1 at time t_i and DE between t_i versus the reference time t_0 for the biological condition BC1.
 - * N_{bc} binary columns (0 and 1). A 1 in one of these columns means the gene is signature at at least one time t_i , for the biological condition associated to the given column. 0 otherwise.
- the following plots from the temporal statistical analysis
 - a barplot which gives the number of DE genes between t_i and the reference time t_0 , for each time t_i (except the reference time t_0) and biological condition (see [DEplotBarplotFacetGrid\(\)](#)).
 - N_{bc} alluvial graphs of DE genes (see [DEplotAlluvial\(\)](#)), one per biological condition.
 - N_{bc} graphs showing the number of DE genes as a function of time for each temporal group, one per biological condition. By temporal group, we mean the sets of genes which are first DE at the same time.
 - $2 \times N_{bc}$ UpSet plot showing the number of DE genes belonging to each DE temporal pattern, for each biological condition. By temporal pattern, we mean the set of times t_i such that the gene is DE between t_i and the reference time t_0 (see [DEplotVennBarplotTime\(\)](#)).
 - an alluvial graph for DE genes which are DE at least one time for each group.
- the following plots from the statistical analysis by biological condition
 - a barplot which gives the number of specific DE genes for each biological condition and time (see [DEplotBarplotFacetGrid\(\)](#)).

- $N_{bc}(N_{bc} - 1)/2$ UpSet plot which give the number of genes for each possible intersection (set of pairs of biological conditions), one per time (see [DEplotVennBarplotGroup\(\)](#)).
- an alluvial graph of genes which are specific at least one time (see [DEplotAlluvial\(\)](#)).
- the following plots from the combination of temporal and biological statistical analysis
 - a barplot which gives the number of signature genes for each biological condition and time (see [DEplotBarplotFacetGrid\(\)](#)).
 - a barplot showing the number of genes which are DE at at least one time, specific at at least one time and signature at at least one time, for each biological condition.
 - an alluvial graph of genes which are signature at least one time (see [DEplotAlluvial\(\)](#)).

See Also

The outputs of the function will be used by the main function [DEanalysisGlobal\(\)](#).

Examples

```
data(RawCounts_Schleiss2021_CLLsub500)
## We take only the first three times (both group) for the speed of
## the example
Index3t<-c(2:4,11:13,20:22, 29:31,38:40,47:49)
RawCounts_3t<-RawCounts_Schleiss2021_CLLsub500[seq_len(200), c(1,Index3t)]

## Preprocessing step
resDATAprepSEleuk <- DATAprepSE(RawCounts=RawCounts_3t,
                                 Column.gene=1,
                                 Group.position=2,
                                 Time.position=4,
                                 Individual.position=3)

DESeq2preprocess <- S4Vectors::metadata(resDATAprepSEleuk)$DESeq2obj
DESeq2obj <- DESeq2preprocess$DESeq2preprocessing

##-----#
dds.DE<-DESeq2::DESeq(DESeq2obj)
##
res.G.T<-DEanalysisTimeAndGroup(DESeq.result=dds.DE,
                                LRT.suppl.info=FALSE,
                                pval.min=0.05,
                                pval.vect.t=NULL,
                                log.FC.min=0.1,
                                Plot.DE.graph=TRUE,
                                path.result=NULL,
                                SubFile.name=NULL)
```

Description

The function takes as input a binary table with N_g lines corresponding to genes and

- if `Temporal.Group=TRUE` : $T - 1$ columns corresponding to times (with T the number of time points). A '1' in the n -th row and t -th column means that the n -th gene is differentially expressed (DE) at time t , compared with the reference time t_0 .
- if `Temporal.Group=FALSE` : G columns corresponding to the number of group. A '1' in the n -th row and g -th column means that the n -th gene is
 - DE at least one time t_i , compared with the reference time t_0 , for the group g .
 - specific at least one time t_i , compared with the reference time t_0 , for the group g (see [DEanalysisTimeAndGroup\(\)](#) for the notion 'specific').
 - a signature gene at least one time t_i , compared with the reference time t_0 , for the group g (see [DEanalysisTimeAndGroup\(\)](#) for the notion 'signature').

The function plots

- if `Temporal.Group=TRUE`, two graphs: an alluvial graph and a plot showing the time evolution of the number of DE genes within each temporal group. By temporal group, we mean the sets of genes which are first DE at the same time.
- if `Temporal.Group=FALSE` : an alluvial graph.

Usage

```
DEplotAlluvial(
  table.DE.time,
  Temporal.Group = TRUE,
  title.alluvial = NULL,
  title.evolution = NULL
)
```

Arguments

- `table.DE.time` Binary matrix (table filled with 0 and 1) with N_g rows and $T - 1$ columns with N_g the number of genes and $T - 1$ the number of time points.
- `Temporal.Group` TRUE or FALSE, FALSE as default (see Description).
- `title.alluvial` String of characters or NULL, NULL as default. The input `title.alluvial` corresponds to the title of the alluvial graph. If `title` is a string of characters, `title` will be the title of the alluvial graph. If `title=NULL`, the title of the alluvial graph will be 'Alluvial graph'.
- `title.evolution` String of characters or NULL, NULL as default. Only applied if `Temporal.Group=TRUE`. The input `title.evolution` corresponds to the title of the second graph (see Description). If `title` is a string of characters, it will be to the title of the second graph. If `title=NULL`, the title of the second graph will be 'Time evolution of the number of DE genes within each temporal group'.

Details

The names of the columns of the table will be the axis labels in the plots. If the table has no column names, the function will automatically create column names (t1,t2,...).

Value

The function returns, as described in description

- if `Temporal.Group=TRUE`, two graphs: an alluvial graph and a plot showing the time evolution of the number of DE genes within each temporal group. By temporal group, we mean the sets of genes which are first DE at the same time.
- if `Temporal.Group=FALSE` : an alluvial graph.

See Also

The [DEplotAlluvial\(\)](#) function

- is used by the following functions of our package : [DEanalysisTime\(\)](#) and [DEanalysisTimeAndGroup\(\)](#).
- calls the R package [ggplot2](#) in order to plot the two graphs.

Examples

```
set.seed(1994)

NbTime.vst0<-4
BinTable<-matrix(sample(c(0,1),replace=TRUE,
                        size=NbTime.vst0*120,c(0.60,0.40)),
                  ncol=NbTime.vst0)
colnames(BinTable)<-paste0("t", 1:NbTime.vst0)

##-----#
res.alluvial<-DEplotAlluvial(table.DE.time=BinTable)
print(res.alluvial$g.alluvial)
print(res.alluvial$g.alluvial.freq)
```

DEplotBarplot

Barplot of DE genes from a contingency table.

Description

From a contingency table between two variables, the function plots a barplot of the frequency distribution of one variable against the other (see Details).

Usage

```
DEplotBarplot(ContingencyTable, dodge = TRUE)
```

Arguments

ContingencyTable	A numeric data.frame, corresponding to a contingency table, of dimension N1*N2, with N1 and N2, respectively the number of levels in the first and second variable (see examples and details).
dodge	TRUE or FALSE. FALSE means multiple bars in the barplot (one per level of the first variable) one for each fixed level of the other variable. TRUE means multiple bars will be dodged side-to-side (see <code>ggplot2::geom_bar()</code>).

Details

A contingency table (or cross-tabulation) is a table that displays the frequency distribution of two variables (each containing several levels), i.e. the number of observation recorded per pair of levels. The function plots a single barplot from ContingencyTable.

This function is called by `DEanalysisGroup()` and `DEanalysisTimeAndGroup()`. These two functions produce several contingency tables, giving information about specific and particular DE genes, as described below.

First, we look for all genes that are DE between at least two biological conditions. A gene will be called specific to a given biological condition BC1, if the gene is DE between BC1 and any other biological conditions, but not DE between any pair of other biological conditions. Then each DE gene will be categorized as follow:

- If a gene is not specific, the gene will be categorized as 'Other'. The category 'Other' does not exist when there are only two biological conditions.
- If a gene is specific to a given biological condition BC1 and expressions in BC1 are higher than in the other biological conditions, the gene will be categorized as 'Upregulated'.
- If a gene is specific to a given biological condition BC1 and expressions in BC1 are lower than in the other biological conditions, the gene will be categorized as 'Downregulated'.

The functions `DEanalysisGroup()` and `DEanalysisTimeAndGroup()` produce two contingency table that allow to plot both

- the number of genes categorized as 'Other', 'Upregulated' and 'Downregulated' (only when there are strictly more than two biological conditions).
- the number of genes categorized 'Upregulated' and 'Downregulated'.

Second, we look for all genes that are DE between at least one time point (except t0) and t0 for each biological condition. A gene will be categorized as 'particular' to a given biological condition BC1 for a given time point ti (except t0), if the gene is DE between ti and t0 for the biological condition BC1, but not DE between ti and t0 for the other biological conditions. A gene will be categorized as 'common' to all biological conditions, if the gene is DE between ti and t0 for all biological conditions. Otherwise, a gene will categorized as 'Other'.

The function `DEanalysisTimeAndGroup()` produces a contingency table that allow to plot the number of 'specific', 'common' and 'other' genes for each ti (except t0).

Value

A barplot using `ggplot2` (see details).

See Also

The [DEplotBarplot\(\)](#) function

- is used by the following functions of our package: [DEanalysisGroup\(\)](#) and [DEanalysisTimeAndGroup\(\)](#).
- calls the R package [ggplot2](#) in order to plot the barplot.

Examples

```
## Data simulation
CrossTabulation<-matrix(c(75,30,10,5, 5,35,5,20, 220,235,285,275),
                        ncol=4, byrow=TRUE)
colnames(CrossTabulation)<-c("A", "B", "C", "D")
row.names(CrossTabulation)<-c("Spe.Pos", "Spe.Neg", "Other")

##-----#
res.dodgeTRUE<-DEplotBarplot(ContingencyTable=CrossTabulation,dodge=FALSE)
res.dodgeTRUE

res.dodgeFALSE<-DEplotBarplot(ContingencyTable=CrossTabulation,dodge=TRUE)
res.dodgeFALSE
```

DEplotBarplotFacetGrid

Faceted barplot of specific DE genes

Description

The function creates a faceted barplot from a data.frame containing two or three qualitative variables and one quantitative variable.

Usage

```
DEplotBarplotFacetGrid(
  Data,
  Abs.col,
  Legend.col,
  Facet.col,
  Value.col,
  Color.Legend = NULL
)
```

Arguments

Data Data.frame containing three or four columns. One must contain quantitative variable and the other qualitative variables.

Abs.col	Integer indicating the column of Data which will be used for the x-axis. The selected column must be one of the qualitative variables and must be identical to Legend.col if there are only two qualitative variables. Otherwise, Abs.col and Legend.col must be different.
Legend.col	Integer indicating the column of Data which is used for the color of the barplots. The selected column must be one of the qualitative variables and must be identical to Abs.col if there are only two qualitative variables. Otherwise, Abs.col and Legend.col must be different.
Facet.col	Integer indicating the column of Data which is used for separating barplots in different panels, one per level of the qualitative variable. The selected column must be one of the qualitative variables.
Value.col	Integer indicating the column of Data which contains numeric values.
Color.Legend	Data.frame or NULL. If Color.Legend is a data.frame, the data.frame must have two columns and N_{bc} rows where N_{bc} is the number of biological conditions. The first column must contain the name of the N_{bc} different biological conditions and the second column must be the color associated to each biological condition. If Color.Legend=NULL, the function will automatically attribute a color for each biological condition.

Value

The function will plot a facet grid barplot. The function is called by our function `DEanalysisTimeAndGroup()` in order to plot the number of specific (up- or down-regulated) DE genes per biological condition for each time points.

See Also

The function

- is called by the function `DEanalysisTimeAndGroup()`
- calls the R functions `ggplot2::facet_grid()` and `ggplot2::geom_bar()`.

Examples

```
Group.ex<-c('G1', 'G2', 'G3')
Time.ex<-c('t1', 't2', 't3', 't4')
Spe.sign.ex<-c("Pos", "Neg")
Nb.Spe<-sample(3:60, length(Group.ex)*length(Time.ex), replace=FALSE)
Nb.Spe.sign<-sample(3:60, length(Group.ex)*length(Time.ex)*2, replace=FALSE)
##-----#
Melt.Dat.1<-data.frame(Group=rep(Group.ex, times=length(Time.ex)),
                      Time=rep(Time.ex, each=length(Group.ex)),
                      Nb.Spe.DE=Nb.Spe)

DEplotBarplotFacetGrid(Data=Melt.Dat.1, Abs.col=2, Legend.col=2,
                      Facet.col=1, Value.col=3,
                      Color.Legend=NULL)
DEplotBarplotFacetGrid(Data=Melt.Dat.1, Abs.col=1, Legend.col=1,
                      Facet.col=2, Value.col=3,
```

```

                                Color.Legend=NULL)
##-----#
Melt.Dat.2=data.frame(Group=rep(Group.ex,times=length(Time.ex)*2),
                      Time=rep(Time.ex,each=length(Group.ex)*2),
                      Spe.sign=rep(Spe.sign.ex,
                                   times=length(Time.ex)*length(Group.ex)*2),
                      Nb.Spe.DE=Nb.Spe.sign)

DEplotBarplotFacetGrid(Data=Melt.Dat.2,
                       Abs.col=1,
                       Legend.col=3,
                       Facet.col=2,
                       Value.col=4,
                       Color.Legend=NULL)

```

DEplotBarplotTime *Barplot of DE genes per time*

Description

The function takes as input two tables

- a binary table with N_g rows corresponding to genes and $T - 1$ columns corresponding to times (with T the number of time points). A '1' in the n -th row and i -th column means that the n -th gene is differentially expressed (DE) at time t_i , compared with the reference time t_0 .
- a numeric matrix with positive and negative values with N_g rows corresponding to genes and $T - 1$ columns corresponding to times. The element in n -th row and i -th column corresponds to the \log_2 fold change between the time t_i and the reference time t_0 for the n -th gene. If the gene is DE and the sign is positive, then the gene n will be considered as over-expressed (up-regulated) at the time t_i . If the gene is DE and the sign is negative, then the gene n will be considered as under-expressed (down-regulated) at the time t_i .

The function plots two graphs: a barplot showing the number of DE genes per time and a barplot showing the number of under- and over-expressed genes per times.

Usage

```
DEplotBarplotTime(table.DE.time, Log2.FC.matrix)
```

Arguments

`table.DE.time` Binary matrix (table filled with 0 and 1) with N_g rows and $T - 1$ columns with N_g the number of genes and T the number of time points.

`Log2.FC.matrix` Numeric matrix with positive and negative with N_g rows and $T - 1$ columns.

Value

The function plots two graphs: a barplot showing the number of DE genes per time and a barplot showing the number of under and over expressed genes per times.

Examples

```

set.seed(1994)
Dat1.FTP<-matrix(sample(c(0,1), replace=TRUE, size=120, c(0.3,0.7)), ncol=3)
Dat2.FTP<-matrix(round(rnorm(n=120, mean=0, sd=1),digits=2), ncol=3)
colnames(Dat1.FTP)=paste0("t", 1:3)
colnames(Dat2.FTP)=paste0("t", 1:3)
##-----#
res.DE.all.t<-DEplotBarplotTime(table.DE.time=Dat1.FTP,
                               Log2.FC.matrix=Dat2.FTP)
print(res.DE.all.t$g.nb.DEPerTime)
print(res.DE.all.t$g.nb.DEPerTime.sign)

```

DEplotHeatmaps

*Heatmaps of DE genes***Description**

The function returns two heatmaps: one heatmap of gene expressions between samples and selected genes and a correlation heatmap between samples from the output of [DEanalysisGlobal\(\)](#).

Usage

```

DEplotHeatmaps(
  SEresDE,
  ColumnsCriteria = 2,
  Set.Operation = "union",
  NbGene.analysis = 20,
  Color.Group = NULL,
  SizeLabelRows = 5,
  SizeLabelCols = 5,
  Display.plots = TRUE,
  Save.plots = FALSE
)

```

Arguments

SEresDE	A SummarizedExperiment class object. Output from DEanalysisGlobal() (see Examples).
ColumnsCriteria	A vector of integers where each integer indicates a column of <code>SummarizedExperiment::rowData(SEresDE)</code> . These columns should either contain only binary values, or may contain other numerical value, in which case extracted outputs from SEresDE will be those with >0 values (see Details).
Set.Operation	A character. The user must choose between "union" (default), "intersect", "set-diff" (see Details).

<code>NbGene.analysis</code>	An integer or NULL. If it is an integer, the heatmaps will be plotted with the <code>NbGene.analysis</code> genes which have the highest sum of absolute log2 fold change, among the DE genes selected using <code>ColumnsCriteria</code> and <code>Set.Operation</code> . If NULL, all the DE selected genes will be used for both heatmaps.
<code>Color.Group</code>	NULL or a data.frame with N_{bc} rows and two columns where N_{bc} is the number of biological conditions. If <code>Color.Group</code> is a data.frame, the first column must contain the name of each biological condition and the second column must contain the colors associated to each biological condition. If <code>Color.Group=NULL</code> , the function will automatically attribute a color for each biological condition. If samples belong to different time points only, <code>Color.Group</code> will not be used.
<code>SizeLabelRows</code>	Numeric >0. Size of the labels for the genes in the heatmaps.
<code>SizeLabelCols</code>	Numeric >0. Size of the labels for the samples in the heatmaps.
<code>Display.plots</code>	TRUE or FALSE. TRUE as default. If TRUE, all graphs will be plotted. Otherwise no graph will be plotted.
<code>Save.plots</code>	TRUE or FALSE or a Character. If <code>Save.plots=FALSE</code> , the different files will not be saved. If <code>Save.plots=TRUE</code> and the path.result of <code>DEanalysisGlobal()</code> is not NULL, all files will be saved in " <code>2_SupervisedAnalysis_Name.folder.DE/2-4_Supplementary_Plots_Name.folder.DE/Plots_Heatmaps</code> ". If <code>Save.plots</code> is a character, it must be a path and all files will be saved in the sub-folder " <code>Plots_Heatmaps</code> ".

Details

We have the following three cases:

- If `Set.Operation="union"` then the rows extracted from the different datasets included in `SEresDE` are those such that the sum of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0. For example, the selected genes can be those DE at least at `t1` or `t2` (versus the reference time `t0`).
- If `Set.Operation="intersect"` then the rows extracted from the different datasets included in `SEresDE` are those such that the product of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0. For example, the selected genes can be those DE at times `t1` and `t2` (versus the reference time `t0`).
- If `Set.Operation="setdiff"` then the rows extracted from the different datasets included in `SEresDE` are those such that only one element of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0. For example, the selected genes can be those DE at times `t1` only and at times `t2` only (versus the reference time `t0`).

Value

The function returns two heatmaps: one heatmap of gene expressions between samples and selected genes; and a correlation heatmap between samples.

See Also

The function calls the function `ComplexHeatmap::Heatmap()` in order to plot the Heatmaps.

Examples

```

## data importation
data(RawCounts_Antoszewski2022_MOUSEsub500)
## No time points. We take only two groups for the speed of the example
dataT1wt <- RawCounts_Antoszewski2022_MOUSEsub500[seq_len(200), seq_len(7)]

## Preprocessing with Results of DEanalysisGlobal()
resDATAprepSE <- DATAprepSE(RawCounts=dataT1wt,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=NULL,
                             Individual.position=2)

##-----#
## DE analysis
resDET1wt <- DEanalysisGlobal(SEres=resDATAprepSE,
                              pval.min=0.05,
                              pval.vect.t=NULL,
                              log.FC.min=1,
                              LRT.supp.info=FALSE,
                              Plot.DE.graph=FALSE,
                              path.result=NULL,
                              Name.folder.DE=NULL)

##-----#
resHeatmap <- DEplotHeatmaps(SEresDE=resDET1wt,
                              ColumnsCriteria=3, ## Specific genes N1haT1ko
                              Set.Operation="union",
                              NbGene.analysis=20,
                              Color.Group=NULL,
                              SizeLabelRows=5,
                              SizeLabelCols=5,
                              Display.plots=TRUE,
                              Save.plots=FALSE)

```

DEplotVennBarplotGroup

Venn barplot of DE genes across pairs of biological conditions.

Description

The function takes as input a binary matrix or data.frame with N_g rows and $((N_{bc} - 1) \times N_{bc})/2$ columns with N_g the number of genes and N_{bc} the number of biological conditions. The number of 1 in the n -th row gives the number of pairs of biological conditions where the gene n is DE. We consider that a set of pairs of biological conditions forms an intersection if there is at least one gene which is DE for each of these pairs of biological conditions, but not for the others.

The function calls the `UpSetR::upset()` function in order to plot the number of genes for each possible intersection in an UpSet plot (Venn diagram displayed as a barplot).

Usage

```
DEplotVennBarplotGroup(Mat.DE.pair.group)
```

Arguments

Mat.DE.pair.group

Binary matrix or data.frame with N_g rows and $((N_{bc} - 1) * N_{bc})/2$ columns with N_{bc} the number of biological conditions.

Value

The function plots the number of genes for each possible intersection in a UpSet plot.

See Also

The function

- calls the function `UpSetR::upset()` in order to plot the UpSet plot.
- is called by the functions `DEanalysisGroup()` and `DEanalysisTimeAndGroup()`.

Examples

```
set.seed(1994)
##-----#
## Binary matrix
Bin.Table.G<-matrix(c(sample(c(0,1), replace=TRUE, size=240,c(0.75,0.35)),
                      sample(c(0,1), replace=TRUE, size=240,c(0.3,0.7)),
                      rep(0,18)),
                   ncol=6, byrow=TRUE)
colnames(Bin.Table.G)=c(".A..B.", ".A..C.", ".A..D.",
                       ".B..C.", ".B..D.", ".C..D.")
##-----#
## Results
res.t.upset<-DEplotVennBarplotGroup(Mat.DE.pair.group=Bin.Table.G)
print(res.t.upset$Upset.global)
print(res.t.upset$Upset.threshold)
```

DEplotVennBarplotTime *Venn barplot of DE genes across time.*

Description

The function takes as input two matrix or data.frame

- a binary matrix or data.frame with N_g rows corresponding to genes and $T - 1$ columns corresponding to times (with T the number of time points). A '1' in the n-th row and i-th column means that the n-th gene is differentially expressed (DE) at time t_i , compared with the reference time t_0 .


```
print(res.test.VennBarplot$Upset.graph)
print(res.test.VennBarplot$Upset.graph.with.nb.over)
res.test.VennBarplot$DE.pattern.t.01.sum
```

DEplotVolcanoMA *Volcano and MA graphs*

Description

The function returns Volcano plots and MA plots from the results of our function [DEanalysisGlobal\(\)](#).

Usage

```
DEplotVolcanoMA(
  SResDE,
  NbGene.plotted = 2,
  SizeLabel = 3,
  Display.plots = TRUE,
  Save.plots = FALSE
)
```

Arguments

SResDE	A SummarizedExperiment class object. Output from DEanalysisGlobal() (see Examples).
NbGene.plotted	Non negative integer. The algorithm computes the sum of all the absolute \log_2 fold change present in the element DE.results of Res.DE.analysis for each gene. Only the highest NbGene.plotted genes are plotted in the volcano and MA plots. By default, NbGene.plotted=2.
SizeLabel	Numeric. Give the size of the names of plotted genes. By default, SizeLabel=3.
Display.plots	TRUE or FALSE. TRUE as default. If TRUE, all graphs will be plotted. Otherwise no graph will be plotted.
Save.plots	TRUE or FALSE or a Character. FALSE as default. Path to save the Volcano and MA plots. If NULL, the Volcano and MA plots will not be saved in a sub folder in path.result. If path.result contains a sub folder entitled "VolcanoPlots", all the Volcano plots will be saved in the sub folder "VolcanoPlots". Otherwise, a sub folder entitled "VolcanoPlots" will be created in path.result and all the Volcano plots will be saved in the sub folder created. If path.result contains a sub folder entitled "MAplots", all the MA plots will be saved in the sub folder "MAplots". Otherwise, a sub folder entitled "MAplots" will be created in path.result and all the MA plots will be saved in the sub folder created.

Details

- If data belong to different time points only, the function returns $T - 1$ volcano and MA plots (with T the number of time measurements), corresponding to the \log_2 fold change between each time t_i and the reference time t_0 , for all $i > 0$.
- If data belong to different biological conditions only, the function returns $(N_{bc} * (N_{bc} - 1))/2$ volcano and MA plots (with N_{bc} the number of biological conditions), corresponding to the \log_2 fold change between each pair of biological condition.
- If data belong to different biological conditions and time points, the function returns
 - $(T - 1) * N_{bc}$ volcano and MA plots, corresponding to the \log_2 fold change between each time t_i and the reference time t_0 , for all biological condition.
 - $((T - 1) * N_{bc} * (N_{bc} - 1))/2$ volcano and MA plots, corresponding to the \log_2 fold change between each pair of biological conditions, for all fixed time point.

Value

The function returns Volcano plots and MA plots from the results of our function [DEanalysisGlobal\(\)](#).

See Also

The function calls the output of [DEanalysisGlobal\(\)](#).

Examples

```
## data importation
data(RawCounts_Antoszewski2022_MOUSEsub500)
## No time points. We take only two groups for the speed of the example
dataT1wt <- RawCounts_Antoszewski2022_MOUSEsub500[seq_len(200), seq_len(7)]

## Preprocessing with Results of DEanalysisGlobal()
resDATAprepSE <- DATAprepSE(RawCounts=dataT1wt,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=NULL,
                             Individual.position=2)

##-----#
## DE analysis
resDET1wt <- DEanalysisGlobal(SEres=resDATAprepSE,
                             pval.min=0.05,
                             pval.vect.t=NULL,
                             log.FC.min=1,
                             LRT.suppl.info=FALSE,
                             Plot.DE.graph=FALSE,
                             path.result=NULL,
                             Name.folder.DE=NULL)

##-----#
## Volcano MA
resVolcanoMA <- DEplotVolcanoMA(SEresDE=resDET1wt,
                                 NbGene.plotted=5,
                                 Display.plots=TRUE,
```

```
Save.plots=FALSE)
```

DEresultGroup	<i>Intermediate analysis when samples belong to different biological conditions</i>
---------------	---

Description

This function realizes the intermediary steps of the analysis of the function [DEanalysisGroup\(\)](#).

Usage

```
DEresultGroup(
  DESeq.result,
  LRT.suppl.info = TRUE,
  pval.min = 0.05,
  log.FC.min = 1
)
```

Arguments

DESeq.result	Output from the function DESeq2::DESeq() .
LRT.suppl.info	TRUE or FALSE. If TRUE, the algorithm realizes another statistical test in order to detect if, among all biological conditions and/or times, at least one has a different behavior than the others (see the input test in DESeq2::DESeq()).
pval.min	Numeric value between 0 and 1. A gene will be considered as differentially expressed (DE) between two biological conditions if its Benjamini-Hochberg adjusted p-value (see stats::p.adjust()) is below the threshold pval.min. Default value is 0.05.
log.FC.min	Non negative numeric value. If the log2 fold change between biological conditions or times has an absolute value below the threshold log.FC.min, then the gene is not selected even if is considered as DE. Default value is 1. If log.FC.min=0, all DE genes will be kept.

Value

The function returns the same DESeqDataSet class object `DESeq.result` with the following results:

- a data.frame (output Results) which contains
 - gene names
 - pvalues, log2 fold change and DE genes between each pairs of biological conditions.
 - a binary column (1 and 0) where 1 means the gene is DE between at least one pair of biological conditions.

- N_{bc} binary columns, where N_{bc} is the number of biological conditions, which gives the specific genes for each biological condition. A '1' in one of these columns means the gene is specific to the biological condition associated to the given column. 0 otherwise. A gene is called specific to a given biological condition BC1, if the gene is DE between BC1 and any other biological conditions, but not DE between any pair of other biological conditions.
- N_{bc} columns filled with -1, 0 and 1, one per biological condition. A '1' in one of these columns means the gene is up-regulated (or over-expressed) for the biological condition associated to the given column. A gene is called up-regulated for a given biological condition BC1 if the gene is specific to the biological condition BC1 and expressions in BC1 are higher than in the other biological conditions. A '-1' in one of these columns means the gene is down-regulated (or under-expressed) for the biological condition associated to the given column. A gene is called regulated for a given biological condition BC1 if the gene is specific to the biological condition BC1 and expressions in BC1 are lower than in the other biological conditions. A '0' in one of these columns means the gene is not specific to the biological condition associated to the given column.
- a data.frame (output DE.per.pair.G) with N_g rows and $((N_{bc} - 1) \times N_{bc})/2$ columns with N_g the number of genes and N_{bc} the number of biological conditions. The number of 1 in the n-th row gives the number of pairs of biological conditions where the gene n is DE. The output DE.per.pair.G will be the input of the function [DEplotVennBarplotGroup\(\)](#).
- a contingency matrix (output Contingence.per.group) which gives for each biological condition the number of genes categorized as "Upregulated", "DownRugulated" and "Other". A gene is categorized as 'Other', for a given biological condition BC1, if the gene is not specific to the biological condition BC1. The category 'Other' does not exist when there are only two biological conditions. The output Contingence.per.group will be the input of the function [DEplotBarplot\(\)](#).

See Also

The outputs of the function are used by the main function [DEanalysisGroup\(\)](#).

Examples

```
## Data
data(RawCounts_Antoszewski2022_MOUSEsub500)
## No time points. We take only two groups for the speed of the example
RawCounts_T1Wt<-RawCounts_Antoszewski2022_MOUSEsub500[seq_len(200),
                                                    seq_len(7)]

## Preprocessing step
resDATAprepSEmus1<- DATAprepSE(RawCounts=RawCounts_T1Wt,
                                Column.gene=1,
                                Group.position=1,
                                Time.position=NULL,
                                Individual.position=2)

DESeq2preprocess <- S4Vectors::metadata(resDATAprepSEmus1)$DESeq2obj
DESeq2obj <- DESeq2preprocess$DESeq2preproceesing

##-----#
```

```
dds.DE.G<-DESeq2::DESeq(DESeq2obj)

res.sum.G<-DEresultGroup(DESeq.result=dds.DE.G,
                          LRT.suppl.info=FALSE,
                          log.FC.min=1,
                          pval.min=0.05)
```

DEresultGroupPerTime *Intermediate analysis when samples belong to different biological conditions and different time points.*

Description

This function realizes the intermediate steps of the analysis of the function [DEanalysisTimeAndGroup\(\)](#).

Usage

```
DEresultGroupPerTime(
  DESeq.result,
  LRT.suppl.info = TRUE,
  pval.min = 0.05,
  log.FC.min = 1
)
```

Arguments

DESeq.result	Output from the function DESeq2::DESeq() .
LRT.suppl.info	TRUE or FALSE. If TRUE, the algorithm realizes another statistical test in order to detect if, among all biological conditions and/or times, at least one has a different behavior than the others (see the input test in DESeq2::DESeq()).
pval.min	Numeric value between 0 and 1. A gene will be considered as differentially expressed (DE) between two biological conditions if its Benjamini-Hochberg adjusted p-value (see stats::p.adjust()) is below the threshold pval.min. Default value is 0.05.
log.FC.min	Non negative numeric value. If the log ₂ fold change between biological conditions or times has an absolute value below the threshold log.FC.min, then the gene is not selected even if is considered as DE. Default value is 1. If log.FC.min=0, all DE genes will be kept.

Value

The function returns

- a data.frame (output 'Global') which contains
 - pvalues, log₂ fold change and DE genes between each pairs of biological conditions for a fixed time t_i (except the reference time t_0).

– DE specific genes per biological condition for a fixed time t_i (except the reference time t_0).

- inputs for the functions : [DEplotBarplot\(\)](#), [DEplotBarplotTime\(\)](#), [DEplotVennBarplotGroup\(\)](#), [DEplotVennBarplotTime\(\)](#), [DEplotBarplotFacetGrid\(\)](#), [DEplotAlluvial\(\)](#).

See Also

The outputs of the function are used by the main function [DEanalysisTimeAndGroup\(\)](#).

Examples

```
data(RawCounts_Schleiss2021_CLLsub500)
## We take only the first three times (both group) for the speed of
## the example
Index3t<-c(2:4,11:13,20:22, 29:31,38:40,47:49)
RawCounts_3t<-RawCounts_Schleiss2021_CLLsub500[seq_len(200), c(1,Index3t)]

## Preprocessing step
resDATAprepSEleuk <- DATAprepSE(RawCounts=RawCounts_3t,
                                Column.gene=1,
                                Group.position=2,
                                Time.position=4,
                                Individual.position=3)

DESeq2preprocess <- S4Vectors::metadata(resDATAprepSEleuk)$DESeq2obj
DESeq2obj <- DESeq2preprocess$DESeq2preprocessing

##-----#
dds.DE<-DESeq2::DESeq(DESeq2obj)
##
res.G.T.2<-DeresultGroupPerTime(DESeq.result=dds.DE,
                                LRT.suppl.info=FALSE,
                                log.FC.min=1,
                                pval.min=0.05)
```

GSEAPreprocessing

GSEA preprocessing for official software and online tools.

Description

The function returns, from the output of [DEanalysisGlobal\(\)](#), specific files designed to be used as input for several online online tools and software given in the section Value.

Usage

```
GSEAPreprocessing(
  SresDE,
  ColumnsCriteria,
  Set.Operation,
```



```

    Rnk.files = TRUE,
    Save.files = FALSE
  )

```

Arguments

SEresDE	A SummarizedExperiment class object. Output from DEanalysisGlobal() (see Examples).
ColumnsCriteria	A vector of integers where each integer indicates a column of <code>SummarizedExperiment::rowData(SEresDE)</code> . These columns should either contain only binary values, or may contain other numerical value, in which case extracted outputs from SEresDE will be those with >0 values (see Details).
Set.Operation	A character. The user must choose between "union" (default), "intersect", "setdiff" (see Details).
Rnk.files	TRUE or FALSE. TRUE as default. If TRUE, the rnk files generated by the function (used by the GSEA software) will be saved if <code>Save.files=TRUE</code> and <code>path.result</code> of DEanalysisGlobal() is not NULL. Otherwise the rnk files will not be generated.
Save.files	TRUE or FALSE or a Character. If <code>Save.files=TRUE</code> and the <code>path.result</code> of DEanalysisGlobal() is not NULL, all files will be saved in "2_Supervised-Analysis_Name.folder.DE/ 2-5_Enrichment_analysis_Name.folder.DE/ 2-5-2_EnrichmentGO_software_preprocessing". If <code>Save.files</code> is a character, it must be a path and all files will be saved in the sub-folder "EnrichmentGO_software_preprocessing". Otherwise, the different files will not be saved.

Details

We have the following three cases:

- If `Set.Operation="union"` then the rows extracted from the different datasets included in SEresDE are those such that the sum of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0. For example, the selected genes can be those DE at least at t1 or t2 (versus the reference time t0).
- If `Set.Operation="intersect"` then the rows extracted from the different datasets included in SEresDE are those such that the product of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0. For example, the selected genes can be those DE at times t1 and t2 (versus the reference time t0).
- If `Set.Operation="setdiff"` then the rows extracted from the different datasets included in SEresDE are those such that only one element of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0. For example, the selected genes can be those DE at times t1 only and at times t2 only (versus the reference time t0).

Value

The function returns

- A vector of character containing gene names specified by `ColumnsCriteria` and `Set.Operation`.

- A vector of character containing all gene names
- And, in case where `Save.files=TRUE` and the `path.result` of `DEanalysisGlobal()` is not `NULL`, specific files designed to be used as input for the following online tools and software :
 - GSEA : <https://www.gsea-msigdb.org/gsea/index.jsp>
 - DAVID : <https://david.ncifcrf.gov/tools.jsp>
 - WebGestalt : <http://www.webgestalt.org>
 - gProfiler : <https://biit.cs.ut.ee/gprofiler/gost>
 - Panther : <http://www.pantherdb.org>
 - ShinyGO : <http://bioinformatics.sdstate.edu/go/>
 - Enrichr : <https://maayanlab.cloud/Enrichr/>
 - GOrilla : <http://cbl-gorilla.cs.technion.ac.il>.

Examples

```

data(RawCounts_Antoszewski2022_MOUSEsub500)
## No time points. We take only two groups for the speed of the example
RawCounts_T1Wt <- RawCounts_Antoszewski2022_MOUSEsub500[, seq_len(7)]
##-----#
## Preprocessing
resDATAprepSE <- DATAprepSE(RawCounts=RawCounts_T1Wt,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=NULL,
                             Individual.position=2)
##-----#
## DE analysis
resDET1wt <- DEanalysisGlobal(SEres=resDATAprepSE,
                             pval.min=0.05,
                             pval.vect.t=NULL,
                             log.FC.min=1,
                             LRT.suppl.info=FALSE,
                             Plot.DE.graph=TRUE,
                             path.result=NULL,
                             Name.folder.DE=NULL)
##-----#
resGp<-GSEAprereprocessing(SEresDE=resDET1wt,
                           ColumnsCriteria=2,
                           Set.Operation="union",
                           Rnk.files=TRUE,
                           Save.files=FALSE)

```

GSEAQuickAnalysis

GSEA analysis with gprofiler2

Description

The function realizes, from the outputs of `DEanalysisGlobal()`, an enrichment analysis (GSEA) of a subset of genes with the R package `gprofiler2`.

Usage

```
GSEAQuickAnalysis(
  Internet.Connection = FALSE,
  SEresDE,
  ColumnsCriteria = 1,
  ColumnsLog2ordered = NULL,
  Set.Operation = "union",
  Organism = "hsapiens",
  MaxNumberGO = 20,
  Background = FALSE,
  Display.plots = TRUE,
  Save.plots = FALSE
)
```

Arguments

Internet.Connection

TRUE or FALSE. FALSE by default. If the user is sure to have an internet connection, the user must set `Internet.Connection=TRUE`, otherwise, the algorithm will not run.

SEresDE

A `SummarizedExperiment` class object. Output from `DEanalysisGlobal()` (see Examples).

ColumnsCriteria

A vector of integers where each integer indicates a column of `SummarizedExperiment::rowData(SEresDE)`. These columns should either contain only binary values, or may contain other numerical value, in which case extracted outputs from `SEresDE` will be those with >0 values (see Details).

ColumnsLog2ordered

NULL or a vector of integers. If `ColumnsLog2ordered` is a vector of integers, it corresponds to the columns number of `Res.DE.analysis$DE.results`, the output of `DEanalysisGlobal()`, which must contains \log_2 fold change values (see Details).

Set.Operation

A character. The user must choose between "union" (default), "intersect", "set-diff" (see Details).

Organism

A character indicating the organism where data were taken from. See vignette of the R package `gprofiler2` for supported organisms. See `gprofiler2::gost()`.

MaxNumberGO

An integer. The user can select the `MaxNumberGO` most important Gene Ontology (GO) names to be plotted in a lollipop graph. By default, `MaxNumberGO=20`.

Background

TRUE or FALSE. If TRUE, the statistical enrichment analysis to find over-representation of functions from Gene Ontology (GO) and biological pathways (e.g. KEGG) will be done by comparing the functions and biological pathways among the selected DE genes with those associated with all genes in `Res.DE.analysis$DE.results`. If FALSE, the statistical enrichment analysis will be done by comparing the functions and biological pathways among the selected DE genes with all functions and biological pathways included in the database of `gprofiler2` (link in See Also). See also `gprofiler2::gost()`.

Display.plots	TRUE or FALSE. TRUE as default. If TRUE, all graphs will be plotted. Otherwise no graph will be plotted.
Save.plots	TRUE or FALSE or a Character. If Save.plots=TRUE and the output path.result of <code>DEanalysisGlobal()</code> is not NULL, all files will be saved in "2_Supervised-Analysis_Name.folder.DE/ 2-5_Enrichment_analysis_Name.folder.DE/ 2-5-1_gprofiler2_results_Name.folder.DE", with Name.folder.DE an input of <code>DEanalysisGlobal()</code> . If Save.plots is a character, it must be a path and all files will be saved in the sub-folder "gprofiler2_results_Name.folder.DE". Otherwise, the different files will not be saved.

Details

If `ColumnsLog2ordered` is a vector of integers, the rows of `Res.DE.analysis$DE.results` (corresponding to genes) will be decreasingly ordered according to the sum of absolute \log_2 fold change (the selected columns must contain \log_2 fold change values) before the enrichment analysis. The enrichment analysis will take into account the genes order as the first genes will be considered to have the highest biological importance and the last genes the lowest. See the input `ordered_query` of `gprofiler2::gost()` and the vignette of `gprofiler2` for more details.

We have the following three cases:

- If `Set.Operation="union"` then the rows extracted from the different datasets included in `SEresDE` are those such that the sum of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0 . For example, the selected genes can be those DE at least at t_1 or t_2 (versus the reference time t_0).
- If `Set.Operation="intersect"` then the rows extracted from the different datasets included in `SEresDE` are those such that the product of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0 . For example, the selected genes can be those DE at times t_1 and t_2 (versus the reference time t_0).
- If `Set.Operation="setdiff"` then the rows extracted from the different datasets included in `SEresDE` are those such that only one element of the selected columns of `SummarizedExperiment::rowData(SEresDE)` by `ColumnsCriteria` is >0 . For example, the selected genes can be those DE at times t_1 only and at times t_2 only (versus the reference time t_0).

Value

The function returns

- a data.frame which contains the outputs of `gprofiler2::gost()`
- a Manhattan plot showing all GO names according to their pvalue
- a lollipop graph showing the `MaxNumberGO` most important GO.

See Also

The function uses the R package `gprofiler2` <https://cran.r-project.org/web/packages/gprofiler2/vignettes/gprofiler2.html>.

The R package `gprofiler2` provides an R interface to the web toolset `g:Profiler` <https://biit.cs.ut.ee/gprofiler/gost>.

Examples

```
## data importation
data(RawCounts_Antoszewski2022_MOUSEsub500)
## No time points. We take only two groups for the speed of the example
data1wt <- RawCounts_Antoszewski2022_MOUSEsub500[seq_len(200), seq_len(7)]

## Preprocessing with Results of DEanalysisGlobal()
resDATAprepSE <- DATAprepSE(RawCounts=data1wt,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=NULL,
                             Individual.position=2)

##-----#
## Internet is needed in order to run the following lines of code because
## gprofiler2 needs an internet connection
## DE analysis
# resDET1wt <- DEanalysisGlobal(SEres=resDATAprepSE,
#                               pval.min=0.05,
#                               pval.vect.t=NULL,
#                               log.FC.min=1,
#                               LRT.supp.info=FALSE,
#                               Plot.DE.graph=FALSE,
#                               path.result=NULL,
#                               Name.folder.DE=NULL)
#####
# resGs<-GSEAQuickAnalysis(Internet.Connection=TRUE,
#                           SEresDE=resDET1wt,
#                           ColumnsCriteria=3,
#                           ColumnsLog2ordered=NULL,
#                           Set.Operation="union",
#                           Organism="mmusculus",
#                           MaxNumberGO=20,
#                           Background=FALSE,
#                           Display.plots=TRUE,
#                           Save.plots=FALSE)
```

HCPCanalysis

Hierarchical clustering analysis with HCPC (Main function)

Description

The functions performs a hierarchical clustering on results from a factor analysis with the R function `FactoMineR::HCPC()`.

Usage

```
HCPCanalysis(
  SEresNorm,
```

```

DATAnorm = TRUE,
gene.deletion = NULL,
sample.deletion = NULL,
Supp.del.sample = FALSE,
Plot.HCPC = TRUE,
Color.Group = NULL,
Phi = 25,
Theta = 140,
epsilon = 0.2,
Cex.point = 0.7,
Cex.label = 0.7,
D3.mouvement = FALSE,
path.result = NULL,
Name.folder.hcpc = NULL
)

```

Arguments

SEresNorm	Results of the function DATAnormalization() .
DATAnorm	TRUE or FALSE. TRUE as default. TRUE means the function uses the normalized data. FALSE means the function uses the raw counts data.
gene.deletion	NULL or a vector of characters or a vector of integers. NULL as default. If <code>gene.deletion</code> is a vector of characters, all genes with names in <code>gene.deletion</code> will be deleted from the data set as input <code>RawCounts</code> of our function DATAprepSE() . If <code>gene.deletion</code> is a vector of integers, all the corresponding row numbers will be deleted from the data set as input <code>RawCounts</code> of our function DATAprepSE() . If <code>gene.deletion=NULL</code> all genes will be used in the construction of the PCA.
sample.deletion	NULL or a vector of characters or a vector of integers. NULL as default. If <code>sample.deletion</code> is a vector of characters, all samples with names in <code>sample.deletion</code> will not be used in the construction of the PCA. If <code>sample.deletion</code> is a vector of integers, all the corresponding column numbers will not be used in the construction of the PCA from the data set as input <code>RawCounts</code> of our function DATAprepSE() . If <code>sample.deletion=NULL</code> all samples will be used in the construction of the PCA.
Supp.del.sample	TRUE or FALSE. If FALSE, the samples selected with <code>sample.deletion</code> will be deleted. If TRUE, the samples selected with <code>sample.deletion</code> will be plotted. These individuals are called supplementary individuals in FactoMineR::PCA() .
Plot.HCPC	TRUE or FALSE. TRUE as default. If TRUE, all graphs will be plotted. Otherwise no graph will be plotted.
Color.Group	NULL or a data.frame with N_{bc} rows and two columns where N_{bc} is the number of biological conditions. If <code>Color.Group</code> is a data.frame, the first column must contain the name of each biological condition and the second column must contain the colors associated to each biological condition. If <code>Color.Group=NULL</code> , the function will automatically attribute a color for each biological condition. If samples belong to different time points only, <code>Color.Group</code> will not be used.

Phi	Angle defining the colatitude direction for the 3D PCA plot (see Details in graphics::persp()).
Theta	Angle defining the azimuthal direction for the 3D PCA plot (see Details in graphics::persp()).
epsilon	Non negative numeric value giving the length between points and their labels in all PCA plots which are not automatically plotted by FactoMineR::PCA() .
Cex.point	Non negative numeric value giving the size of points in all PCA plots which are not automatically plotted by FactoMineR::PCA() .
Cex.label	Non negative numeric value giving the size of the labels associated to each point of the all PCA graphs which are not automatically plotted by FactoMineR::PCA() .
D3.mouvement	TRUE or FALSE. If TRUE, the 3D PCA plots will also be plotted in a rgl window (see plot3Drgl::plotrgl()) allowing to interactively rotate and zoom.
path.result	Character or NULL. Path to save all results. If <code>path.result</code> contains a sub folder entitled "1_UnsupervisedAnalysis_Name.folder.hcpc" and a sub sub folder, "1-3_HCPCanalysis_Name.folder.hcpc" all results will be saved in the sub folder "1_UnsupervisedAnalysis_Name.folder.hcpc/1-3_HCPCanalysis_Name.folder.hcpc". Otherwise, a sub folder entitled "1_UnsupervisedAnalysis_Name.folder.hcpc" and/or a sub sub folder "1-3_HCPCanalysis_Name.folder.hcpc" will be created in <code>path.result</code> and all results will be saved in "1_UnsupervisedAnalysis_Name.folder.hcpc/1-3_HCPCanalysis_Name.folder.hcpc". If NULL, the results will not be saved in a folder. NULL as default.
Name.folder.hcpc	Character or NULL. If <code>Name.folder.hcpc</code> is a character, the folder and sub folder names which will contain the PCA graphs will respectively be "1_UnsupervisedAnalysis_Name.folder.hcpc" and "1-3_HCPCanalysis_Name.folder.hcpc". Otherwise, the folder and sub folder names will respectively be "1_UnsupervisedAnalysis" and "1-3_HCPCanalysis".

Details

All results are built from the results of our function [DATAnormalization\(\)](#).

The number of clusters is automatically selected by [FactoMineR::HCPC\(\)](#) and is described in the section Details of [FactoMineR::HCPC\(\)](#).

Value

The function returns

- a dendrogram (also called hierarchical tree) using the function [factoextra::fviz_dend\(\)](#)
- one 2D PCA and two 3D PCA produced by the function [PCArealization\(\)](#) where samples are colored with different colors for different clusters. The two 3D PCA graphs are identical but one of them will be opened in a rgl window (see [plot3Drgl::plotrgl\(\)](#)) allowing to interactively rotate and zoom. The interactive 3D graph will be plotted only if `D3.mouvement=TRUE`.
- A graph indicating for each sample, its cluster and the time and/or biological condition associated to the sample.
- the outputs of [FactoMineR::HCPC\(\)](#).

See Also

The function calls the functions `PCArealization()` and `FactoMineR::HCPC()`. The function `FactoMineR::HCPC()` will take as input the output of `PCArealization()`.

Examples

```
## Simulation raw counts
resSIMcount <- RawCountsSimulation(Nb.Group=2, Nb.Time=3, Nb.per.GT=4,
                                   Nb.Gene=10)

## Preprocessing step
resDATAprepSE <- DATAprepSE(RawCounts=resSIMcount$Sim.dat,
                              Column.gene=1,
                              Group.position=1,
                              Time.position=2,
                              Individual.position=3)

## Normalization
resNorm <- DATAnormalization(SEres=resDATAprepSE,
                              Normalization="rle",
                              Plot.Boxplot=FALSE,
                              Colored.By.Factors=FALSE)

##-----#
resHCPCanalysis <- HCPCanalysis(SEresNorm=resNorm,
                                DATAnorm=TRUE,
                                sample.deletion=NULL,
                                Supp.del.sample=FALSE,
                                gene.deletion=NULL,
                                Plot.HCPC=TRUE,
                                Color.Group=NULL,
                                Phi=25, Theta=140,
                                Cex.point=1, Cex.label=0.6, epsilon=0.4,
                                D3.mouvement=FALSE,
                                path.result=NULL,
                                Name.folder.hcpc=NULL)
```

MFUZZanalysis

Clustering of temporal patterns (Main function).

Description

The function performs a soft clustering of temporal patterns based on the fuzzy c-means algorithm using the R package Mfuzz.

Usage

```
MFUZZanalysis(
  SEresNorm,
  DATAnorm = TRUE,
  DataNumberCluster = NULL,
  Method = "hcpc",
```



```

Max.clust = 6,
Membership = 0.5,
Min.std = 0.1,
Plot.Mfuzz = TRUE,
path.result = NULL,
Name.folder.mfuzz = NULL
)

```

Arguments

SEresNorm	Results of the function DATAnormalization() .
DATAnorm	TRUE or FALSE. TRUE as default. TRUE means the function uses the normalized data. FALSE means the function uses the raw counts data.
DataNumberCluster	Data.frame or NULL. NULL as default. If DataNumberCluster is a data.frame where the first column contains the name of the biological conditions and the second the number of cluster selected for each biological condition. If DataNumberCluster=NULL, a number of clusters will be automatically computed for each biological condition (see MFUZZclustersNumber()).
Method	"kmeans" or "hpc". The method used for selecting the number of cluster to be used for the temporal cluster analysis (see Details). Only used if DataNumberCluster is not NULL.
Max.clust	Integer strictly superior to 1 indicating the maximum number of clusters. Max.clust will be used only if DataNumberCluster=NULL
Membership	Numeric value between 0 and 1. For each cluster, genes with membership values below the threshold Membership will not be displayed. The membership values correspond to the probability of gene to belong to each cluster.
Min.std	Numeric positive value. All genes where their standard deviations are smaller than the threshold Min.std will be excluded.
Plot.Mfuzz	TRUE or FALSE. TRUE as default. If TRUE, all graphs will be plotted. Otherwise no graph will be plotted.
path.result	Character or NULL. Path to save all results. If path.result contains a sub folder entitled "1_UnsupervisedAnalysis_Name.folder.mfuzz" and a sub sub folder, "1-4_MFUZZanalysis_Name.folder.mfuzz" all results will be saved in the sub folder "1_UnsupervisedAnalysis_Name.folder.mfuzz/1-4_MFUZZanalysis_Name.folder.mfuzz". Otherwise, a sub folder entitled "1_UnsupervisedAnalysis_Name.folder.mfuzz" and/or a sub sub folder "1-4_MFUZZanalysis_Name.folder.mfuzz" will be created in path.result and all results will be saved in "1_UnsupervisedAnalysis_Name.folder.mfuzz/1-4_MFUZZanalysis_Name.folder.mfuzz". If NULL, the results will not be saved in a folder. NULL as default.
Name.folder.mfuzz	Character or NULL. If Name.folder.mfuzz is a character, the folder and sub folder names which will contain the PCA graphs will respectively be "1_UnsupervisedAnalysis_Name.folder.mfuzz" and "1-4_MFUZZanalysis_Name.folder.mfuzz". Otherwise, the folder and sub folder names will respectively be "1_UnsupervisedAnalysis" and "1-4_MFUZZanalysis".

Details

All results are built from the results of our function `DATAnormalization()`.

The Mfuzz package works with datasets where rows correspond to genes and columns correspond to times. If `RawCounts` (input of our function `DATAprepSE()`) contains several replicates per time, the algorithm computes the mean of replicates for each gene before using `Mfuzz::mfuzz()`. When there are several biological conditions, the algorithm realizes the `Mfuzz::mfuzz()` analysis for each biological condition.

Value

The function returns

- the final data used for the Mfuzz analysis (see Details).
- the cluster associated to each gene.
- plots generated by `Mfuzz::mfuzz.plot2()` for each biological condition.

See Also

The function uses the function `MFUZZclustersNumber()` to compute the optimal number of cluster for each biological condition with the kmeans method.

Examples

```
## Data simulation
set.seed(33)
DATAclustSIM <- matrix(rnorm(12*10*3, sd=0.2,
                           mean=rep(c(rep(c(1, 6, 9, 4, 3, 1,
                                           6.5, 0.7, 10), times=2),
                                       rep(c(2, 3.6, 3.7, 5, 7.9, 8,
                                           7.5, 3.5, 3.4), times=2))),
                           each=10)),
                      nrow=30, ncol=12)
DATAclustSIM <- floor(DATAclustSIM*100)
##
colnames(DATAclustSIM) <- c("G1_t0_r1", "G1_t1_r1", "G1_t2_r1",
                          "G1_t0_r2", "G1_t1_r2", "G1_t2_r2",
                          "G2_t0_r3", "G2_t1_r3", "G2_t2_r3",
                          "G2_t0_r4", "G2_t1_r4", "G2_t2_r4")
##-----#
## Plot the temporal expression of each individual
graphics::matplot(t(rbind(DATAclustSIM[, 1:3], DATAclustSIM[, 4:6],
                          DATAclustSIM[, 7:9], DATAclustSIM[, 10:12])),
                  col=rep(c("black", "red"), each=6*10),
                  xlab="Time", ylab="Gene expression", type=c("b"), pch=19)
##-----#
## Preprocessing step
DATAclustSIM <- data.frame(DATAclustSIM)

resDATAprepSE <- DATAprepSE(RawCounts=DATAclustSIM,
```

```

        Column.gene=NULL,
        Group.position=1,
        Time.position=2,
        Individual.position=3)

## Normalization
resNorm <- DATAnormalization(Seres=resDATAprepSE,
                             Normalization="rle",
                             Plot.Boxplot=FALSE,
                             Colored.By.Factors=FALSE)

##-----#
resMFUZZ <- MFUZZanalysis(SeresNorm=resNorm,
                          DATAnorm=TRUE,
                          DataNumberCluster=NULL,
                          Membership=0.5,
                          Min.std=0.1,
                          Plot.Mfuzz=TRUE,
                          path.result=NULL)

```

MFUZZclustersNumber *Automatic choice of the number of clusters to use for the Mfuzz analysis*

Description

The function uses `stats::kmeans()` or `FactoMineR::HCPC()` in order to compute the number of cluster for the `Mfuzz::mfuzz()` analysis.

Usage

```

MFUZZclustersNumber(
  SEresNorm,
  DATAnorm = TRUE,
  Method = "hcpc",
  Max.clust = 3,
  Min.std = 0.1,
  Plot.Cluster = TRUE,
  path.result = NULL
)

```

Arguments

SEresNorm	Results of the function <code>DATAnormalization()</code> .
DATAnorm	TRUE or FALSE. TRUE as default. TRUE means the function uses the normalized data. FALSE means the function uses the raw counts data.
Method	"kmeans" or "hcpc". The method used for selecting the number of cluster to be used for the temporal cluster analysis (see Details). Method="kmeans" is advised for large number of genes.

Max.clust	Integer strictly superior to 1 indicating the maximum number of clusters. The default is Max.clust=10.
Min.std	Numeric positive value. All genes where their standard deviations are smaller than the threshold Min.std will be excluded.
Plot.Cluster	TRUE or FALSE. TRUE as default. If TRUE, the output graph will be plotted. Otherwise the graph will be plotted.
path.result	Character or NULL. Path to save the plot described in the section Value. If NULL, the graph will not be saved in a folder. NULL as default.

Details

All results are built from the results of our function `DATAnormalization()`.

The `Mfuzz` package works with datasets where rows correspond to genes and columns correspond to times. If `RawCounts` (input of our function `DATaprepSE()`) contains several replicates per time, the algorithm computes the mean of replicates for each gene before using `Mfuzz::mfuzz()`. When there are several biological conditions, the algorithm realizes the `Mfuzz::mfuzz()` analysis for each biological condition.

The `kmeans` method or the hierarchical clustering method, respectively included in `stats::kmeans()` and `FactoMineR::HCPC()`, is used in order to compute the optimal number of clusters. If there are several biological conditions, the algorithm computes one optimal number of clusters per biological condition.

Value

The function returns

- the optimal number of clusters for each biological condition (between 2 and Max.clust).
- a data.frame with $(N_{bc} + 1)$ columns and Max.clust rows with N_{bc} the number of biological conditions.
 - If Method="kmeans", the *i*th rows and the *j*th column correspond to the within-cluster inertia (see `tot.withinss` from `stats::kmeans()`) dividing by the sum of the variance of each row of `ExprData` of the (*j*-1)th biological condition computed by `stats::kmeans()` with *i* clusters. When there is only one cluster, the within-cluster inertia corresponds to the sum of the variance of each row of `ExprData` (see Details). The first column contains integers between 1 and Max.clust which corresponds to the number of clusters selected for the `stats::kmeans()` analysis.
 - If Method="hcpc", the *j*th column correspond to the clustering heights (see the output height from `FactoMineR::HCPC()`) dividing by the maximum value of height. The first column contains integers between 1 and Max.clust which corresponds to the number of clusters selected for the `stats::kmeans()` analysis.
- a plot which gives
 - If Method="kmeans", the evolution of the weighted within-cluster inertia per number of clusters (from 1 to Max.clust) for each biological condition. The optimal number of cluster for each biological condition will be colored in blue.
 - If Method="hcpc", the evolution of the scaled height per number of clusters (from 1 to Max.clust) for each biological condition. The optimal number of cluster for each biological condition will be colored in blue.

PCAanalysis

*Automatic PCA analysis (Main function)***Description**

The functions performs an automatic principal component analysis (PCA) from a gene expression dataset where samples can belong to different biological conditions and/or time points.

Usage

```
PCAanalysis(
  SEresNorm,
  DATAnorm = TRUE,
  gene.deletion = NULL,
  sample.deletion = NULL,
  Supp.del.sample = FALSE,
  Plot.PCA = TRUE,
  Mean.Accross.Time = FALSE,
  Color.Group = NULL,
  Phi = 25,
  Theta = 140,
  epsilon = 0.2,
  Cex.point = 0.7,
  Cex.label = 0.7,
  D3.mouvement = FALSE,
  path.result = NULL,
  Name.folder.pca = NULL
)
```

Arguments

SEresNorm	Results of the function DATAnormalization() .
DATAnorm	TRUE or FALSE. TRUE as default. TRUE means the function uses the normalized data. FALSE means the function uses the raw counts data.
gene.deletion	NULL or a vector of characters or a vector of integers. NULL as default. If gene.deletion is a vector of characters, all genes with names in gene.deletion will be deleted from the data set as input RawCounts of our function DATAprepSE() . If gene.deletion is a vector of integers, all the corresponding row numbers will be deleted from the data set as input RawCounts of our function DATAprepSE() . If gene.deletion=NULL all genes will be used in the construction of the PCA.
sample.deletion	NULL or a vector of characters or a vector of integers. NULL as default. If sample.deletion is a vector of characters, all samples with names in sample.deletion will not be used in the construction of the PCA. If sample.deletion is a vector of integers, all the corresponding column numbers will not be used in the construction of the PCA from the data set as input RawCounts of our function

	<code>DATaprepSE()</code> . If <code>sample.deletion=NULL</code> all samples will be used in the construction of the PCA.
<code>Supp.del.sample</code>	TRUE or FALSE. If FALSE, the samples selected with <code>sample.deletion</code> will be deleted. If TRUE, the samples selected with <code>sample.deletion</code> will be plotted. These individuals are called supplementary individuals in <code>FactoMineR::PCA()</code> .
<code>Plot.PCA</code>	TRUE or FALSE. TRUE as default. If TRUE, PCA graphs will be plotted. Otherwise no graph will be plotted.
<code>Mean.Accross.Time</code>	TRUE or FALSE. FALSE as default. If FALSE and if <code>Time.position</code> (input of <code>DATaprepSE()</code>) is not set as NULL, consecutive time points within a sample are linked to help visualization of temporal patterns. If TRUE and if <code>Time.position</code> is not set as NULL, the mean per time of all genes is computed for each biological condition and the means of consecutive time points within biological condition are linked to help visualization of temporal patterns.
<code>Color.Group</code>	NULL or a data.frame with N_{bc} rows and two columns where N_{bc} is the number of biological conditions. If <code>Color.Group</code> (input of <code>DATaprepSE()</code>) is a data.frame, the first column must contain the name of each biological condition and the second column must contain the colors associated to each biological condition. If <code>Color.Group=NULL</code> , the function will automatically attribute a color for each biological condition. If samples belong to different time points only, <code>Color.Group</code> will not be used.
<code>Phi</code>	Angle defining the colatitude direction for the 3D PCA plot (see Details in <code>graphics::persp()</code>).
<code>Theta</code>	Angle defining the azimuthal direction for the 3D PCA plot (see Details in <code>graphics::persp()</code>).
<code>epsilon</code>	Non negative numeric value giving the length between points and their labels in all PCA plots which are not automatically plotted by <code>FactoMineR::PCA()</code> .
<code>Cex.point</code>	Non negative numeric value giving the size of points in all PCA plots which are not automatically plotted by <code>FactoMineR::PCA()</code> .
<code>Cex.label</code>	Non negative numeric value giving the size of the labels associated to each point of the all PCA graphs which are not automatically plotted by <code>FactoMineR::PCA()</code> .
<code>D3.mouvement</code>	TRUE or FALSE. If TRUE, the 3D PCA plots will also be plotted in a rgl window (see <code>plot3Drgl::plotrgl()</code>) allowing to interactively rotate and zoom.
<code>path.result</code>	Character or NULL. Path to save all results. If <code>path.result</code> contains a sub folder entitled "1_UnsupervisedAnalysis_Name.folder.pca" and a sub sub folder, "1-2_PCAanalysis_Name.folder.pca" all results will be saved in the sub folder "1_UnsupervisedAnalysis_Name.folder.pca/1-2_PCAanalysis_Name.folder.pca". Otherwise, a sub folder entitled "1_UnsupervisedAnalysis_Name.folder.pca" and/or a sub sub folder "1-2_PCAanalysis_Name.folder.pca" will be created in <code>path.result</code> and all results will be saved in "1_UnsupervisedAnalysis_Name.folder.pca/1-2_PCAanalysis_Name.folder.pca". If NULL, the results will not be saved in a folder. NULL as default.
<code>Name.folder.pca</code>	Character or NULL. If <code>Name.folder.pca</code> is a character, the folder and sub folder names which will contain the PCA graphs will respectively be "1_Unsupervised-

Analysis_Name.folder.pca" and "1-2_PCAanalysis_Name.folder.pca". Otherwise, the folder and sub folder names will respectively be "1_Unsupervised-Analysis" and "1-2_PCAanalysis".

Details

All results are built from the results of our function [DATAnormalization\(\)](#).

Value

The function returns the same SummarizedExperiment class object `SEresNorm` with the outputs from the function [FactoMineR::PCA\(\)](#), and several 2D and 3D PCA graphs depending on the experimental design (if `Plot.PCA=TRUE`)

- When samples belong only to different biological conditions, the function returns a 2D and two 3D PCA graphs. In each graph, samples are colored with different colors for different biological conditions. The two 3D PCA graphs are identical but one of them will be opened in a rgl window (see [plot3Drgl::plotrgl\(\)](#)) and it allows to interactively rotate and zoom.
- When samples belong only to different time points, the function returns
 - One 2D PCA graph, one 3D PCA graph and the same 3D PCA graph in a rgl window where samples are colored with different colors for different time points. Furthermore, lines are drawn between each pair of consecutive points for each sample (if `Mean.Accross.Time=FALSE`, otherwise it will be only between means).
 - The same graphs describe above but without lines.
- When samples belong to different time points and different biological conditions, the function returns
 - One 2D PCA graph, one 3D PCA graph and the same 3D PCA graph in a rgl window where samples are colored with different colors for different time points. Furthermore, lines are drawn between each pair of consecutive points for each sample (if `Mean.Accross.Time=FALSE`, otherwise it will be only between means).
 - The same graphs describe above but without lines.
 - The same six following graphs for each biological condition (one PCA analysis per biological condition). One 2D PCA graph, one 3D PCA graph and the same 3D PCA graph in a rgl window where samples belong to only one biological condition and are colored with different colors for different time points. Furthermore, lines are drawn between each pair of consecutive points for each sample (if `Mean.Accross.Time=FALSE`, otherwise it will be only between means). The three others graphs are identical to the three previous ones but without lines.

The interactive 3D graphs will be plotted only if `D3.mouvement=TRUE`.

See Also

The function calls the R functions [PCAgraphics\(\)](#) and [ColnamesToFactors\(\)](#).

Examples

```

## Simulation raw counts
resSIMcount <- RawCountsSimulation(Nb.Group=2, Nb.Time=3, Nb.per.GT=4,
                                   Nb.Gene=10)

## Preprocessing step
resDATAprepSE <- DATAprepSE(RawCounts=resSIMcount$Sim.dat,
                              Column.gene=1,
                              Group.position=1,
                              Time.position=2,
                              Individual.position=3)

## Normalization
resNorm <- DATAnormalization(SEres=resDATAprepSE,
                              Normalization="rle",
                              Plot.Boxplot=FALSE,
                              Colored.By.Factors=FALSE)

## Color for each group
GROUPcolor <- data.frame(Name=c("G1", "G2"), Col=c("black", "red"))
##-----#
resPCAanalysis <- PCAanalysis(SEresNorm=resNorm,
                              DATAnorm=TRUE,
                              gene.deletion=c("Gene1", "Gene5"),
                              sample.deletion=c(2, 6),
                              Supp.del.sample=FALSE,
                              Plot.PCA=TRUE,
                              Mean.Accross.Time=FALSE,
                              Color.Group=GROUPcolor,
                              D3.mouvement=FALSE,
                              Phi=25, Theta=140,
                              Cex.label=0.7, Cex.point=0.7, epsilon=0.2,
                              path.result=NULL, Name.folder.pca=NULL)

```

PCAgraphics

Multiple 2D and 3D PCA graphs.

Description

The function plots 2D and 3D PCA using the function `PCArealization()` which realizes a PCA analysis. This function is called repeatedly by the function `PCAanalysis()` if samples belong to different biological conditions and time points.

Usage

```

PCAgraphics(
  SEresNorm,
  DATAnorm = TRUE,
  gene.deletion = NULL,
  sample.deletion = NULL,
  Supp.del.sample = FALSE,
  Plot.PCA = TRUE,

```

```

Mean.Accross.Time = FALSE,
Color.Group = NULL,
D3.mouvement = FALSE,
Phi = 25,
Theta = 140,
epsilon = 0.2,
Cex.point = 0.7,
Cex.label = 0.7,
path.result = NULL,
Name.file.pca = NULL
)

```

Arguments

SEresNorm	Results of the function DATAnormalization() .
DATANorm	TRUE or FALSE. TRUE as default. TRUE means the function uses the normalized data. FALSE means the function uses the raw counts data.
gene.deletion	NULL or a vector of characters or a vector of integers. NULL as default. If <code>gene.deletion</code> is a vector of characters, all genes with names in <code>gene.deletion</code> will be deleted from the data set as input <code>RawCounts</code> of our function DATAprepSE() . If <code>gene.deletion</code> is a vector of integers, all the corresponding row numbers will be deleted from the data set as input <code>RawCounts</code> of our function DATAprepSE() . If <code>gene.deletion=NULL</code> all genes will be used in the construction of the PCA.
sample.deletion	NULL or a vector of characters or a vector of integers. NULL as default. If <code>sample.deletion</code> is a vector of characters, all samples with names in <code>sample.deletion</code> will not be used in the construction of the PCA. If <code>sample.deletion</code> is a vector of integers, all the corresponding column numbers will not be used in the construction of the PCA from the data set as input <code>RawCounts</code> of our function DATAprepSE() . If <code>sample.deletion=NULL</code> all samples will be used in the construction of the PCA.
Supp.del.sample	TRUE or FALSE. If FALSE, the samples selected with <code>sample.deletion</code> will be deleted. If TRUE, the samples selected with <code>sample.deletion</code> will be plotted. These individuals are called supplementary individuals in FactoMineR::PCA() .
Plot.PCA	TRUE or FALSE. TRUE as default. If TRUE, PCA graphs will be plotted. Otherwise no graph will be plotted.
Mean.Accross.Time	TRUE or FALSE. FALSE as default. If FALSE and if <code>Time.position</code> (input of DATAprepSE()) is not set as NULL, consecutive time points within a sample are linked to help visualization of temporal patterns. If TRUE and if <code>Time.position</code> is not set as NULL, the mean per time of all genes is computed for each biological condition and the means of consecutive time points within biological condition are linked to help visualization of temporal patterns.
Color.Group	NULL or a data.frame with N_{bc} rows and two columns where N_{bc} is the number of biological conditions. If <code>Color.Group</code> (input of DATAprepSE()) is a data.frame, the first column must contain the name of each biological condition and the second column must contain the colors associated to each biological condition. If

	Color.Group=NULL, the function will automatically attribute a color for each biological condition. If samples belong to different time points only, Color.Group will not be used.
D3.mouvement	TRUE or FALSE. If TRUE, the 3D PCA plots will also be plotted in a rgl window (see <code>plot3Drgl::plotrgl()</code>) allowing to interactively rotate and zoom.
Phi	Angle defining the colatitude direction for the 3D PCA plot (see Details in <code>graphics::persp()</code>).
Theta	Angle defining the azimuthal direction for the 3D PCA plot (see Details in <code>graphics::persp()</code>).
epsilon	Non negative numeric value giving the length between points and their labels in all PCA plots which are not automatically plotted by <code>FactoMineR::PCA()</code> .
Cex.point	Non negative numeric value giving the size of points in all PCA plots which are not automatically plotted by <code>FactoMineR::PCA()</code> .
Cex.label	Non negative numeric value giving the size of the labels associated to each point of the all PCA graphs which are not automatically plotted by <code>FactoMineR::PCA()</code> .
path.result	Character or NULL. Path to save the different PCA graphs. If NULL, the different PCA graphs will not be saved in a folder. NULL as default.
Name.file.pca	Character or NULL. If Name.file.pca is a character, Name.file.pca will be added at the beginning of all names of the saved graphs.

Details

All results are built from the results of our function `DATAnormalization()`.

Value

The function returns the same SummarizedExperiment class object `SEresNorm` with the outputs from the function `FactoMineR::PCA()`, and plots several 2D and 3D PCA graphs depending on the experimental design (if `Plot.PCA=TRUE`)

- When samples belong only to different biological conditions, the function returns a 2D and two 3D PCA graphs. In each graph, samples are colored with different colors for different biological conditions. The two 3D PCA graphs are identical but one of them will be opened in a rgl window (see `plot3Drgl::plotrgl()`) and it allows to interactively rotate and zoom.
- When samples belong only to different time points, the function returns
 - One 2D PCA graph, one 3D PCA graph and the same 3D PCA graph in a rgl window where samples are colored with different colors for different time points. Furthermore, lines are drawn between each pair of consecutive points for each sample (if `Mean.Accross.Time=FALSE`, otherwise it will be only between means).
 - The same graphs describe above but without lines.
- When samples belong to different time points and different biological conditions, the function returns
 - One 2D PCA graph, one 3D PCA graph and the same 3D PCA graph in a rgl window where samples are colored with different colors for different time points. Furthermore, lines are drawn between each pair of consecutive points for each sample (if `Mean.Accross.Time=FALSE`, otherwise it will be only between means).

PCAPreprocessing	<i>Reshaped dataset for factorial analysis.</i>
------------------	---

Description

The function generates a SummarizedExperiment class object containing the dataset reshaped from the original dataset, to be used by the function `FactoMineR::PCA()`, which performs the Principal Component Analysis (PCA). This function is called by the function `PCArealization()`, which also calls the function `FactoMineR::PCA()`.

Usage

```
PCAPreprocessing(SEresNorm, DATAnorm = TRUE)
```

Arguments

SEresNorm	Results of the function <code>DATAnormalization()</code> .
DATAnorm	TRUE or FALSE. TRUE as default. TRUE means the function uses the normalized data. FALSE means the function uses the raw counts data.

Details

All results are built from the results of our function `DATAnormalization()`.

Value

The function returns a SummarizedExperiment class object containing information and a reshape of the originally dataset for the PCA analysis. The reshaped dataset which corresponds to a data.frame with $(N_g + k)$ columns and N_s rows, where N_g is the number of genes, N_s is the number of samples and

- $k = 1$ if samples belong to different biological condition or time points. In that case, the first column will contain the biological condition or the time point associated to each sample.
- $k = 2$ if samples belong to different biological condition and time points. In that case, the first column will contain the biological condition and the second column the time point associated to each sample.

The other N_g columns form a sub data.frame which is a transpose of the data.frame composed of the N_s numeric columns of `ExprData`.

See Also

The function is called by our function `PCArealization()` and uses our function `DATAnormalization()`.

Examples

```

## Simulation raw counts
resSIMcount <- RawCountsSimulation(Nb.Group=2, Nb.Time=3, Nb.per.GT=4,
                                   Nb.Gene=10)

## Preprocessing step
resDATAprepSE <- DATAprepSE(RawCounts=resSIMcount$Sim.dat,
                             Column.gene=1,
                             Group.position=1,
                             Time.position=2,
                             Individual.position=3)

## Normalization
resNorm <- DATAnormalization(SEres=resDATAprepSE,
                              Normalization="rle",
                              Plot.Boxplot=FALSE,
                              Colored.By.Factors=FALSE)

##-----#
resPCadata <- PCApreprocessing(SEresNorm=resNorm,
                              DATAnorm=TRUE)

```

PCArealization

PCA realization

Description

From a gene expression dataset, the functions performs the Principal Component Analysis (PCA) through the R function `FactoMineR::PCA()`.

Usage

```

PCArealization(
  SEresNorm,
  DATAnorm = TRUE,
  gene.deletion = NULL,
  sample.deletion = NULL,
  Supp.del.sample = FALSE
)

```

Arguments

<code>SEresNorm</code>	Results of the function <code>DATAnormalization()</code> .
<code>DATAnorm</code>	TRUE or FALSE. TRUE as default. TRUE means the function uses the normalized data. FALSE means the function uses the raw counts data.
<code>gene.deletion</code>	NULL or a vector of characters or a vector of integers. NULL as default. If <code>gene.deletion</code> is a vector of characters, all genes with names in <code>gene.deletion</code> will be deleted from the data set as input <code>RawCounts</code> of our function <code>DATAprepSE()</code> . If <code>gene.deletion</code> is a vector of integers, all the corresponding row numbers will be deleted from the data set as input <code>RawCounts</code> of our function <code>DATAprepSE()</code> . If <code>gene.deletion=NULL</code> all genes will be used in the construction of the PCA.

`sample.deletion`
 NULL or a vector of characters or a vector of integers. NULL as default. If `sample.deletion` is a vector of characters, all samples with names in `sample.deletion` will not be used in the construction of the PCA. If `sample.deletion` is a vector of integers, all the corresponding column numbers will not be used in the construction of the PCA from the data set as input `RawCounts` of our function `DATaprepSE()`. If `sample.deletion=NULL` all samples will be used in the construction of the PCA.

`Supp.del.sample`
 TRUE or FALSE. FALSE by default. If FALSE, the samples selected with `sample.deletion` will be deleted. If TRUE, the samples selected with `sample.deletion` will be plotted. These individuals are called supplementary individuals in `FactoMineR::PCA()`.

Details

All results are built from the results of our function `DATAnormalization()`.

Value

The function returns the same `SummarizedExperiment` class object `SEresNorm` but with the output of the `FactoMineR::PCA()` function (see `FactoMineR::PCA()`).

See Also

The `PCArealization()` function

- is used by the following functions of our package : `PCAanalysis()` and `HCPCanalysis()`.
- calls the R function `PCAp preprocessing()` for reshaping the data and uses its output for performing a Principal Component (PCA) with `FactoMineR::PCA()`.

Examples

```
## Simulation raw counts
resSIMcount <- RawCountsSimulation(Nb.Group=2, Nb.Time=3, Nb.per.GT=4,
                                   Nb.Gene=10)

## Preprocessing step
resDATaprepSE <- DATaprepSE(RawCounts=resSIMcount$Sim.dat,
                            Column.gene=1,
                            Group.position=1,
                            Time.position=2,
                            Individual.position=3)

## Normalization
resNorm <- DATAnormalization(SEres=resDATaprepSE,
                             Normalization="rle",
                             Plot.Boxplot=FALSE,
                             Colored.By.Factors=FALSE)

##-----#
resPCAex <- PCArealization(SEresNorm=resNorm,
                           DATAnorm=TRUE,
                           gene.deletion=c(3,5),
                           sample.deletion=c("G1_t0_Ind2", "G1_t1_Ind3"),
```

```

                                Supp.del.sample=FALSE)
##-----#
resPCAex2 <- PCArealization(SEresNorm=resNorm,
                            DATAnorm=TRUE,
                            gene.deletion=c("Gene3", "Gene5"),
                            sample.deletion=c(3,8),
                            Supp.del.sample=TRUE)

```

RawCounts_Antoszewski2022_MOUSEsub500

Mouse raw counts data

Description

There are 4 groups : samples with or without hyper activation of the gene NOTTCH1 (N1ha versus N1wt) and with or without knock out of the gene TCF1 (T1ko versus T1wt). The original dataset has 39017 genes but we kept only 500 genes in order to increase the speed of each function in our algorithm.

Usage

```
data(RawCounts_Antoszewski2022_MOUSEsub500)
```

Format

A data frame with 500 rows (genes) and 13 columns (samples). The column names are as follow

Gene ENSEMBL gene names.

N1wtT1wt_r1 The sample is the first replica (r1) of the biological condition N1wt and T1wt.

N1wtT1wt_r2 The sample is the second replica (r2) of the biological condition N1wt and T1wt.

N1wtT1wt_r3 The sample is the third replica (r3) of the biological condition N1wt and T1wt.

N1haT1wt_r4 The sample is the first replica (r4) of the biological condition N1ha and T1wt.

N1haT1wt_r5 The sample is the second replica (r5) of the biological condition N1ha and T1wt.

N1haT1wt_r6 The sample is the third replica (r6) of the biological condition N1ha and T1wt.

N1haT1ko_r7 The sample is the first replica (r7) of the biological condition N1ha and T1ko.

N1haT1ko_r8 The sample is the second replica (r8) of the biological condition N1ha and T1ko.

N1haT1ko_r9 The sample is the third replica (r9) of the biological condition N1ha and T1ko.

N1wtT1ko_r10 The sample is the first replica (r10) of the biological condition N1wt and T1ko.

N1wtT1ko_r11 The sample is the second replica (r11) of the biological condition N1wt and T1ko.

N1wtT1ko_r12 The sample is the third replica (r12) of the biological condition N1wt and T1ko.

Details

The following is quoted from the GEO series GSE169116 (link in source):

Summary : "NOTCH1 is a well-established lineage specifier for T cells and among the most frequently mutated genes throughout all subclasses of T cell acute lymphoblastic leukemia (T-ALL). How oncogenic NOTCH1 signaling launches a leukemia-prone chromatin landscape during T-ALL initiation is unknown. Here we demonstrate an essential role for the high-mobility-group transcription factor Tcf1 in orchestrating chromatin accessibility and topology allowing for aberrant Notch1 signaling to convey its oncogenic function. Although essential, Tcf1 is not sufficient to initiate leukemia. The formation of a leukemia-prone landscape at the distal Notch1-regulated Myc enhancer, which is fundamental to this disease, is Tcf1-dependent and occurs within the earliest progenitor stage even before cells adopt a T lymphocyte or leukemic fate. Moreover, we discovered an additional evolutionarily conserved Tcf1-regulated enhancer element, in the distal Myc-enhancer, which is important for the transition of pre-leukemic cells to full-blown disease."

Overall design: "Expression profile comparisons of sorted LSK derived from C57BL/6J; Sv/129 compound mice with Notch1 induced or Tcf1 knocked-down."

We kept 500 genes only in order to increase the speed for each example.

Value

Mouse dataset with four biological conditions.

Source

This dataset comes from Gene Expression Omnibus (GEO) <https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE169116>. The name of the samples was renamed in order to be used with our package.

References

Antoszewski M, Fournier N, Ruiz Buendía GA, Lourenco J et al. 'Tcf1 is essential for initiation of oncogenic Notch1-driven chromatin topology in T-ALL'. Blood 2022 Jan 12. PMID:35020836. GEO:GSE169116.

Examples

```
data(RawCounts_Antoszewski2022_MOUSEsub500)
```

RawCounts_Leong2014_FISSIONsub500wt

Yeast times series raw counts data after stimulation with and without silencing

Description

Raw counts data for fission yeast RNA-Seq experiment with two groups (wt and mut), 6 times (0, 15min, 30min, 60min, 120min, 180min) and 3 replicates for each group and time. The original dataset has 7039 genes but we kept only 500 genes in order to increase the speed of each function in our algorithm.

Usage

```
data(RawCounts_Leong2014_FISSIONsub500wt)
```

Format

A data frame with 500 rows (genes) and 37 columns (samples). The column names are as follow

Gene Gene name

wt_t0_r1 The sample is the first replica (r1) of the biological condition control (wt) at time t0 (0 min)

wt_t0_r2 The sample is the second replica (r2) of the biological condition control (wt) at time t0 (0 min)

wt_t0_r3 The sample is the third replica (r3) of the biological condition control (wt) at time t0 (0 min)

wt_t1_r1 The sample is the first replica (r1) of the biological condition control (wt) at time t1 (15 min)

wt_t1_r2 The sample is the second replica (r2) of the biological condition control (wt) at time t1 (15 min)

wt_t1_r3 The sample is the third replica (r3) of the biological condition control (wt) at time t1 (15 min)

wt_t2_r1 The sample is the first replica (r1) of the biological condition control (wt) at time t2 (30 min)

wt_t2_r2 The sample is the second replica (r2) of the biological condition control (wt) at time t2 (30 min)

wt_t2_r3 The sample is the third replica (r3) of the biological condition control (wt) at time t2 (30 min)

wt_t3_r1 The sample is the first replica (r1) of the biological condition control (wt) at time t3 (60 min)

wt_t3_r2 The sample is the second replica (r2) of the biological condition control (wt) at time t3 (60 min)

wt_t3_r3 The sample is the third replica (r3) of the biological condition control (wt) at time t3 (60 min)

wt_t4_r1 The sample is the first replica (r1) of the biological condition control (wt) at time t4 (120 min)

wt_t4_r2 The sample is the second replica (r2) of the biological condition control (wt) at time t4 (120 min)

wt_t4_r3 The sample is the third replica (r3) of the biological condition control (wt) at time t4 (120 min)

wt_t5_r1 The sample is the first replica (r1) of the biological condition control (wt) at time t5 (180 min)

wt_t5_r2 The sample is the second replica (r2) of the biological condition control (wt) at time t5 (180 min)

wt_t5_r3 The sample is the third replica (r3) of the biological condition control (wt) at time t5 (180 min)

Details

The following is quoted from the GEO series GSE56761 (link in source):

Summary: "Mitogen Activated Protein Kinase (MAPK) signaling cascades transduce information arising from events external to the cell, such as environmental stresses, to a variety of downstream effectors and transcription factors. The fission yeast stress activated MAP kinase (SAPK) pathway is conserved with the p38 and JNK pathways in humans, and comprises the MAPKKKs Win1, Wis4, the MAPKK Wis1, and the MAPK, Sty1. Sty1 and its main downstream effector Atf1 regulate a large set of core environmental stress response genes. The fission yeast genome encodes three other ATF proteins: Atf21, Atf31 and Pcr1. Among these, atf21 is specifically induced under conditions of high osmolarity. We have therefore instigated a programme to investigate the role played by non coding RNAs (ncRNAs) in response to osmotic stress challenge in wild type and atf21Delta cells. By integrating global proteomics and RNA sequencing data, we identified a systematic program in which elevated antisense RNAs arising both from ncRNAs and from 3'-overlapping convergent gene-pairs is directly associated with substantial reductions in protein levels throughout the fission yeast genome. We also found an extensive array of ncRNAs with trans associations that have the potential to influence different biological processes and stress responses in fission yeast, suggesting ncRNAs comprise additional components of the SAPK regulatory system".

Overall design: "Global transcription profiles of fission yeast wild type (WT) and atf21del strains over an osmotic stress time course following treatment with 1M sorbitol at 0, 15, 30, 60, 120 and 180 mins. Strand-specific single end sequencing of total RNA was performed in biological triplicates on the Applied Biosystems SOLiD 5500xl Genetic Analyzer System".

We kept 500 genes only in order to increase the speed for each example.

Value

Yeast dataset with 6 time measurements.

Source

This dataset can be found in the R Package fission. <https://bioconductor.org/packages/release/data/experiment/html/fission.html> Link of GEO series GSE56761: <https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE56761>. The name of the samples was renamed in order to be used with our package.

References

Leong HS, Dawson K, Wirth C, Li Y et al. 'A global non-coding RNA system modulates fission yeast protein levels in response to stress'. Nat Commun 2014 May 23;5:3947. PMID:24853205. GEO:GSE56761.

Examples

```
data(RawCounts_Leong2014_FISSIONsub500wt)
```

 RawCounts_Schleiss2021_CLLsub500

Human CCL times series raw counts data after stimulation with and without silencing

Description

This time series count data (read counts) represents the temporal transcriptional response of primary human chronic lymphocytic leukemia (CLL)-cells after B-cell receptor stimulation. There are 9 time points (before stimulation (0h) and at the time points 1h, 1h30, 3h30, 6h30, 12h, 24h, 48h and 96h after cell stimulation) and samples are divided in two groups : Proliferating (P) and Non Proliferating (NP). There are also 3 replicates for a time and biological condition. The original dataset has 25369 genes but we kept only 500 genes in order to increase the speed of each function in our algorithm.

Usage

```
data(RawCounts_Schleiss2021_CLLsub500)
```

Format

A data frame with 500 rows (genes) and 55 columns (samples). The column names are as follow

Genes Symbol gene name.

CLL_P_r1_t0 The sample is the first replica (r1) of the biological condition control (P) at time t0 (0h)

CLL_P_r1_t1 The sample is the first replica (r1) of the biological condition control (P) at time t1 (1h)

CLL_P_r1_t2 The sample is the first replica (r1) of the biological condition control (P) at time t2 (1h30)

CLL_P_r1_t3 The sample is the first replica (r1) of the biological condition control (P) at time t3 (3h30)

CLL_P_r1_t4 The sample is the first replica (r1) of the biological condition control (P) at time t4 (6h30)

CLL_P_r1_t5 The sample is the first replica (r1) of the biological condition control (P) at time t5 (12h)

CLL_P_r1_t6 The sample is the first replica (r1) of the biological condition control (P) at time t6 (24h)

CLL_P_r1_t7 The sample is the first replica (r1) of the biological condition control (P) at time t7 (48h)

CLL_P_r1_t8 The sample is the first replica (r1) of the biological condition control (P) at time t8 (96h)

CLL_P_r2_t0 The sample is the second replica (r2) of the biological condition control (P) at time t0 (0h)

- CLL_P_r2_t1** The sample is the second replica (r2) of the biological condition control (P) at time t1 (1h)
- CLL_P_r2_t2** The sample is the second replica (r2) of the biological condition control (P) at time t2 (1h30)
- CLL_P_r2_t3** The sample is the second replica (r2) of the biological condition control (P) at time t3 (3h30)
- CLL_P_r2_t4** The sample is the second replica (r2) of the biological condition control (P) at time t4 (6h30)
- CLL_P_r2_t5** The sample is the second replica (r2) of the biological condition control (P) at time t5 (12h)
- CLL_P_r2_t6** The sample is the second replica (r2) of the biological condition control (P) at time t6 (24h)
- CLL_P_r2_t7** The sample is the second replica (r2) of the biological condition control (P) at time t7 (48h)
- CLL_P_r2_t8** The sample is the second replica (r2) of the biological condition control (P) at time t8 (96h)
- CLL_P_r3_t0** The sample is the third replica (r3) of the biological condition control (P) at time t0 (0h)
- CLL_P_r3_t1** The sample is the third replica (r3) of the biological condition control (P) at time t1 (1h)
- CLL_P_r3_t2** The sample is the third replica (r3) of the biological condition control (P) at time t2 (1h30)
- CLL_P_r3_t3** The sample is the third replica (r3) of the biological condition control (P) at time t3 (3h30)
- CLL_P_r3_t4** The sample is the third replica (r3) of the biological condition control (P) at time t4 (6h30)
- CLL_P_r3_t5** The sample is the third replica (r3) of the biological condition control (P) at time t5 (12h)
- CLL_P_r3_t6** The sample is the third replica (r3) of the biological condition control (P) at time t6 (24h)
- CLL_P_r3_t7** The sample is the third replica (r3) of the biological condition control (P) at time t7 (48h)
- CLL_P_r3_t8** The sample is the third replica (r3) of the biological condition control (P) at time t8 (96h)
- CLL_NP_r4_t0** The sample is the first replica (r4) of the biological condition control (NP) at time t0 (0h)
- CLL_NP_r4_t1** The sample is the first replica (r4) of the biological condition control (NP) at time t1 (1h)
- CLL_NP_r4_t2** The sample is the first replica (r4) of the biological condition control (NP) at time t2 (1h30)
- CLL_NP_r4_t3** The sample is the first replica (r4) of the biological condition control (NP) at time t3 (3h30)

- CLL_NP_r4_t4** The sample is the first replica (r4) of the biological condition control (NP) at time t4 (6h30)
- CLL_NP_r4_t5** The sample is the first replica (r4) of the biological condition control (NP) at time t5 (12h)
- CLL_NP_r4_t6** The sample is the first replica (r4) of the biological condition control (NP) at time t6 (24h)
- CLL_NP_r4_t7** The sample is the first replica (r4) of the biological condition control (NP) at time t7 (48h)
- CLL_NP_r4_t8** The sample is the first replica (r4) of the biological condition control (NP) at time t8 (96h)
- CLL_NP_r5_t0** The sample is the second replica (r5) of the biological condition control (NP) at time t0 (0h)
- CLL_NP_r5_t1** The sample is the second replica (r5) of the biological condition control (NP) at time t1 (1h)
- CLL_NP_r5_t2** The sample is the second replica (r5) of the biological condition control (NP) at time t2 (1h30)
- CLL_NP_r5_t3** The sample is the second replica (r5) of the biological condition control (NP) at time t3 (3h30)
- CLL_NP_r5_t4** The sample is the second replica (r5) of the biological condition control (NP) at time t4 (6h30)
- CLL_NP_r5_t5** The sample is the second replica (r5) of the biological condition control (NP) at time t5 (12h)
- CLL_NP_r5_t6** The sample is the second replica (r5) of the biological condition control (NP) at time t6 (24h)
- CLL_NP_r5_t7** The sample is the second replica (r5) of the biological condition control (NP) at time t7 (48h)
- CLL_NP_r5_t8** The sample is the second replica (r5) of the biological condition control (NP) at time t8 (96h)
- CLL_NP_r6_t0** The sample is the third replica (r6) of the biological condition control (NP) at time t0 (0h)
- CLL_NP_r6_t1** The sample is the third replica (r6) of the biological condition control (NP) at time t1 (1h)
- CLL_NP_r6_t2** The sample is the third replica (r6) of the biological condition control (NP) at time t2 (1h30)
- CLL_NP_r6_t3** The sample is the third replica (r6) of the biological condition control (NP) at time t3 (3h30)
- CLL_NP_r6_t4** The sample is the third replica (r6) of the biological condition control (NP) at time t4 (6h30)
- CLL_NP_r6_t5** The sample is the third replica (r6) of the biological condition control (NP) at time t5 (12h)
- CLL_NP_r6_t6** The sample is the third replica (r6) of the biological condition control (NP) at time t6 (24h)

CLL_NP_r6_t7 The sample is the third replica (r6) of the biological condition control (NP) at time t7 (48h)

CLL_NP_r6_t8 The sample is the third replica (r6) of the biological condition control (NP) at time t8 (96h)

Details

The following is quoted from the GEO series GSE130385 (link in source):

Summary: "The B-cell receptor (BCR) signaling is crucial for the pathophysiology of most leukemias and lymphomas originated from mature B lymphocytes and has emerged as a new therapeutic target, especially for chronic lymphocytic leukemia (CLL). However, the precise mechanisms by which BCR signaling controls neoplastic B-cell proliferation are ill characterized. This work was performed using primary leukemic cells of untreated patients at initial stage of CLL (Binet stage A / Rai 0) presenting biological characteristics of aggressive form of the disease (unmutated IGHV genes and ZAP70 protein expression). In order to mimic the primary leukemogenic step occurring in vivo, this study focused on the BCR-dependent proliferation of CLL cells induced ex vivo using anti-IgM, together with mandatory co-stimulating factors (CD40L, IL-4 and IL-21) (Schleiss, Sci Rep, 2019). Cell proliferation was objectivized by the emergence of proliferative clusters and the presence of more than 25% of CLL cells that did undergo division within the cell culture at day 6. To capture the specific actors of the proliferative response in these samples, we also included non-proliferating control CLL samples. Gene expression was analyzed by RNA-seq before stimulation (T0) and at the time points 1h, 1h30, 3h30, 6h30, 12h, 24h, 48h and 96h after cell stimulation (n=54 data points), the latest time points corresponding to the emergence of the proliferation clusters."

Overall design: "Temporal transcriptional response (T0 + 8 time points) of primary chronic lymphocytic leukemia (CLL) cells after BCR engagement ex vivo (anti-IgM, IL-4, CD40Ligand and IL-21) of 3 Proliferating (P1, P2, P3) and 3 Non Proliferating samples (NP1, NP2, NP3)".

Value

Human CLL times series dataset with two biological conditions and with 9 time measurements.

Source

This dataset comes from Gene Expression Omnibus (GEO) <https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE130385>. I rewrite the name of the sample in order to be used with my package.

References

Schleiss C, Carapito R, Fornecker LM, Muller L et al. 'Temporal multiomic modeling reveals a B-cell receptor proliferative program in chronic lymphocytic leukemia'. *Leukemia* 2021 May;35(5):1463-1474. PMID:33833385. GEO:GSE130385

Examples

```
data(RawCounts_Schleiss2021_CLLsub500)
```

 RawCounts_Weger2021_MOUSEsub500

Mouse count data with four biological conditions, six time measurements and 500 genes.

Description

This time series count data (read counts) represents the temporal transcriptional response (six time measurements across the course of a day) of Bmal1 wild-type (WT) and Cry1/2 WT, Bmal1 KO and Cry1/2 WT, Bmal1 (WT) and Cry1/2 KO, and Bmal1 KO and Cry1/2 KO mice under an ad libitum (AL) or night restricted feeding (RF) regimen. Therefore, there are eight biological conditions. As there are only two mice per biological condition, we will not consider the effect of the regimen. The original dataset has 40327 genes but we kept only 500 genes in order to increase the speed of each function in our algorithm.

Usage

```
data(RawCounts_Weger2021_MOUSEsub500)
```

Format

A data frame with 500 rows (genes) and 97 columns (samples). The column names are as follow

Gene ENSEMBL gene names.

BmKo_t0_r1 The sample is the first replica (r1) of the biological condition Bmal1 and KO at time t0 (00h).

BmKo_t1_r1 The sample is the first replica (r1) of the biological condition Bmal1 and KO at time t1 (04h).

BmKo_t2_r1 The sample is the first replica (r1) of the biological condition Bmal1 and KO at time t2 (08h).

BmKo_t3_r1 The sample is the first replica (r1) of the biological condition Bmal1 and KO at time t3 (12h).

BmKo_t4_r1 The sample is the first replica (r1) of the biological condition Bmal1 and KO at time t4 (16h).

BmKo_t5_r1 The sample is the first replica (r1) of the biological condition Bmal1 and KO at time t5 (20h).

BmKo_t0_r2 The sample is the first replica (r2) of the biological condition Bmal1 and KO at time t0 (00h).

BmKo_t1_r2 The sample is the first replica (r2) of the biological condition Bmal1 and KO at time t1 (04h).

BmKo_t2_r2 The sample is the first replica (r2) of the biological condition Bmal1 and KO at time t2 (08h).

BmKo_t3_r2 The sample is the first replica (r2) of the biological condition Bmal1 and KO at time t3 (12h).

- BmKo_t4_r2** The sample is the first replica (r2) of the biological condition Bmal1 and KO at time t4 (16h).
- BmKo_t5_r2** The sample is the first replica (r2) of the biological condition Bmal1 and KO at time t5 (20h).
- BmKo_t0_r3** The sample is the first replica (r3) of the biological condition Bmal1 and KO at time t0 (00h).
- BmKo_t1_r3** The sample is the first replica (r3) of the biological condition Bmal1 and KO at time t1 (04h).
- BmKo_t2_r3** The sample is the first replica (r3) of the biological condition Bmal1 and KO at time t2 (08h).
- BmKo_t3_r3** The sample is the first replica (r3) of the biological condition Bmal1 and KO at time t3 (12h).
- BmKo_t4_r3** The sample is the first replica (r3) of the biological condition Bmal1 and KO at time t4 (16h).
- BmKo_t5_r3** The sample is the first replica (r3) of the biological condition Bmal1 and KO at time t5 (20h).
- BmKo_t0_r4** The sample is the first replica (r4) of the biological condition Bmal1 and KO at time t0 (00h).
- BmKo_t1_r4** The sample is the first replica (r4) of the biological condition Bmal1 and KO at time t1 (04h).
- BmKo_t2_r4** The sample is the first replica (r4) of the biological condition Bmal1 and KO at time t2 (08h).
- BmKo_t3_r4** The sample is the first replica (r4) of the biological condition Bmal1 and KO at time t3 (12h).
- BmKo_t4_r4** The sample is the first replica (r4) of the biological condition Bmal1 and KO at time t4 (16h).
- BmKo_t5_r4** The sample is the first replica (r4) of the biological condition Bmal1 and KO at time t5 (20h).
- BmWt_t0_r5** The sample is the first replica (r5) of the biological condition Bmal1 and wild-type at time t0 (00h).
- BmWt_t1_r5** The sample is the first replica (r5) of the biological condition Bmal1 and wild-type at time t1 (04h).
- BmWt_t2_r5** The sample is the first replica (r5) of the biological condition Bmal1 and wild-type at time t2 (08h).
- BmWt_t3_r5** The sample is the first replica (r5) of the biological condition Bmal1 and wild-type at time t3 (12h).
- BmWt_t4_r5** The sample is the first replica (r5) of the biological condition Bmal1 and wild-type at time t4 (16h).
- BmWt_t5_r5** The sample is the first replica (r5) of the biological condition Bmal1 and wild-type at time t5 (20h).
- BmWt_t0_r6** The sample is the first replica (r6) of the biological condition Bmal1 and wild-type at time t0 (00h).

- BmWt_t1_r6** The sample is the first replica (r6) of the biological condition Bmal1 and wild-type at time t1 (04h).
- BmWt_t2_r6** The sample is the first replica (r6) of the biological condition Bmal1 and wild-type at time t2 (08h).
- BmWt_t3_r6** The sample is the first replica (r6) of the biological condition Bmal1 and wild-type at time t3 (12h).
- BmWt_t4_r6** The sample is the first replica (r6) of the biological condition Bmal1 and wild-type at time t4 (16h).
- BmWt_t5_r6** The sample is the first replica (r6) of the biological condition Bmal1 and wild-type at time t5 (20h).
- BmWt_t0_r7** The sample is the first replica (r7) of the biological condition Bmal1 and wild-type at time t0 (00h).
- BmWt_t1_r7** The sample is the first replica (r7) of the biological condition Bmal1 and wild-type at time t1 (04h).
- BmWt_t2_r7** The sample is the first replica (r7) of the biological condition Bmal1 and wild-type at time t2 (08h).
- BmWt_t3_r7** The sample is the first replica (r7) of the biological condition Bmal1 and wild-type at time t3 (12h).
- BmWt_t4_r7** The sample is the first replica (r7) of the biological condition Bmal1 and wild-type at time t4 (16h).
- BmWt_t5_r7** The sample is the first replica (r7) of the biological condition Bmal1 and wild-type at time t5 (20h).
- BmWt_t0_r8** The sample is the first replica (r8) of the biological condition Bmal1 and wild-type at time t0 (00h).
- BmWt_t1_r8** The sample is the first replica (r8) of the biological condition Bmal1 and wild-type at time t1 (04h).
- BmWt_t2_r8** The sample is the first replica (r8) of the biological condition Bmal1 and wild-type at time t2 (08h).
- BmWt_t3_r8** The sample is the first replica (r8) of the biological condition Bmal1 and wild-type at time t3 (12h).
- BmWt_t4_r8** The sample is the first replica (r8) of the biological condition Bmal1 and wild-type at time t4 (16h).
- BmWt_t5_r8** The sample is the first replica (r8) of the biological condition Bmal1 and wild-type at time t5 (20h).
- CrKo_t0_r9** The sample is the first replica (r9) of the biological condition Cry1/2 and KO at time t0 (00h).
- CrKo_t1_r9** The sample is the first replica (r9) of the biological condition Cry1/2 and KO at time t1 (04h).
- CrKo_t2_r9** The sample is the first replica (r9) of the biological condition Cry1/2 and KO at time t2 (08h).
- CrKo_t3_r9** The sample is the first replica (r9) of the biological condition Cry1/2 and KO at time t3 (12h).

- CrKo_t4_r9** The sample is the first replica (r9) of the biological condition Cry1/2 and KO at time t4 (16h).
- CrKo_t5_r9** The sample is the first replica (r9) of the biological condition Cry1/2 and KO at time t5 (20h).
- CrKo_t0_r10** The sample is the first replica (r10) of the biological condition Cry1/2 and KO at time t0 (00h).
- CrKo_t1_r10** The sample is the first replica (r10) of the biological condition Cry1/2 and KO at time t1 (04h).
- CrKo_t2_r10** The sample is the first replica (r10) of the biological condition Cry1/2 and KO at time t2 (08h).
- CrKo_t3_r10** The sample is the first replica (r10) of the biological condition Cry1/2 and KO at time t3 (12h).
- CrKo_t4_r10** The sample is the first replica (r10) of the biological condition Cry1/2 and KO at time t4 (16h).
- CrKo_t5_r10** The sample is the first replica (r10) of the biological condition Cry1/2 and KO at time t5 (20h).
- CrKo_t0_r11** The sample is the first replica (r11) of the biological condition Cry1/2 and KO at time t0 (00h).
- CrKo_t1_r11** The sample is the first replica (r11) of the biological condition Cry1/2 and KO at time t1 (04h).
- CrKo_t2_r11** The sample is the first replica (r11) of the biological condition Cry1/2 and KO at time t2 (08h).
- CrKo_t3_r11** The sample is the first replica (r11) of the biological condition Cry1/2 and KO at time t3 (12h).
- CrKo_t4_r11** The sample is the first replica (r11) of the biological condition Cry1/2 and KO at time t4 (16h).
- CrKo_t5_r11** The sample is the first replica (r11) of the biological condition Cry1/2 and KO at time t5 (20h).
- CrKo_t0_r12** The sample is the first replica (r12) of the biological condition Cry1/2 and KO at time t0 (00h).
- CrKo_t1_r12** The sample is the first replica (r12) of the biological condition Cry1/2 and KO at time t1 (04h).
- CrKo_t2_r12** The sample is the first replica (r12) of the biological condition Cry1/2 and KO at time t2 (08h).
- CrKo_t3_r12** The sample is the first replica (r12) of the biological condition Cry1/2 and KO at time t3 (12h).
- CrKo_t4_r12** The sample is the first replica (r12) of the biological condition Cry1/2 and KO at time t4 (16h).
- CrKo_t5_r12** The sample is the first replica (r12) of the biological condition Cry1/2 and KO at time t5 (20h).
- CrWt_t0_r13** The sample is the first replica (r13) of the biological condition Cry1/2 and wild-type at time t0 (00h).

- CrWt_t1_r13** The sample is the first replica (r13) of the biological condition Cry1/2 and wild-type at time t1 (04h).
- CrWt_t2_r13** The sample is the first replica (r13) of the biological condition Cry1/2 and wild-type at time t2 (08h).
- CrWt_t3_r13** The sample is the first replica (r13) of the biological condition Cry1/2 and wild-type at time t3 (12h).
- CrWt_t4_r13** The sample is the first replica (r13) of the biological condition Cry1/2 and wild-type at time t4 (16h).
- CrWt_t5_r13** The sample is the first replica (r13) of the biological condition Cry1/2 and wild-type at time t5 (20h).
- CrWt_t0_r14** The sample is the first replica (r14) of the biological condition Cry1/2 and wild-type at time t0 (00h).
- CrWt_t1_r14** The sample is the first replica (r14) of the biological condition Cry1/2 and wild-type at time t1 (04h).
- CrWt_t2_r14** The sample is the first replica (r14) of the biological condition Cry1/2 and wild-type at time t2 (08h).
- CrWt_t3_r14** The sample is the first replica (r14) of the biological condition Cry1/2 and wild-type at time t3 (12h).
- CrWt_t4_r14** The sample is the first replica (r14) of the biological condition Cry1/2 and wild-type at time t4 (16h).
- CrWt_t5_r14** The sample is the first replica (r14) of the biological condition Cry1/2 and wild-type at time t5 (20h).
- CrWt_t0_r15** The sample is the first replica (r15) of the biological condition Cry1/2 and wild-type at time t0 (00h).
- CrWt_t1_r15** The sample is the first replica (r15) of the biological condition Cry1/2 and wild-type at time t1 (04h).
- CrWt_t2_r15** The sample is the first replica (r15) of the biological condition Cry1/2 and wild-type at time t2 (08h).
- CrWt_t3_r15** The sample is the first replica (r15) of the biological condition Cry1/2 and wild-type at time t3 (12h).
- CrWt_t4_r15** The sample is the first replica (r15) of the biological condition Cry1/2 and wild-type at time t4 (16h).
- CrWt_t5_r15** The sample is the first replica (r15) of the biological condition Cry1/2 and wild-type at time t5 (20h).
- CrWt_t0_r16** The sample is the first replica (r16) of the biological condition Cry1/2 and wild-type at time t0 (00h).
- CrWt_t1_r16** The sample is the first replica (r16) of the biological condition Cry1/2 and wild-type at time t1 (04h).
- CrWt_t2_r16** The sample is the first replica (r16) of the biological condition Cry1/2 and wild-type at time t2 (08h).
- CrWt_t3_r16** The sample is the first replica (r16) of the biological condition Cry1/2 and wild-type at time t3 (12h).

CrWt_t4_r16 The sample is the first replica (r16) of the biological condition Cry1/2 and wild-type at time t4 (16h).

CrWt_t5_r16 The sample is the first replica (r16) of the biological condition Cry1/2 and wild-type at time t5 (20h).

Details

The data is used in order to describe our algorithm in the case where samples belong to different time points.

We kept 500 genes only in order to increase the speed for each example.

Value

Mouse times series dataset with four biological conditions and with 6 time measurements.

Source

This dataset comes from Gene Expression Omnibus (GEO) <https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE135898>. The name of the samples was renamed in order to be used with our package.

References

Weger BD, Gobet C, David FPA, Atger F et al. 'Systematic analysis of differential rhythmic liver gene expression mediated by the circadian clock and feeding rhythms'. Proc Natl Acad Sci USA 2021 Jan 19;118(3). PMID:33452134. GEO:GSE135898.

Examples

```
data(RawCounts_Weger2021_MOUSEsub500)
```

RawCountsSimulation *RNA-seq raw counts data simulation*

Description

The function simulates an in silico RNA-seq raw counts data inspired from the model used in the DESeq2 package. It is used in some examples of other functions.

Usage

```
RawCountsSimulation(Nb.Group, Nb.Time, Nb.per.GT, Nb.Gene)
```

Arguments

Nb.Group	Non negative integer. Number of biological condition (minimum 1).
Nb.Time	Non negative integer. Number of time points (minimum 1).
Nb.per.GT	Non negative integer. Number of sample for each condition and time (minimum 1).
Nb.Gene	Non negative integer. Number of genes (minimum 1)

Value

A simulated RNA-seq raw counts data.

Examples

```
RawCountsSimulation(Nb.Group=3, Nb.Time=5, Nb.per.GT=7, Nb.Gene=50)
## RawCountsSimulation(Nb.Group=1, Nb.Time=5, Nb.per.GT=7, Nb.Gene=50)
## RawCountsSimulation(Nb.Group=3, Nb.Time=1, Nb.per.GT=7, Nb.Gene=50)
```

Results_DEanalysis_sub500

DE results of three dataset

Description

The list Results_DEanalysis_sub500 contains the results of `DEanalysisGlobal()` for each of the following raw counts : RawCounts_Weger2021_MOUSEsub500, RawCounts_Leong2014_FISSIONsub500wt and RawCounts_Schleiss2021_CLLsub500

Usage

```
data(Results_DEanalysis_sub500)
```

Format

A list of 3 SummarizedExperiment class object

Details

Each list in Results_DEanalysis_sub500 contains only the necessary outputs of `DEanalysisGlobal()`, needed for the functions: `DEplotVolcanoMA()`, `DEplotHeatmaps()`, `GSEapreprocessing()`, and `GSEAQuickAnalysis()`, for each of the following raw counts : RawCounts_Weger2021_MOUSEsub500, RawCounts_Leong2014_FISSIONsub500wt and RawCounts_Schleiss2021_CLLsub500

Value

Results_DEanalysis_sub500 contains the outputs of `DEanalysisGlobal()` of: RawCounts_Weger2021_MOUSEsub500, RawCounts_Leong2014_FISSIONsub500wt and RawCounts_Schleiss2021_CLLsub500

Examples

```
data(Results_DEanalysis_sub500)
```

Index

- * **datasets**
 - RawCounts_Antoszewski2022_MOUSEsub500, [72](#)
 - RawCounts_Leong2014_FISSIONsub500wt, [73](#)
 - RawCounts_Schleiss2021_CLLsub500, [76](#)
 - RawCounts_Weger2021_MOUSEsub500, [80](#)
 - Results_DEanalysis_sub500, [86](#)
- * **internal**
 - MultiRNAflow-package, [3](#)
- BiocGenerics::estimateSizeFactors(), [7](#), [8](#)
- CharacterNumbers, [4](#)
- CharacterNumbers(), [5](#), [15](#)
- ColnamesToFactors, [5](#)
- ColnamesToFactors(), [4](#), [6](#), [64](#)
- ComplexHeatmap::Heatmap(), [39](#)
- DATAnormalization, [3](#), [6](#)
- DATAnormalization(), [8–13](#), [16–18](#), [54](#), [55](#), [57–60](#), [62](#), [64](#), [66](#), [67](#), [69–71](#)
- DATApLOTBoxplotSamples, [9](#)
- DATApLOTBoxplotSamples(), [7](#), [10](#)
- DATApLOTExpression1Gene, [11](#)
- DATApLOTExpression1Gene(), [11](#), [13](#)
- DATApLOTExpressionGenes, [12](#)
- DATApLOTExpressionGenes(), [11](#)
- DATApREPSE, [14](#)
- DATApREPSE(), [6–9](#), [11](#), [16–18](#), [54](#), [58](#), [60](#), [62](#), [63](#), [66](#), [70](#), [71](#)
- DEanalysisGlobal, [3](#), [17](#)
- DEanalysisGlobal(), [16](#), [18](#), [19](#), [23](#), [24](#), [27](#), [31](#), [38](#), [39](#), [43](#), [44](#), [48–52](#), [86](#)
- DEanalysisGroup, [21](#)
- DEanalysisGroup(), [34](#), [35](#), [41](#), [45](#), [46](#)
- DEanalysisSubData, [24](#)
- DEanalysisTime, [26](#)
- DEanalysisTime(), [33](#), [42](#)
- DEanalysisTimeAndGroup, [28](#)
- DEanalysisTimeAndGroup(), [32–36](#), [41](#), [42](#), [47](#), [48](#)
- DEplotAlluvial, [31](#)
- DEplotAlluvial(), [19–21](#), [27](#), [30](#), [31](#), [33](#), [48](#)
- DEplotBarplot, [33](#)
- DEplotBarplot(), [19](#), [23](#), [35](#), [46](#), [48](#)
- DEplotBarplotFacetGrid, [35](#)
- DEplotBarplotFacetGrid(), [20](#), [21](#), [30](#), [31](#), [48](#)
- DEplotBarplotTime, [37](#)
- DEplotBarplotTime(), [19](#), [27](#), [48](#)
- DEplotHeatmaps, [38](#)
- DEplotHeatmaps(), [86](#)
- DEplotVennBarplotGroup, [40](#)
- DEplotVennBarplotGroup(), [18](#), [21](#), [23](#), [31](#), [46](#), [48](#)
- DEplotVennBarplotTime, [41](#)
- DEplotVennBarplotTime(), [19](#), [21](#), [27](#), [30](#), [48](#)
- DEplotVolcanoMA, [43](#)
- DEplotVolcanoMA(), [86](#)
- DEresultGroup, [45](#)
- DEresultGroupPerTime, [47](#)
- DESeq2::DESeq(), [3](#), [17](#), [18](#), [21](#), [22](#), [26](#), [28](#), [45](#), [47](#)
- DESeq2::DESeqDataSetFromMatrix(), [14](#), [16](#)
- DESeq2::rlog(), [7](#), [8](#)
- DESeq2::vst(), [7](#), [8](#)
- factoextra::fviz_dend(), [55](#)
- FactoMineR::HCPC(), [3](#), [53](#), [55](#), [56](#), [59](#), [60](#)
- FactoMineR::PCA(), [3](#), [54](#), [55](#), [63](#), [64](#), [66](#), [67](#), [69–71](#)
- ggplot2, [33–35](#)
- ggplot2::facet_grid(), [36](#)

ggplot2::geom_bar(), 34, 36
ggplot2::geom_boxplot, 10
ggplot2::geom_boxplot(), 10
ggplot2::geom_errorbar(), 11, 13
ggplot2::geom_jitter, 10
ggplot2::geom_violin(), 11, 13
gprofiler2::gost(), 3, 51, 52
graphics::persp(), 55, 63, 67
GSEAPreprocessing, 3, 48
GSEAPreprocessing(), 86
GSEAQuickAnalysis, 3, 50
GSEAQuickAnalysis(), 86

HCPCanalysis, 3, 53
HCPCanalysis(), 71

Mfuzz::mfuzz(), 58–60
Mfuzz::mfuzz.plot2(), 3, 58
MFUZZanalysis, 3, 56
MFUZZanalysis(), 6, 61
MFUZZclustersNumber, 59
MFUZZclustersNumber(), 6, 57, 58
MultiRNAflow (MultiRNAflow-package), 3
MultiRNAflow-package, 3

PCAanalysis, 3, 62
PCAanalysis(), 65, 68, 71
PCAgraphics, 65
PCAgraphics(), 64
PCAPreprocessing, 69
PCAPreprocessing(), 6, 71
PCArealization, 70
PCArealization(), 55, 56, 65, 68, 69, 71
plot3Drgl::plotrgl(), 55, 63, 64, 67

RawCounts_Antoszewski2022_MOUSEsub500,
72
RawCounts_Leong2014_FISSIONsub500wt,
73
RawCounts_Schleiss2021_CLLsub500, 76
RawCounts_Weger2021_MOUSEsub500, 80
RawCountsSimulation, 85
Results_DEanalysis_sub500, 86

stats::kmeans(), 59, 60
stats::p.adjust(), 17, 22, 26, 29, 45, 47
SummarizedExperiment::SummarizedExperiment(),
14, 16

UpSetR::upset(), 40–42