

# Package ‘occugene’

September 12, 2024

**Version** 1.64.0

**Date** 2006-11-07

**Title** Functions for Multinomial Occupancy Distribution

**Author** Oliver Will <oliverrrreader@gmail.com>

**Maintainer** Oliver Will <oliverrrreader@gmail.com>

**Depends** R (>= 2.0.0)

**Description** Statistical tools for building random mutagenesis libraries for prokaryotes. The package has functions for handling the occupancy distribution for a multinomial and for estimating the number of essential genes in random transposon mutagenesis libraries.

**License** GPL (>= 2)

**biocViews** Annotation, Pathways

**git\_url** <https://git.bioconductor.org/packages/occugene>

**git\_branch** RELEASE\_3\_19

**git\_last\_commit** f762662

**git\_last\_commit\_date** 2024-04-30

**Repository** Bioconductor 3.19

**Date/Publication** 2024-09-11

## Contents

binHist . . . . .	2
binInsert . . . . .	3
binInsertHist . . . . .	4
checkFormat . . . . .	5
delta0 . . . . .	6
eMult . . . . .	7
etDelta . . . . .	8
fCumul . . . . .	9
fFit . . . . .	10

loadAnnotation . . . . .	11
loadInsertions . . . . .	11
occup2Negenes . . . . .	12
sampleAnnotation . . . . .	13
sampleInsertions . . . . .	14
unbiasB0 . . . . .	14
unbiasDelta0 . . . . .	15
varMult . . . . .	17
<b>Index</b>	<b>18</b>

---

binHist	<i>Histogram Breakpoints</i>
---------	------------------------------

---

### Description

Returns the histogram breakpoints for fast insertion.

### Usage

```
binHist(orf,overlap=NULL,bp=6264403)
```

### Arguments

orf	2-column matrix of annotation
overlap	number position of overlap
bp	number of base pairs in genome

### Details

Returns a vector of breakpoints for the binInsertHist function.

### Value

end.pt	Position of last target
orf	orfID
overlap	Number of targets in overlap

### Author(s)

Oliver Will <owill14@yahoo.com>

### References

See the book chapter O. Will (\*\*) in \*\*.

**See Also**

binInsertHist

**Examples**

# \*\*

---

binInsert	<i>Insert Locations</i>
-----------	-------------------------

---

**Description**

Returns the number of ORF knockouts.

**Usage**

```
binInsert(insert,orf,returnCounts=FALSE,overlap=NULL,DEBUG=FALSE)
```

**Arguments**

insert	List of insertion locations
orf	2-column matrix of annotation
returnCounts	Return the number of insertions
overlap	Number of shared targets
DEBUG	Flag to debug the code

**Details**

Finds the number of ORFs that have an insertion given a list of locations. If the returnCounts flag is true, the function returns the number of insertions per ORF. Uses the function hist for gains in speed.

**Value**

Returns a numeric or an object

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*.

**Examples**

# \*\*

---

binInsertHist	<i>Insert Locations Quickly</i>
---------------	---------------------------------

---

**Description**

Given a list of locations, returns the number of ORFs hit.

**Usage**

```
binInsertHist(insert,orfHist,returnCounts=FALSE)
```

**Arguments**

insert	List of insertion locations
orfHist	Histogram breakpoints
returnCounts	Return the number of insertions

**Details**

Finds the number of ORFs that have an insertion given a list of locations. If the returnCounts flag is true, the function returns the number of insertions per ORF. Uses the function hist for gains in speed.

**Value**

Returns a numeric or an object

**Author(s)**

Oliver Will <owill4@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*

**See Also**

binHist

**Examples**

```
# **
```

---

checkFormat	<i>Checks the Format of Annotation and Insertions</i>
-------------	---

---

**Description**

Checks the format of the annotation and insertions.

**Usage**

```
checkFormat(anno, clone)
```

**Arguments**

anno	2-column matrix of annotation
clone	vector

**Details**

Checks the format of the annotation and insertions list. Annotation has to be a matrix of the first and last target in the ORF. Insertions has to be a vector. Will stop if not correct format.

**Value**

Returns a boolean.

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*

**Examples**

```
data(sampleAnnotation)
data(sampleInsertions)
anno <- cbind(sampleAnnotation$first, sampleAnnotation$last)
clone <- sampleInsertions$position
if (checkFormat(anno, clone)) {print("Looks good.");}
```

---

delta0	<i>Number of New Knockouts</i>
--------	--------------------------------

---

**Description**

Point estimate for the number of new ORF knockouts in the next  $d$  clones.

**Usage**

```
delta0(d, anno, clone)
```

**Arguments**

d	Number of clones to be made
anno	2-column matrix of annotation
clone	Vector of insertions

**Details**

Use the parametric form of the cumulative occupancy distribution to estimate the number of new ORF knockouts in the next  $d$  clones.

**Value**

A numeric

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*

**See Also**

unbiasDelta0

**Examples**

```
data(sampleAnnotation)
data(sampleInsertions)
anno <- cbind(sampleAnnotation$first, sampleAnnotation$last)
clone <- sampleInsertions$position
delta0(10, anno, clone)
```

---

eMult

*Expected Value of the Occupancy Distribution*

---

### Description

Returns the expected value of the occupancy distribution based on a multinomial distribution.

### Usage

```
eMult(n, p, iter=NULL, seed=NULL, experimental=NULL)
```

### Arguments

n	number of attempts in the multinomial distribution
p	probabilities for landing in a specific bin
iter	number of iterations used in the Monte-Carlo approximation
seed	seed for the random number generator
experimental	access to other functions of multinomials

### Details

This functions computes the expected value of the occupancy distribution for a multinomial. In other words, the expected number of bins with at least one ball. The experimental argument "oneBall" computes expected number of bins with exactly one ball and the experimental argument "nextTo" computes the expected number of bins with one ball next to a bin with zero balls. Consider any functionality through the experimental argument untested.

### Value

Returns a numeric

### Author(s)

Oliver Will <owill14@yahoo.com>

### References

See the book chapter O. Will (\*\*) in \*\* for specific details about this package or Johnson, N. L. and Kotz, S. (1977) *Urn Models and Their Application: An Approach to Modern Discrete Probability Theory*. John Wiley & Sons, New York, NY.

### Examples

```
n <- 20
p <- c(seq(10,1,-1),47)/100
p <- p/sum(p)
eMult(n,p)
eMult(n,p,iter=1000,seed=4)
```

---

etDelta	<i>Number of New ORF Knockouts</i>
---------	------------------------------------

---

**Description**

Estimates the number of new knockouts in next d clones.

**Usage**

```
etDelta(d,anno,clone)
```

**Arguments**

d	number of new clones
anno	2-column matrix of annotation
clone	vector

**Details**

Estimates the number of new ORF knockouts in the next d clones using the method outlined by Efron and Thisted.

**Value**

expected	Expected value
variance	Variance

**Author(s)**

Oliver Will <owill4@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\* and also Efron, B. and Thisted, R. (1976) Estimating the number of unseen species: How many words did Shakespere know? *Biometrika*. 63, 435-447.

**Examples**

```
data(sampleAnnotation)
data(sampleInsertions)
a.data <- sampleAnnotation
experiment <- sampleInsertions
orf <- cbind(a.data$first,a.data$last)
clone <- experiment$position
etDelta(10,orf,clone)
```



---

`fCumul`*Parametric Function for the Cumulative Occupancy Distribution*

---

**Description**

Returns values for parameterized cumulative occupancy distributions.

**Usage**

```
fCumul(x, b0, b1, b2)
```

**Arguments**

<code>x</code>	Point to evaluate
<code>b0</code>	Parameter b0
<code>b1</code>	Parameter b1
<code>b2</code>	Parameter b2

**Details**

Function fitted to the cumulative occupancy distribution for a multinomial distribution. Exponential model :=  $b_0 - b_1 \exp(-b_2 x)$ .

**Value**

Returns a numeric

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*

**Examples**

```
x <- 2
b0 <- 3
b1 <- 3
b2 <- 0.01
val <- fCumul(x, b0, b1, b2)
```

---

`fFit`*Parametric Fit for the Cumulative Occupancy Distribution*

---

**Description**

Parameterizes the cumulative occupancy distribution.

**Usage**

```
fFit(anno, clone, TR=TRUE, b0=0, b1=0, b2=.0)
```

**Arguments**

<code>anno</code>	2-column matrix of annotation
<code>clone</code>	vector
<code>TR</code>	Report a trace
<code>b0</code>	Starting value b0
<code>b1</code>	Starting value b1
<code>b2</code>	Starting value b2

**Details**

Fits various parametric functions to the occupancy distribution for a multinomial. Using the starting values of `b0=0`, `b1=0`, and `b2=0` forces the function to find starting values for you.

**Value**

Returns a object.

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*

**Examples**

```
data(sampleAnnotation)
data(sampleInsertions)
anno <- cbind(sampleAnnotation$first, sampleAnnotation$last)
clone <- sampleInsertions$position
TR <- TRUE
fm <- fFit(anno, clone, TR)
```

---

loadAnnotation	<i>Loads Annotation File</i>
----------------	------------------------------

---

**Description**

Loads and checks an annotation file.

**Usage**

```
loadAnnotation(fileName)
```

**Arguments**

fileName	Name of file
----------	--------------

**Details**

Annotation file need four columns: idNum, first, last, and overlap.

**Value**

Returns a data frame

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*

**Examples**

```
# No self contained example
```

---

loadInsertions	<i>Load Genome Annotation File</i>
----------------	------------------------------------

---

**Description**

Loads a list of insertion locations.

**Usage**

```
loadInsertions(fileName)
```

**Arguments**

fileName          Name of the file

**Details**

Loads a list of insertion locations created in a transposon mutagenesis library.

**Value**

Returns a data frame

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*

**Examples**

```
# No self contained example
```

---

occup2Negenes          *Convert Occupancy Format to Negenes*

---

**Description**

Convert the annotation and insertion formation of the occupancy package into the format for the negenes package.

**Usage**

```
occup2Negenes(anno, clone, INTERGENIC=FALSE)
```

**Arguments**

anno                  2-column matrix of annotation  
clone                  vector of insertion locations  
INTERGENIC          Process the intergenic region as last ORF.

**Details**

Convert the annotation and insertion formation of the occupancy package into the format for the negenes package. Of the returned data frame, column 1 is n.sites, column 2, n.sites2, column 3, counts, column 4, counts2.

**Value**

Returns a data frame

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*

**Examples**

```
data(sampleAnnotation)
data(sampleInsertions)
anno <- cbind(sampleAnnotation$first,sampleAnnotation$last)
clone <- sampleInsertions$position
occup2Negenes(anno,clone)
```

---

sampleAnnotation      *Annotation for a Hypothetical Prokayote*

---

**Description**

This dataset has the annotation for a hypothetical bacterium.

**Usage**

```
data(sampleAnnotation)
```

**Format**

A data frame containing 4 columns with 10 rows.

**Author(s)**

Oliver Will <owill14@yahoo.com>

**Source**

Randomly generated.

**References**

See the book chapter O. Will (\*\*) in \*\*

---

sampleInsertions	<i>Insertions for a Hypothetical Clonal Library</i>
------------------	---

---

**Description**

Insertion locations for a simple random mutagenesis library example.

**Usage**

```
data(sampleInsertions)
```

**Format**

A data frame containing 1 column with 20 rows.

**Author(s)**

Oliver Will <owill14@yahoo.com>

**Source**

Randomly generated.

**References**

See the book chapter O. Will (\*\*) in \*\*

---

unbiasB0	<i>Unbiased Estimator of the Number of Non-essential ORFs</i>
----------	---

---

**Description**

Unbiased point estimate and confidence intervals for the number of non-essential ORFs.

**Usage**

```
unbiasB0(anno, clone, iter=1000, seed=NULL, alpha=0.05, TR=TRUE)
```

**Arguments**

anno	2-column matrix of annotation
clone	Vector of insertions
iter	Number of iterations for the bootstrap
seed	Seed for the random number generator
alpha	Type I error
TR	Report a trace

**Details**

Fits a parametric function to the cumulative occupancy distribution. Uses a parametric bootstrap to correct for bias and find confidence intervals for the number of non-essential ORFs.

**Value**

b0	Unbiased point estimate
CI	Confidence interval at the alpha specified

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*

**See Also**

fFit

**Examples**

```
data(sampleAnnotation)
data(sampleInsertions)
anno <- cbind(sampleAnnotation$first, sampleAnnotation$last)
clone <- sampleInsertions$position
TR <- TRUE
iter <- 10
seed <- 4
unbiasB0(anno, clone, iter, seed, TR=TR)
```

---

unbiasDelta0

*Unbiased Number of New Knockouts*

---

**Description**

Unbiased point estimate and confidence intervals for the number of new ORF knockouts in the next d clones.

**Usage**

```
unbiasDelta0(d, anno, clone, iter=1000, seed=NULL, alpha=0.05, TR=TRUE)
```

**Arguments**

d	Number of new clones
anno	2-column matrix of annotation
clone	Vector of insertions
iter	Number of iterations for the bootstrap
seed	Seed for the random number generator
alpha	Type I error
TR	Report a trace

**Details**

Fits a parametric function to the cumulative occupancy distribution. Uses a parametric bootstrap to correct for bias and find confidence intervals for the number of new ORF knockouts in the next d clones.

**Value**

delta0	Unbiased point estimate
CI	Confidence interval at the alpha specified

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\*

**See Also**

delta0

**Examples**

```
data(sampleAnnotation)
data(sampleInsertions)
anno <- cbind(sampleAnnotation$first,sampleAnnotation$last)
clone <- sampleInsertions$position
TR <- TRUE
iter <- 10
seed <- 4
unbiasDelta0(10,anno,clone,iter,seed,TR=TR)
```



---

varMult                      *Variance of the Occupancy Distribution*

---

**Description**

Returns the variance of the occupancy distribution based on a multinomial distribution.

**Usage**

```
varMult(n, p, iter=NULL, seed=NULL, experimental=NULL)
```

**Arguments**

n	number of attempts in the multinomial distribution
p	probabilities for landing in a specific bin
iter	number of iterations used in the Monte-Carlo approximation
seed	seed for the random number generator
experimental	access to other functions of multinomials

**Details**

This functions computes the variance of the occupancy distribution for a multinomial. In other words, the expected number of bins with at least one ball. The experimental argument "oneBall" computes variance of bins with exactly one ball and the experimental argument "nextTo" computes the variance of bins with one ball next to a bin with zero balls. Consider any functionality through the experimental argument untested.

**Value**

Returns a numeric

**Author(s)**

Oliver Will <owill14@yahoo.com>

**References**

See the book chapter O. Will (\*\*) in \*\* for specific details about this package or Johnson, N. L. and Kotz, S. (1977) *Urn Models and Their Application: An Approach to Modern Discrete Probability Theory*. John Wiley & Sons, New York, NY.

**Examples**

```
n <- 20
p <- c(seq(10,1,-1),47)/100
p <- p/sum(p)
varMult(n,p)
varMult(n,p,iter=1000,seed=4)
```

# Index

- \* **attribute**
  - checkFormat, 5
- \* **datasets**
  - sampleAnnotation, 13
  - sampleInsertions, 14
- \* **distribution**
  - eMult, 7
  - varMult, 17
- \* **iteration**
  - binHist, 2
  - binInsert, 3
  - binInsertHist, 4
- \* **manip**
  - loadAnnotation, 11
  - loadInsertions, 11
  - occup2Negenes, 12
- \* **models**
  - fCumul, 9
  - fFit, 10
- \* **nonlinear**
  - delta0, 6
  - unbiasB0, 14
  - unbiasDelta0, 15
- \* **univar**
  - etDelta, 8

binHist, 2  
binInsert, 3  
binInsertHist, 4

checkFormat, 5

delta0, 6

eMult, 7  
etDelta, 8

fCumul, 9  
fFit, 10

loadAnnotation, 11  
loadInsertions, 11  
occup2Negenes, 12  
sampleAnnotation, 13  
sampleInsertions, 14

unbiasB0, 14  
unbiasDelta0, 15

varMult, 17